

## Energy Company Obligation (ECO4) Supplier Data Dictionary (DRAFT)

## Introduction

This document provides a data dictionary and general information to help suppliers complete the Notification Templates for ECO4 projects and measures installed from 1st April 2022.

# PLEASE BE AWARE THIS IS A **DRAFT DOCUMENT**. THE CONTENTS OF THIS DATA DICTIONARY AND THE REQUIRED DATA UNDER ECO4 ARE SUBJECT TO CHANGE! **Background**

In ECO4, notifications are separated into projects and measures, aligning with the lodgement process in TrustMark's Data Warehouse. A SAP or RdSAP assessment of the relevant property should take place before any measure installation commences and will form the basis of the project. For the purposes of notification to the ECO4 Register, a project consists of one or more ECO measures installed at a single property. Every measure must be attached to a project. Projects and measures each have their own notification template, with different fields.

The full project score for a completed project will be attached to the project. Partial project scores for completed measures will be attached to individual measures. It is intended for the project to be notified before any of the measures. A measure can be notified before the attached project but will not be able to pass validation checks until that project has been notified and passed project validation checks. Once a project is complete (ie all measures to be installed have been completed and notified) suppliers should re-notify the project as a completed project re-notification containing end of project data such as the post-retrofit SAP rating. This is explained in further detail below.



This data dictionary sets out each of the fields to be completed on the supplier notification templates, the questions suppliers should be answering when completing the field, as well as an explanation of the information suppliers should provide. It then sets out the data field type required, the accepted format and validations involved for each field.

The supplier data dictionary also distinguishes between types of data that are provided in the Notification Template.

Core Data: must be provided in order for a notification to be made. If core data is omitted or provided in a format other than the accepted format, the attempt to notify the measure will fail and it will not be accepted onto the register. Required Data: must be provided before we can process the notification. If this information is omitted or not provided in the correct format, the notification will be made and be accepted onto the register, but we will be unable to process the notification.

Optional Data: we request suppliers provide this in order to assist our validation and audit processes, and to assist suppliers should they later wish to transfer a measure to another supplier.

Suppliers should be aware that Ofgem's system cannot accept data unless notified in accordance with the accepted format as specified below. The accepted format is case sensitive and includes headings. As noted above, where core data is provided in a format other than the accepted format, the attempt to notify the measure will fail.

Ofgem will perform additional validations to check dependencies of mandatory fields and measure eligibility.

Note some fields are only required to be filled in for projects that do not have a lodged RdSAP assessment with TrustMark. These are projects that consist solely of a DHC measure and/or data light measures and are therefore outside the scope of PAS2035. For projects with a lodged RdSAP assessment these fields can be entered as N/A and they will be updated by the ECO Register.



Some fields on the project notification template can be 'N/A' during an initial or edited notification, but require data to be entered when 'project purpose of notification' is set to 'Completed Project Notification'. These fields contain data that is only required after the project is complete in order to calculate a full project score. These fields are marked with 'completed project notification' in the overview column.

### Submitting the notification template

- Format "A" Alphabetic.
- Format "N" Numeric.
- There is no required formatting for the file name.
- File should be submitted in .csv format.
- File should include the heading for each field.
- The contents of each field should follow the required formatting as described in this data dictionary.
- Projects and measures cannot be notified in the same file as the notification templates have different fields.
- The file can contain details of multiple measures or projects.
- There is a limit of 4500 notifications per file

We are transitioning many of our automated processing from monthly to nightly. Whilst legislative deadlines are on a monthly basis, we would encourage measures and projects to be submitted as they are completed rather than in single monthly batches. Whilst some manual processes remain, this should ultimately reduce timescales for approval.

## Completing the notification template

When a field is not applicable, or not required for your notification (as indicated by the 'required when' statement in the 'Mandatory' column), it should be populated with 'N/A'.



## **Project notification template**

#### Table 1: Project template data dictionary

Data	Question	Information	Data Field Type	Accepted Format	Validations	Mandatory	Review Tab
			.,				
ECO_Suppl	What is the ECO	This refers to the unique ECO supplier	Alpha-	AAANNNNNN	The	CORE	Supplier
ier_Refere	supplier reference	reference number allocated to every	numeric	NNA	reference		
nce	number of the	obligated supplier by Ofgem. The letters			number		
	supplier that owns	at the beginning are an assigned acronym		AAAAANNNNN	must be a		
	the project?	identifier for the company name. The		NA	valid		
		numeric characters following that are the			supplier		
		licence-holder's company registration			reference.		
		number and the final letter denotes the					
		licence type, $E = Electricity$ , $G = Gas$ .			Only entries		
					in the		
		This entry identifies the supplier whose			accepted		
		obligations the project and associated			format are		
		measures will be credited towards. The			valid.		
		ECO supplier reference number that is					
		provided must be for the supplier that					
		owns the project. In relation to					
		transferred projects, this will be the					
		supplier that is the 'buyer'.					



Project_Re	What is the unique	This is the unique reference number	Alpha-	P-	Only entries	CORE	Project
ference_N	project reference	generated by the supplier and ascribed to	numeric	AAANNNNNN	in the		
umber	number (PRN) that	the project being notified. This allows the		N	accepted		
	the supplier has	project to be identified by both suppliers			format are		
	generated for this	and Ofgem.			valid.		
	particular project?						
		The P indicates a project. The three					
		letters are an assigned acronym identifier					
		for the company name. The following					
		seven numbers should be generated by					
		the supplier.					
Trustmark	If the project is	When a project is lodged with TrustMark a	Alpha-	ANNNN	Only entries	Optional, but	Project
_Project_R	registered with	unique TrustMark project reference will be	numeric		that match	should only be	
eference_	TrustMark, what is	generated. Supplier must have this		ANNNN	with	`N/A' when no	
Number	the TrustMark	number before notifying the project to		ANNNNN	TrustMark's	measures to be	
	unique project	Ofgem.		ANNINININ	Data	installed are	
	reference?			ANNNNNN	warehouse	covered by	
		This should only be N/A where no			are valid.	PAS2035.	
		measures in the project will be lodged		N/A			
		with TrustMark. Measures will not pass		,			
		validation checks if they are a measure					
		type covered by PAS2035 but no					
		TrustMark Project reference number (TM					
		PRN) has been entered for the project.					



Project_Pu	What is the	This indicates the reason for notifying the	Alphabetic	New Project	Only entries	Required	Project
rpose_of_	purpose of this	project.		Notification	correspondi		
Notificatio	submission?				ng to the list		
n		'New Notification' should be entered when		Edited Project	are valid.		
		notifying a project for the first time.		Notification			
		'Edited Notification' should be entered		Completed			
		when an existing project is being		Project			
		amended and the project is re-notified,		Notification			
		except in cases where the project is being					
		notified as complete.					
		'Completed Project' should be entered					
		when an existing project is being re-					
		notified to signify a project is complete					
		and provide the required end of project					
		details.					
Building_N	Where relevant,	Provide the number of the building (if	Alpha-	Max character	Only entries	CORE when:	Property /
umber	what is the	applicable).	numeric	length of 50	in the	'Building_Name' is	Person
	number of the			characters	accepted	unavailable	
	building in which				format are		
	the project took				valid.		
	place?						
Buildina N	Where relevant,	Provide the name of the building (if	Alpha-	Max character	Only entries	CORE when:	Property /
ame	what is the name	applicable).	numeric	length of 100	in the	'Building_Number'	Person
	of the building in			characters	accepted	is unavailable	



	which the project				format are		
	took place?				valid.		
Flat Name	Where relevant,	Provide the name or number of the flat (if	Alpha-	Max character	Only ontring	Dequired when	Droporty (
Flat_Name					Only entries	Required when	Property /
/Number	what is the name	applicable). The word 'Flat' should be	numeric	length of 50	in the	'Property' = 'Flat'	Person
	or number of the	entered where appropriate (e.g. 'Flat 1').		characters	accepted		
	flat in which the				format are		
	project took place?				valid.		
Street_Na	What is the name	Provide the name of the street on which	Alpha-	Max character	Only entries	Required when:	Property /
me	of the street on	the premises is located (if applicable).	numeric	length of 50	in the	'Eligibility_type' =	Person
	which the			characters	accepted	`In_fill' and	
	premises is	In-fill houses must be located on the			format are	'Property' =	
	located?	same (named) street as the projects			valid.	'House' or 'Flat'	
		containing the primary premises,					
		therefore, this field is required for the					
		notification of an in-fill house.					
		Similarly, in-fill flats must be in the same					
		building as the primary measure, so					
		street name is required to verify this.					
Town	What is the name	Please provide the name of the town in	Alpha-	Max character	Only entries	CORE	Property /
	of the town or city	which the property is located.	numeric	length of 50	in the		Person
	in which the			characters	accepted		
	premises is				format are		
	located?				valid.		



Post_Code	What is the	Please provide the full Royal Mail	Alpha-	AN NAA	Postcodes	CORE	Property /
	postcode for the	postcode corresponding to the address	numeric		with and		Person
	premises?	provided.	with /	ANN NAA	without		
			without		spaces will		
			'Space'	AAN NAA	be accepted.		
				AANN NAA	Only entries		
					in the		
				ANA NAA			
					accepted format are		
				AANA NAA	valid.		
					valiu.		
Unique_Pr	What is the UPRN	Provide the unique property reference	Alpha-	NNNNNNNN	Numeric	Optional	Property /
operty_Ref	for the premises?	number that is the unique twelve digit	numeric	NNN	entries must		Person
erence_Nu		number assigned to every unit of land			be 12 digits.		
mber_(UP		and property by the National Land and		N/A			
RN)		Property Gazetteer and recorded by local			Only entries		
		Government.			in the		
					accepted		
		Suppliers are encouraged to submit this			format are		
		data where it is available as standard.			valid.		
		'N/A' may be entered where the UPRN is					
		unknown.					
Dro Accors	What method was	All ECO4 projects must have a pre-retrofit	Alphabatic	EPC - SAP	Only entries	Required	Property /
_			Alphabetic	LFC - SAP		Required	
ment_Met	used to obtain the	SAP or RdSAP assessment carried out.		EPC - RdSAP	correspondi		Person
hodology		Where the assessment is RdSAP, it can					
		either be lodged with TrustMark ('TM –					



pre-retrofit SAP	RdSAP') or as an EPC ('EPC – RdSAP').	TM - RdSAP	ng to the list	
rating?	Full SAP assessments may only be lodged		are valid.	
	as an EPC.			
	Which assessment is required depends on			
	the measures to be installed in that			
	project. Where a project is to consist of			
	either a district heating connection or			
	novel data light measures, or both, then a			
	full SAP assessment lodged as an EPC is			
	required.			
	In all other cases, an RdSAP assessment			
	should be carried out and lodged with			
	Trustmark.			
	Measures that are installed in this project			
	may generate errors if the measure type			
	does not meet the above criteria, e.g. if a			
	supplier notified a loft insulation measure			
	in a project with 'EPC – SAP' in this field.			
	Please see draft ECO4 Guidance for more			
	details on when a SAP or RdSAP			
	assessment is required.			



Pre_Retrofi	What is the	Please include the reference number of	Numeric	NNNN-NNNN-	Only entries	Required when:	Property /
t_Assessm	reference number	the pre-retrofit assessment where the		NNNN-NNNN-	correspondi	`Trustmark_Project	Person
ent_Refere	of the pre-retrofit	assessment has been lodged as an EPC.		NNNN	ng to the list	_Reference_Numb	
nce	assessment?				are valid.	er' = `N/A'	
		A reference number is not required where		N/A			
		the pre-retrofit assessment is lodged with			The format		
		Trustmark.			must be		
					correct for		
					the notified		
					pre-retrofit		
					assessment		
					methodolog		
					у.		
Starting_S	What was the SAP	The starting SAP rating is taken from the	Alpha-	N.N	Numeric	Required	Property /
AP_Rating	rating in the	pre-retrofit assessment and is required	numeric		entries must		Person
j	property before	for determining both the eligibility of the		NN.N	be between		
	the project	property and measures installed within it,			1 and 100.		
	started?	as well as calculating partial and full		NNN			
		project scores.			Up to 1		
					decimal		
					place is		
					allowed.		
Floor_Area	What is the floor	To calculate scores the floor area of the	Numeric	N	Only entries	Required	Property /
	area of the	property must be notified. This should be			in the	- 1	Person
	property in m <sup>2</sup> ?	assessed as part of the pre-retrofit		NN	accepted		
	F F <b>S. S</b> / 1	assessment.					



				NNN	format are		
					valid.		
				NNNN			
					Max 4		
					characters		
Rural_Out	If the property is	For properties in rural areas, please	Alpha-	ANNNNNNN	Only entries	Optional	Property /
put_Area	in a rural area,	provide the code for the Output Area (OA)	numeric		in the		Person
	what is the OA	in which the premises is located.		N/A	accepted		
	code in which the				format are		
	premises is	For non-rural properties enter 'N/A'.			valid.		
	located?						
		For more information on OAs please see					
		the ECO4 draft Guidance.					
On_Gas	Is the property	For projects within the scope of PAS 2035	Alphabetic	On Grid	Only entries	Required when:	Property /
	connected to the	this will be extracted from the RdSAP			in the	'Trustmark_Project	Person
	gas grid?	lodged with TrustMark, so can be left		Off Grid	accepted	_Reference_Numb	
		blank.			format are	er' = `N/A'	
				N/A	valid.		
		For projects outside the scope of					
		PAS2035, please state if the premises					
		were connected to the mains supply of a					
		relevant gas transporter before 1 <sup>st</sup> April					
		2022.					



Private_Do	Did the project	Indicates whether the premises is	Alphabetic	Yes	Only entries	Required	Property /
mestic_Pre	take place at a	generally not owned and/or let by a social			correspondi		Person
mises	private domestic	landlord.		No	ng to the list		
	premises?				are valid.		
		For further information on the definition					
		of private domestic premises, please refer					
		to the draft ECO4 Guidance.					
Tenure_Ty	What is the tenure	Provide a description of the tenure of the	Alphabetic	Owner	Only entries	Required	Property /
ре	of the premises?	premises. Please see draft ECO4 Guidance		Occupied	correspondi		Person
		for details on how tenure impacts			ng to the list		
		eligibility.		PRS	are valid.		
		Note PRS = 'private rented sector'		Social			
		·		Housing (RSL)			
				Other			
Property	What type of	Please provide the type of premises the	Alphabetic	House	Only entries	Required	Property /
	property is the	measure was installed to.			correspondi		Person
	premises?			Flat	ng to the list		
					are valid.		
				Park home			
Eligibility_	What is the ECO	Indicates how the customer or premises	Alphabetic	Help to Heat	Only entries	CORE	Eligibility
Туре	eligibility route?	has been targeted and deemed eligible for		Group	correspondi		
		ECO.			ng to the list		
				Social	are valid.		
				Housing			
				Housing			



		For further information on the various		LA			
				Declaration			
		routes to eligibility, please refer to the					
		draft ECO4 Guidance.		Cumplian			
				Supplier			
				Evidence			
				In-fill			
Verificatio	How has the	For further information on how to identify	Alphabetic	WHD Core	-	Required when:	Eligibility
n_Method	chosen eligibility	whether a person is eligible for the		Group	correspondi	'Eligibility_Type' =	
	type been	scheme, please refer to the draft ECO4			ng to the list	'Help to Heat	
	determined?	Guidance.		DWP Match	are valid.	Group' OR	
						`Supplier	
		Where the property is eligible through the		ECO Eligible		Evidence'.	
		help to heat group (HTHG), the below		Referral			
		options apply:					
		'WHD Core Group' may be entered where		HTHG Benefit			
		the supplier can produce a WHD Core		Letter			
		Group notice at audit for the HTHG		Self			
		member.		Declaration			
		A data link exists with the Department of		РРМ			
		Work and Pensions (DWP) so that help to					
		heat group eligibility can be verified		Non-PPM			
		through a data matching exercise.					
		Suppliers should enter 'DWP Match' for		Flex Route 4			
		measures where HTHG eligibility has been					
		verified using this method.		Other			



		Only suppliers that have signed up to the ECO Eligible Referrals (EER) route with DWP should select 'ECO Eligible Referral'. 'Self Declaration' may be entered where a supplier can produce a Child Benefit Self- Declaration at audit.		N/A			
		Where eligibility type is 'Supplier Evidence', please state whether the household meets the pre-payment meter (PPM), non-pre-payment meter (non- PPM) requirements, or where ECO flex route 4 has been used. These options should only be entered where eligibility is 'Supplier Evidence'					
		'Other' should only be entered in exceptional circumstances when agreed with Ofgem before the measures are installed.					
DWP_Refe rence_Nu mber	If the project is using the 'DWP Match' verification method, what is the reference	Where a customer was verified as a member of the HTHG using the DWP data matching service, enter the reference	Alpha- numeric	NNNNNNNN N	Only entries in the accepted	Required when: 'Verification_Metho d' = 'DWP Match'	Eligibility



	number provided	number provided by the data matching		AAA_ANNNNN	format are	or 'ECO Eligible	
	by the data	provider.		N	valid.	Referral'	
	matching provider			Þ			
	confirming DWP	Where a customer was verified as a		AAA_AANNNN	EER URNs		
	have verified the	member of the HTHG using the EER		Ν	must be a		
	customer is a	route, enter the unique reference number			maximum of		
	HTHG member?	used in the verification process. This		N/A	50		
		should start with 'EER' and a prefix to			characters.		
	If the project is	indicate the supplier.			Only		
	using the 'ECO				numeric		
	Eligible Referral'				characters		
	verification				can follow		
	method, what is				the prefix		
	the unique				"EER_A" or		
	reference number				"EER_AA"		
	provided by DWP?						
Associated	If the project is an	In ECO4, properties may be eligible	Alpha-	P-	Only entries	Required when:	Eligibility
_Project_I	in-fill, what are	through in-fill provided they are	numeric	AAANNNNNN	in the	`Eligibility Type' =	
n-fill_1	the projects	supported by eligible primary measures. A		NN	accepted	`In-fill′	
	containing the	flat requires one primary measure,			format are		
	primary measures	whereas in-fill at houses require three		N/A	valid.		
	that support the	primary measures all at separate					
	in-fill?	properties. The projects containing					
		primary measures must be notified.					
		Please provide the first associated					
		supporting PRN for the In-fill project. The					
		primary measure for a flat should be					



		notified in this field, and not the two below.		)			
Associated _Project_I n-fill_2	If the project is an in-fill, what are the projects containing the primary measures that support the in-fill?	For an in-fill project in a house, please provide the PRN of the project containing the second primary measure. For an in-fill project in a flat, this should be left as 'N/A'.	Alpha- numeric	P- AAANNNNN NN N/A	Only entries in the accepted format are valid.	Required when: 'Eligibility Type' = 'In-fill' AND 'Property' = 'House'	Eligibility
Associated _Project_I n-fill_3	If the project is an in-fill, what are the projects containing the primary measures that support the in-fill?	For an in-fill project in a house, please provide the PRN of the project containing the third primary measure. For an in-fill project in a flat, this should be left as 'N/A'.	Alpha- numeric	P- AAANNNNN NN N/A	Only entries in the accepted format are valid.	Required when: 'Eligibility Type' = 'In-fill' AND 'Property' = 'House'	Eligibility
ECO_Flex_ Referral_R oute	Through which route was the property identified under ECO4 flex?	For properties that are eligible under ECO4 flex via a declaration from a supplier, please state which eligibility route is being claimed. There are four eligible proxy options for route 2. If 'verification method' is either PPM or non-PPM, only certain route 2 options are	Alpha- numeric	Route 2 LSOA Areas 1- 3/datazone Route 2 Council Tax Rebate	Only entries in the accepted format are valid.	Required when: 'Eligibility Type' = 'Supplier Evidence'	ECO4 Flex



		allowed, these being LOSA areas 1-		Route 2 NICE			
		3/datazone, council tax rebate, NICE		Guidance			
		guidance, and free school meals.					
				Route 2 Free			
		If 'verification method' is flex route 4,		School Meals			
		'Route 4 Bespoke Targetting' must also be					
		entered here.		Route 4			
				Bespoke			
				Targetting			
				rargetting			
				N/A			
				,			
Route_4_A	What is the route	Please provide the unique application	Alpha-	NNNNN	Only entries	Required when:	ECO4 Flex
pplication_	4 application	number for the ECO4 flex route 4	numeric		in the		
Number	number?	application.		N/A	accepted	`Eligibility Type' =	
					format are	'Supplier Evidence'	
					valid.	AND	
						'Verification	
						method = 'Flex	
						Route 4'	
LA_Declar	What is the	For ECO4 flex projects where there is a	Alpha-	ANNNNNNN-	Only entries	Required When:	ECO4 Flex
ation_Refe	reference number	declaration from a Local Authority or the	numeric	NNNNN	in the		
rence_Nu	of the LA or	Scottish or Welsh government, please			accepted	'Eligibility Type' =	
mber	devolved	provide the reference number of that		N/A	format are	'LA Declaration'	
	administration	declaration.			valid.		
	declaration?						



Date_Of_H	When did the LA	What date was the household first	Numeric	DD/MM/YY	Only entries	Required When:	ECO4 Flex
ouseholder	find the household	identified as eligible for ECO4 Flex?			in the		
_Eligibility	eligible for ECO4			N/A	accepted	`Eligibility Type' =	
	Flex?				format are	'LA Declaration'	
					valid.	OR 'Supplier	
						Evidence'	
Post_Asses	If one exists, what	To be awarded a full project score, an	Alphabetic	EPC - SAP	Only entries	Required when:	Completed
sment_Met	method was used	ECO4 project must have a post-retrofit			correspondi	<pre>`Project_Purpose_</pre>	project re-
hodology	to obtain the post-	SAP or RdSAP assessment carried out to		TM – RdSAP	ng to the list	of_Notification' =	notification
	retrofit SAP	obtain a post-retrofit SAP rating. The			are valid.	'Completed Project	
	rating?	assessment method must match the one		N/A		Notification'	
		used for the pre-retrofit assessment.			Entry must		
					match entry		
		Where a project consists solely of novel			of		
		data light measures, and therefore 'EPC -			'Pre_Assess		
		RdSAP' was submitted for the pre-			ment_Metho		
		assessment, a post-retrofit assessment is			dology'		
		not required.			unless that		
					field		
		Please see draft ECO4 Guidance for more			contained		
		details on when a SAP or RdSAP			`EPC –		
		assessment is required.			RdSAP'		
Post_Retro	What is the	Please include the reference number of	Numeric	NNNN-NNNN-	Only entries	Required when:	Completed
fit_Assess	reference number	the post-retrofit assessment where the		NNNN-NNNN-	in the	<pre>`Project_Purpose_</pre>	project re-
ment_Refe	of the post-retrofit	post-retrofit assessment is lodged as an		NNNN	accepted	of_Notification' =	notification
rence	assessment?	EPC.				Completed Project	
						Notification' AND	



		A reference number is not required where		N/A	format are	`Trustmark_Project	
		the post-retrofit assessment is lodged			valid.	_Reference_Numb	
		with TrustMark.				er' = `N/A'	
					The format		
					must be		
					correct for		
					the notified		
					pre-retrofit		
					assessment		
					methodolog		
					у.		
Finishing_	What was the SAP		Alpha-	N.N	Numeric	Required when:	Completed
SAP_Ratin	rating in the	post-retrofit assessment and is required	numeric		entries must	<pre>`Project_Purpose_</pre>	project re-
g	property after the	for determining if the minimum		NN.N	be between	of_Notification' =	notification
 	project ended?	requirement has been met and, if it has,		NNN	1 and 100.	'Completed Project	
		calculating the final project score				Notification'	
				N/A	Up to 1		
				,	decimal		
					place is		
					allowed.		
Completed	What is ID number	TrustMark will award a completed project	Alpha-	ANNNN-A	Only entries	Required when:	Completed
_Project_T	of the completed	certificate to a project lodged with them	numeric		in the	'Project_Purpose_	project re-
rustmark	project certificate?	once it is complete.		ANNNNN-A	accepted	of_Notification' =	notification
Cert_ID					format are	Completed Project	
		The reference number of the certificate		ANNNNN-A	valid.	Notification'	
		must be notified with a completed project					
				ANNNNNN-A			
DFG1162	19						



		re-notification to prove the project is complete.		N/A		AND	
						`Trustmark_Project	
						_Reference_Numb	
						er′ ≠ `N/A′	
Measures_	How many	Please provide the number of measures	Alpha-	N	Only entries	Required when:	Completed
in_Project	measures were	that have been completed and notified in	numeric		in the	`Project_Purpose_	project re-
	completed in this	this project. We use this to verify that all		NN	accepted	of_Notification' =	notification
	project?	measures that should be notified have			format are	'Completed Project	
		been, and that the number of measures		N/A	valid.	Notification'	
		lodged with Trustmark (for relevant					
		projects) matches the amount notified to			Number		
		Ofgem.			must be		
					between 1-		
		Note this count should not include any			99.		
		Building Fabric Repair (BFR) measures					
		notified, nor any exempt notifications.					
		This is a sound only of more und that					
		This is a count only of measures that					
		were completed. If there were measures planned for the project but not completed					
		and notified to Ofgem they should not be					
		included in this count.					
Exemption	Is the supplier	Starting SAP band E, F, or G projects may	Alphabetic	Exempted	Only entries	Optional	Completed
_from_MR	requesting an	be able to achieve a full project score		measure	correspondi		project re-
	exemption from					Entries other than	notification
						N/A should only be	

OFG1162



the minimum	even if the minimum requirement (MR) is	No eligible	ng to the list	notified where	
requirement?	not met, where either:	combination	are valid.	<pre>`Project_Purpose_</pre>	
				of_Notification' =	
	1. One or more measures required	N/A		'Completed Project	
	to meet the MR attracted an			Notification'	
	exemption and could not be				
	installed				
	2. There is no possible combination				
	of eligible ECO4 measures that				
	would meet the MR				
	Suppliers should use this field to indicate				
	they request an exemption from the MR				
	for either of the above scenarios. These				
	projects will count towards the				
	exemptions cap.				
	Important Note: By requesting an				
	exemption from the MR through this field,				
	suppliers declare that no other				
	combination of eligible ECO4 measures				
	would have resulted in a higher finishing				
	SAP rating for property. Where we find				
	this to be false, the exemption may be				
	revoked.				
	Suppliers should notify exempt measures				
	using the meausre notification template.				



		See the relevant fields in that section for more details on exemption categories and evidencing.					
Consumer _Circumst ances	Was the project ended early by the consumer?	Starting SAP band E, F, or G projects may be able to achieve a full project score even if the minimum requirement is not met if the consumer chose to end the project early. Please use this field to indicate where this occurs and to request an exemption from the MR. If the project was ended due to a death in the household or a change in occupancy, this should be entered. Suppliers should be able to provide a death certificate or tenancy agreement to evidence this, respectively. In all other scenarios, suppliers should contact Ofgem in advance of notifying the completed project to discuss the consumer circumstances and suitable evidence that may be provided. If approved, suppliers should notify this as "Other"	Alphabetic	Change of occupancy Death in household Other N/A	Only entries correspondi ng to the list are valid.	Optional Entries other than N/A should only be notified where 'Project_Purpose_ of_Notification' = 'Completed Project Notification'	Completed project re- notification



## Measure notification template

Table 2 contains information on the fields in the measure notification template suppliers should use to notify completed measures in ECO4.

#### **Exempt measures**

There are cases where a potential measure has been evaluated but deemed ineligibile for installation as the measure attracts one of a set list of exemptions eg. The property is a listed building. Where a measure could not be installed due to an exemption, it can impact the off-gas heirarchy, insulation requirements for heating measures, and may result in a project being exempt from the minimum requirement for SAP improvements. The Register needs a way of determining when a measure has not been installed due to exemption, so suppliers should also use the measure template to notify exempt measures. The notification of exemptions is optional.

As exempt measures have not been installed, the majority of the fields on the measure template are not relevant and may be entered as N/A. They have no installation date and therefore no notification deadline. Exempted measures are distinguished through the 'purpose of notification' field. See chapter 4 of the draft ECO4 Delivery Guidance for more detail on exemptions.



#### Table 2: Measure template data dictionary

Data	Question	Information	Data	Accepted	Validatio	Mandatory	Review Tab
2414	<b>L</b>		Field	Format	ns		
				i oimat	115		
			Туре				
Measure_R	What is the unique	This is the unique reference number generated	Alpha-	AAANNNNNN	Only	CORE	All
eference_	measure reference	by the supplier and ascribed to the measure	numeric		entries in		
Number	number that the	being notified. This allows the measure to be		AAANNNNNNN	the		
	supplier has	identified by both suppliers and Ofgem.			accepted		
	generated for this				format are		
	particular	The first three characters are an assigned			valid.		
	measure?	acronym identifier for the company name. The					
		following eight numbers should be generated by					
		the supplier.					
		This reference number must be unique across					
		EC01, EC02, EC02t, EC03 and EC04.					
-	What is the	Every measure in ECO4 must be associated with		P-AAANNNNNNN	Only	Required	All
ference_N	reference number	a project. For notification purposes in-fill	numeric		entries in		
umber	of the project of	measures should also be notified as part of their			the		
	which this	own project.			accepted		
	measure is a part?				format are		
		This field is how measures are attached to			valid.		
		projects. The notified PRN should belong to an					
		already existing PRN on the ECO4 register.			Listed		
					project		



		The P indicates a project. The three letters are an assigned acronym identifier for the company name. The following seven numbers should be generated by the supplier.			must already have been notified to Ofgem.		
Measure_T	Which measure	This describes the measure type installed at the	Alpha-	As per the	Only	CORE unless	Measure
уре	was installed at	premises (each measure installed is to be	numeric	advised list of	entries	'Purpose_of_No	
	the premises?	reported in a separate row).		measures in the		tification' =	
		For exempt notifications, this describes the		ECO4 Measures	ing to	`New	
		measure type that could not be installed as it		Table	those in	Exemption'	
		attracts an exemption When completing this field, refer to the ECO4 Measures Table published on our website. This sets out the 'Measure Name: format for notification to Ofgem'. Measures need to be notified in the exact naming convention specified in the ECO4			the ECO4 Measures Table are valid.	or `Edited Exemption'	
		Measures Table under 'Measure Name: format for notification to Ofgem'.					



Purpose_of	What is the	This indicates the reason for notifying the	Alphabe	New Notification	Only	Required	Overview
_Notificati on	purpose of this submission?	<ul> <li>'New Notification' should be entered when notifying a measure for the first time, provided it is not subject to an extension request.</li> <li>'Edited Notification' should be entered when an existing notification is being amended and the measure is re-notified.</li> <li>'Extended Notification' should be entered when the measure has an extension request associated with it.</li> <li>'Automatic Late Extension' should be entered when the measure is being notified after its Notification Period and falls within a supplier's 5% automatic late extension quota.</li> <li>Either 'New Exemption or 'Edited Exemption' should be entered when the notification is for an exempt measure rather than a completed measure.</li> </ul>	tic	Edited Notification Extended Notification Automatic Late Extension New Exemption Edited Exemption	entries correspond ing to the list are valid.		



Date_of_C	On what date was	The date of completed installation (DOCI)	Date	DD/MM/YYYY	Only DOCI	CORE unless	Overview
ompleted_	the installation of	indicates the date on which the installation of	Field		between	<pre>`Purpose_of_No</pre>	
Installation	the measure	the measure was 'complete'. Please refer to the		N/A	01/04/202	tification` =	
	completed?	draft ECO4 Guidance for information on how this			2 and	`New	
		date is determined.			31/03/202	Exemption' or	
					6	`Edited	
		N/A should be entered only for exemptions. All			(inclusive)	Exemption'	
		completed measures should have a DOCI.			are valid.		
					Only		
					entries in		
					the		
					accepted		
				2	format are		
					valid.		
550 F				222		<b>D</b>	
PPS_Type	What type of	Indicates whether the measure is a regular	Alphabe	PPS	Only	Required unless	Measure
	scoring method is	ECO4 measure type (PPS), a data light measure	tic	DIM	entries	<pre>`Purpose_of_No</pre>	
	used for the	(DLM) or a standard alternate methodology		DLM	correspond	tification' =	
	Partial project	(SAM).		SAM	ing to the	`New	
	score?				list are	Exemption' or	
		N/A should be entered only for exemptions. All		N/A	valid.	`Edited	
		completed measures should have a scoring				Exemption'	
		type.					



Percentage	What percentage	Indicates what percentage of the property has	Alpha-	Ν	Only	Required unless	Measure
_Of_Prope	What percentage of the property was treated with the measure?	Indicates what percentage of the property has been treated by the measure. If 67% or more of the measure has been treated, `67+' can be notified here. Otherwise, the exact percentage of property treated (POPT) must be notified. The only exception is Solar PV, where the POPT parameter is interpreted differently. Here, the exact POPT must always be notified for this measure type, as it is possible to notify up to 400%. Rounding should be carried out to the nearest whole number. Suppliers should not include the `%' symbol when completing this field.	numeric		Only entries in the accepted format are valid.	Required unless 'Purpose_of_No tification' = 'New Exemption' or 'Edited Exemption'	Measure
Consumer _Protectio n	Where relevant, has the measure been registered with an appropriate consumer	Where a District Heating Connection (DHC) is installed, it must have appropriate consumer protection in place. This can mean registration with the heat networks consumer protection body Heat Trust or an equivalent organisation or standard.	tic	Heat Trust HT_Equivalent TM_Equivalent N/A	Only entries correspond ing to the list are valid.	Required when: Measure Type is DHC or DLM unless 'Purpose_of_No tification' =	Measure



	protection	In such cases, suppliers should notify either				'New	
	organisation?	`Heat Trust' or `HT_Equivalent'.				Exemption' or	
						`Edited	
		Registration with Heat Trust or an equivalent is				Exemption'	
		not required when the DHC is a shared ground				-	
		loop, with individual heat pumps in each					
		property. In such cases suppliers should notify					
		N/A.					
		Where a Data Light Measure (DLM) is installed it					
		must have consumer protection equivalent to					
		TrustMark. 'TM_Equivalent' should be entered.					
<b>.</b>					<u> </u>	<b>D</b>	
		For a heating measure to be eligibile it must		All Present Pre-	Only	Required when:	Measure
	heating measure,		tic	Project	entries	'Measure_Type'	
nts_Met	how did it meet	insulation present in the property. The		New Insultation	•	is a heating	
	the minimum	requirements may vary depending on the		Installed	ing to the	measure	
	insulation	measure type and starting SAP band of the		Installeu	list are	(boiler, DHC,	
	requirements?	property. Suppliers should state here through		Due To	valid.	ESH and or	
		which route the insulation requirements have		Exemptions		heating	
		been met.				controls) unless	
				New Insulation		<pre>`Purpose_of_No</pre>	
		Please see chapter 5 of the draft ECO4 delivery		and Exemptions		tification` =	
		guidance for details of these minimum insulation				`New	
		requirements.		N/A		Exemption'	



'All Present Pre-Project' should be entered		or `Edited	
where every relevant insulation type was		Exemption'	
present in the property before the project			
started, so no insulation measure or exempt			
measure is required.			
'New Insultation Installed' should be entered			
where at least one ECO insulation measure has			
been installed in the same project and these			
measures result in the minimum requirements			
being met. These insulation measures should			
have DOCIs earlier than the heating measure			
they support.			
'Due To Exemptions' should be entered where			
one or more insulation types required to meet			
the requirements could not be installed due to			
attracting an exemption, and that if these			
measures had been installed the requirements			
would have been met before the project started.			
The exempt meausres in question should be			
notified to Ofgem as part of the same project as			
the heating measure.			
'New Insulation and Exemptions' should be			
netered where a combination of both one or			



Pre_Main_	What was the fuel	more exempt measures and one or more completed insulation measures has resulted in the insulation requirements being met. All exempt and insulation measures in question should be notified as part of the same project as the heating measure. N/A should be entered where the measure is not a measure type to which the minimum insulation requirements apply.	Valid entry taken	Only	Required when:	Property /
ource_for_	space heating	for heating measures, the heating source being	Appendix 1	correspond	is a heating	
the_Proper	system(s) for the	replaced or repaired.		ing to the	measure	
ty	premises before		N/A	list are	(boiler, DHC,	
	the measure was	Appendix 1 includes the list of eligible pre-main		valid.	ESH and or	
	installed?	heating sources in Table 3. Heat sources under			heating	
		the heading 'rare pre-main heat sources' are not			controls) unless	
		listed in the scoring matrix. When one of these			'Purpose_of_No	
		is notified it will be converted by the ECO4			tification` =	
		Register to the associated proxy heating source			'New	
		listed in Table 4.			Exemption' or	
		For further guidance on determining the pro			`Edited	
		For further guidance on determining the pre- main heating source, when it is required and			Exemption'	



			r		1		
		how it impacts eligibility of measures please					
		refer to chapters 5 and 6 of the draft ECO4					
		delivery guidance.					
Post_Main	What is the fuel	For certain heating measures it is necessary to	Alphabe	Valid entry taken	Only	Required when:	Property /
_Heating_	type of the main	notify the heating source that has been installed	tic	from Table 5 in	entries	'Measure_Type'	Person
Source_for	space heating	at the property.		appendix 1	correspond	is a boiler, DHC	
_the_Prop	system(s) for the				ing to the	or ESH) unless	
erty	premises after the	The list of valid post-main heating sources can		N/A	list are	'Purpose_of_No	
	measure was	be found in Table 5 in Appendix 1.			valid.	tification' =	
	installed?					`New	
		For measures where this is not relevant please				Exemption' or	
		enter N/A.				`Edited	
		For more information on the post-main heat				Exemption'	
		source see chapters 5 and 6 of the draft ECO4					
		·					
		delivery guidance .					
Installer_N	What is the name	Provide the full name of the installer company	Alpha-	Max character	Only	Required unless	Measure
ame	of the installer	that carried out the installation of the measure	numeric	length of 150	entries in	'Purpose_of_No	
	company	at the premises. This should not be the name of		characters	the	tification' =	
	responsible for	the managing agent unless they carried out the			accepted	`New	
	installating the	installation.		N/A	format are	Exemption' or	
	measure?				valid.		
					Valia		

OFG1162



						`Edited	
						Exemption'	
Innovation	If the measure is	Every approved innovation measure application	Alpha-	NNN	Only	Optional	Measure
_Measure_ Number	an innovation measure, what is the Innovation Measure Number?	is given an innovation measure number. These numbers can be found in the ECO4 Approved Innovation Measures document on the Ofgem website.	numeric	N/A	entries correspond ing to the list are valid.		
		The presence of a number in this field indicates the measure is an innovation measure. If the measure is not an innovation measure please enter 'N/A'. This number will be used to assign the correct innovation uplift to the measure/project.					
Trustmark _Business _Licence_ Number	If the measure is registered with TrustMark, what is the TrustMark business licence number?	All ECO measures that are captured in the scope of PAS2035 must be delivered by a TrustMark registered business and suppliers must notify the number on the ECO4 register. This field will be validated against TrustMark's Data Warehouse.	Numeri c	NNNNNNNNN N N/A	with	Required for all completed measures captured in PAS2035	Measure



Trustmark	If the measure is	When a measure is lodged with TrustMark a	Alpha-	ANNNAAAA	Only	Required when:	Measure
_Unique_M	registered with	unique TrustMark measure reference will be	numeric		entries	`Trustmark_Bus	
easure_Re	TrustMark, what is	generated. A supplier must have this number		N/A	that match	iness_Licence_	
ference	the TrustMark	before notifying the measure to Ofgem.			with	Number' ≠	
	unique measure				TrustMark'	`N/A′	
	reference?				s Data		
					warehouse		
					are valid.		
Trustmark	If the measure is	Provide a TrustMark lodged certificate ID which	Alpha-	ANNNN-N	Only	Required when:	Measure
_Lodged_C	registered with	will be issued by TrustMark for the measure.	numeric		entries	`Trustmark_Bus	
ertificateID	TrustMark, what is	The measure will not be approved as a		N/A	that match	iness_Licence_	
	the TrustMark's	qualifying action until the certificate ID has been			with	Number' ≠	
	lodged certificate	notified.			TrustMark'	`N/A′	
	ID?				s Data		
		This field will be validated against TrustMark's			warehouse		
		Data Warehouse.			are valid		
Other_Cert	If the measure is a	Please state the full name of the qualification or	Alpha-	Max character	Only	Required when:	Measure
ification	DHC or DLM	certification that is relevant to the measure.	numeric	length of 150	entries in	'Measure type'	
	installation, what			characters	the	is a DHC or	
	certification does	DHC measures under ECO involve the			accepted	DLM unless	
	the installer hold	installation, or connection of a central heating		N/A	format are	'Purpose_of_No	
	to demonstrate	system to a District Heating System. For this we			valid.	tification` =	
		would consider a Level 2 or 3 NVQ in gas,				`New	
		plumbing and/or mechanical engineering,				Exemption' or	



	appropriate skills	appropriate skill and experience to install or				`Edited	
	and experience?	connect a central heating system. Appropriate				Exemption'	
		skill and experience can also be evidenced				-	
	If the measure has	through certification schemes which require the					
	been certified	above qualification, such as Gas Safe.					
	through any other						
	alternative	For further information on this requirement					
	mechanism,	please refer to the draft ECO4 Guidance.					
	provide the details						
	here.	For a Data Light Measure (DLM) the appropriate					
		qualification or certification should be arranged					
		with Ofgem as part of the data light application.					
		For all other measures please enter N/A.					
Exemption	If the notification	For the purposes of ECO4 rules, measures may	Alphabe	Listed building	Only	Required when:	Measure
_Category	is for an exempt	only be exempt where they meet one of a set	tic		entries	<pre>`Purpose_of_No</pre>	
	measure, please	list of exemption categories.		Conservation	correspond	tification` =	
	provide the reason			area	ing to the	'New	
	for the exemption.	Provide the reason here. Where the project is		Protected species	list are	Exemption' or	
		lodged with TrustMark, the exemptions will be		Fiotected species	valid	`Edited	
		validated against TrustMark data. For non-		Unlawful		Exemption'	
		TrustMark projects, suppliers must be able to					
		provide the relevant evidence for the		Environmental			
		exemption. The required evidence for each		conditions			



	exemption category is listed in the draft ECO	Property		
	Delivery guidance.	suitability/access		
		issues		
		N/A		



## Appendix 1 – Pre and post-main heating sources

#### Introduction

This appendix contains tables listing the eligible entries in the fields 'Pre\_Main\_Heating\_Source\_for\_the\_Property' and 'Post\_Main\_Heating\_Source\_for\_the\_Property' on the measure notification template.

Where a supplier is notifying a measure that requires a pre-main heat source, the valid entry shouldbe from Table 3. Where a rare pre-main heat source is notified, the register will automatically convert it to a proxy heat source. The list of rare pre-main heat sources and associated proxy heat source is in Table 4.

Where the measure requires a post-main heating source to be notified, it should be taken from Table 5.

Please see chapter 6 of the draft ECO4 Delivery Guidance for more detail on the identification of pre and post-main heating sources.

#### Table 3: Pre-main heat sources in ECO4

Pre-main heat sources
Air to Water ASHP
Biomass Boiler
Bottled LPG Boiler
Bottled LPG Room heaters
Condensing Gas boiler
Condensing LPG boiler

OFG1162



Condensing Oil boiler DHS CHP DHS\_Non-CHP Electric Boiler Electric Room Heaters Electric Storage Heaters Responsiveness <=0.2 Gas Back Boiler to Radiators Gas Fire with Back Boiler Gas Room Heaters GSHP Non Condensing Gas Boiler Non Condensing LPG Boiler Non Condensing Oil Boiler Solid Fossil Boiler Solid Fossil Room Heaters **Rare Pre-main Heat Sources** Air-oil hybrid heat pump Biomass / wood central heating Biomass / wood room heating Bottled LPG back boiler to radiators Bottled LPG central heating Bottled LPG fire with back boiler

OFG1162



Bottled LPG range cooker boiler	
Bottled LPG room heaters	
Electric ceiling heaters	
Electric underfloor heating	
Electric warm air system	
Gas back boiler to radiators	
Gas fire with back boiler	
Gas range cooker boiler	
Gas warm air system	
LPG back boiler to radiators	
LPG boiler – special condition 18	
LPG fire with back boiler	
LPG range cooker boiler	
LPG warm air system	
No heating present	
Oil range cooker boiler	
Oil room heaters	
Oil warm air system	
Solid fossil fuel back boiler to radiators	
Solid fossil fuel fire with back boiler	

OFG1162



#### Table 4: Proxy heating sources for rare pre-main heat sources

Due main hash samesa	Description
Pre-main heat sources	Proxy
Air-oil hybrid heat pump	Air to Water ASHP
Biomass / wood central heating	Condensing LPG boiler
Biomass / wood room heating	Solid Fossil Room Heaters
Bottled LPG back boiler to radiators	Electric Boiler
Bottled LPG central heating	Bottled LPG Boiler
Bottled LPG fire with back boiler	Electric Room Heaters
Bottled LPG range cooker boiler	Electric Boiler
Bottled LPG room heaters	Electric Room Heaters
Electric ceiling heaters	Electric Room Heaters
Electric underfloor heating	Electric Room Heaters
Electric warm air system	Electric Boiler
Gas back boiler to radiators	Gas Back Boiler to Radiators
Gas fire with back boiler	Non condensing Oil Boiler
Gas range cooker boiler	Condensing Oil Boiler
Gas warm air system	Biomass Boiler
LPG back boiler to radiators	Bottled LPG Boiler
LPG boiler – special condition 18	DHS_Non-CHP
LPG fire with back boiler	Electric Boiler
LPG range cooker boiler	Bottled LPG Boiler
LPG warm air system	Non Condensing LPG Boiler



No heating present	Electric Room Heaters
Oil range cooker boiler	Condensing LPG Boiler
Oil room heaters	Solid Fossil Room Heaters
Oil warm air system	Condensing LPG Boiler
Solid fossil fuel back boiler to radiators	Non Condensing Oil Boiler
Solid fossil fuel fire with back boiler	Solid Fossil Room Heaters

#### Table 5: Post-main heat sources in ECO4

Post-main heat sources
Air to water ASHP
Biomass Boiler
Condensing Gas Boiler
DHS_CHP
DHS_non-CHP
Electric Boiler
GSHP
High Heat Retention Storage Heaters
mCHP
Shared Ground Loop GSHP