

Energy Company Obligation (ECO4) Supplier Data Dictionary V1.0

Introduction

This document provides a data dictionary and general information to help suppliers complete the Notification Templates for ECO4 projects and measures installed from 1st April 2022.

Background

In ECO4, notifications are separated into projects and measures, aligning with the lodgement process in TrustMark's Data Warehouse. A SAP or RdSAP assessment of the relevant property should take place before any measure installation commences and will form the basis of the project. For the purposes of notification to the ECO4 Register, a project consists of one or more ECO measures installed at a single property. Every measure must be attached to a project. Projects and measures each have their own notification template, with different fields.

The full project score for a completed project will be attached to the project. Partial project scores for completed measures will be attached to individual measures. It is intended for the project to be notified before any of the measures. A measure can be notified and successfully uploaded before the attached project but will not be processed until that project has been notified and passed project validation checks. Once a project is complete (ie all measures to be installed have been completed and notified) suppliers should re-notify the project as a completed project re-notification containing end of project data such as the post-retrofit SAP rating. This is explained in further detail below.

This data dictionary sets out each of the fields to be completed on the supplier notification templates, the questions suppliers should be answering when completing the field, as well as an explanation of the information suppliers should provide. It then sets out the data field type required, the accepted format and validations involved for each field.

OFG1162



The supplier data dictionary also distinguishes between types of data that are provided in the Notification Template.

Core Data: must be provided in order for a notification to be made. If core data is omitted or provided in a format other than the accepted format, the attempt to notify the measure will fail and it will not be accepted onto the register. Required Data: must be provided before we can process the notification. If this information is omitted or not provided in the correct format, the notification may still be made and be accepted onto the register, but we will be unable to process the notification.

Optional Data: we request suppliers provide this in order to assist our validation and audit processes, and to assist suppliers should they later wish to transfer a measure to another supplier.

Suppliers should be aware that Ofgem's system cannot accept data unless notified in accordance with the accepted format as specified below. The accepted format is case sensitive and includes headings. As noted above, where core data is provided in a format other than the accepted format, the attempt to notify the measure will fail.

Ofgem will perform additional validations to check dependencies of mandatory fields and measure eligibility.

Note some fields are only required to be filled in for projects that do not have a lodged RdSAP assessment with TrustMark. These are projects that consist solely of a District Heating Connection (DHC) measure and/or data light measures (DLM) and are therefore outside the scope of PAS2035. For projects with a lodged RdSAP assessment these fields can be entered as N/A and they will be updated by the ECO Register.

Some fields on the project notification template can be 'N/A' during an initial or edited notification, but require data to be entered when 'Purpose_of_Project_Notification' is set to 'Completed Project Notification'. These fields contain data that is only required after the project is complete in order to calculate a full project score. These fields are marked with 'completed project notification' in the overview column.

OFG1162 2



Submitting the notification template

- Format "A" Alphabetic.
- Format "N" Numeric.
- There is no required formatting for the file name.
- File should be submitted in .csv format.
- File should include the heading for each field.
- The contents of each field should follow the required formatting as described in this data dictionary.
- Projects and measures cannot be notified in the same file as the notification templates have different fields.
- The file can contain details of multiple measures or projects.
- There is a limit of 5000 notifications per file. This applies to both measure and project notifications.
- When a field is not applicable, or not required for your notification (as indicated by the 'required when' statement in the 'Mandatory' column), it should be populated with 'N/A'.

We are transitioning many of our automated processing from monthly to nightly. Whilst legislative deadlines are on a monthly basis we would encourage measures and projects to be submitted as they are completed rather than in single monthly batches. Whilst some manual processes remain, this should ultimately reduce timescales for approval.

For more information on the notification process and the requirements notifications must meet to be eligible, see the draft delivery guidance¹ and draft supplier admin guidance².

¹ See <u>https://www.ofgem.gov.uk/publications/draft-energy-company-obligation-eco4-guidance-delivery-v01</u>

² See <u>https://www.ofgem.gov.uk/publications/draft-energy-company-obligation-eco4-guidance-supplier-administration-v01</u>



Project notification template

Table 1: Project template data dictionary

Data	Question	Information	Data Field Type	Accepted Format	Validations	Mandatory	Review Tab
	What is the ECO supplier reference number of the supplier that owns the project?	This refers to the unique ECO supplier reference number allocated to every obligated supplier by Ofgem. The letters at the beginning are an assigned acronym identifier for the company name. The numeric characters following that are the licence-holder's company registration number and the final letter denotes the licence type, $E = Electricity$, $G = Gas$. This entry identifies the supplier whose obligations the project and associated measures will be credited towards. The ECO supplier reference number that is provided must be for the supplier that owns the project. In relation to transferred projects, this will be the supplier that is the 'buyer'.	Alpha- numeric	AAANNNNN NNA AAAAANNNNN NA	The reference number must be a valid supplier reference. Only entries in the accepted format are valid.	CORE	Supplier



what is the unique	This is the unique reference number	Alpha-	P-	Only entries	CORE	Project
project reference	generated by the supplier and ascribed to	numeric	AAANNNNNN	in the		
number (PRN) that	the project being notified. This allows the		N	accepted		
the supplier has	project to be identified by both suppliers			format are		
generated for this	and Ofgem.			valid.		
particular project?						
	The P indicates a project. The three					
	letters are an assigned acronym identifier					
	for the company name. The following					
	seven numbers should be generated by					
	the supplier.					
TC the survey of the in		Alaba		Outrastica	Outland, but	Duringt
		-	ANNNN			Project
-		numeric				
			AININININ	-		
			ANNNNN			
	Ofgem.					
reference?	This should only be N/A where no		ANNNNNN			
				are valid.	PAS2035.	
			N/A			
	•					
	-					
	PRN) has been entered for the project.					
	number (PRN) that the supplier has generated for this particular project? If the project is registered with	number (PRN) thatthe project being notified. This allows the project to be identified by both suppliers and Ofgem.generated for this particular project?The P indicates a project. The three letters are an assigned acronym identifier for the company name. The following seven numbers should be generated by the supplier.If the project is registered with TrustMark, what is the TrustMark unique projectWhen a project is lodged with TrustMark a unique TrustMark project reference will be generated. Supplier must have this number before notifying the project to Ofgem.	number (PRN) that the supplier has generated for this particular project?the project being notified. This allows the project to be identified by both suppliers and Ofgem.The P indicates a project. The three letters are an assigned acronym identifier for the company name. The following seven numbers should be generated by the supplier.Alpha- numericIf the project is registered with TrustMark, what is the TrustMark unique project reference?When a project is lodged with TrustMark a unique TrustMark project reference will be generated. Supplier must have this number before notifying the project to Ofgem.Alpha- numericThis should only be N/A where no measures in the project will be lodged with TrustMark. Measures will not pass validation checks if they are a measure type covered by PAS2035 but no TrustMark Project reference number (TM	number (PRN) that the supplier has generated for this particular project?the project being notified. This allows the project to be identified by both suppliers and Ofgem.NThe P indicates a project. The three letters are an assigned acronym identifier for the company name. The following seven numbers should be generated by the supplier.Alpha- numericIf the project is registered with TrustMark, what is the TrustMark unique project reference?When a project is lodged with TrustMark a unique TrustMark project reference will be generated. Supplier must have this number before notifying the project to Ofgem.Alpha- numericThis should only be N/A where no measures in the project will be lodged with TrustMark. Measures will not pass validation checks if they are a measure type covered by PAS2035 but no TrustMark Project reference number (TMANNNNN	number (PRN) that the supplier has generated for this particular project?the project being notified. This allows the project to be identified by both suppliers and Ofgem.Naccepted format are valid.The P indicates a project. The three letters are an assigned acronym identifier for the company name. The following seven numbers should be generated by the supplier.NANNNNOnly entries that match withIf the project is registered with TrustMark, what is the TrustMark with is the TrustMark unique project reference?When a project is lodged with TrustMark a unique TrustMark project reference will be generated. Supplier must have this number before notifying the project to Ofgem.Alpha- numericOnly entries that match with TrustMark's Data warehouse are valid.This should only be N/A where no measures in the project will be lodged with TrustMark. Measures will not pass validation checks if they are a measure type covered by PAS2035 but no TrustMark Project reference number (TMN/AOnly entries that match with TrustMark Project reference number (TM	number (PRN) that the supplier has generated for this particular project? If the project is registered with TrustMark, what is the TrustMark unique project reference? N N N N N N N N N N N N N N N N N N N



Purpose_of	What is the	This indicates the reason for notifying the	Alphabetic	New Project	Only entries	Required	Project
_Project_N	purpose of this	project.		Notification	correspondi		
otification	submission?				ng to the list		
		'New Notification' should be entered when		Edited Project	are valid.		
		notifying a project for the first time.		Notification			
		'Edited Notification' should be entered		Completed			
		when an existing project is being		Project			
		amended and the project is re-notified,		Notification			
		except in cases where the project is being					
		notified as complete.					
		'Completed Project' should be entered					
		when an existing project is being re-					
		notified to signify a project is complete					
		and provide the required end of project					
		details.					
Building_N	Where relevant,	Provide the number of the building (if	Alpha-	Max character	Only entries	CORE when:	Property /
umber	what is the	applicable).	numeric	length of 50	in the	'Building_Name' is	Person
	number of the			characters	accepted	unavailable	
	building in which				format are		
	the project took				valid.		
	place?						
Building_N	Where relevant,	Provide the name of the building (if	Alpha-	Max character	Only entries	CORE when:	Property /
ame	what is the name	applicable).	numeric	length of 100	in the	'Building_Number'	Person
	of the building in			characters	accepted	is unavailable	



	which the project took place?				format are valid.		
Flat_Name /Number	Where relevant, what is the name or number of the flat in which the project took place?	Provide the name or number of the flat (if applicable). The word 'Flat' should be entered where appropriate (e.g. 'Flat 1').	Alpha- numeric	Max character length of 50 characters	Only entries in the accepted format are valid.	Required when 'Property' = 'Flat'	Property / Person
Street_Na me	What is the name of the street on which the premises is located?	Provide the name of the street on which the premises is located (if applicable). In-fill houses must be located on the same (named) street as the projects containing the primary premises, therefore, this field is required for the notification of an in-fill house. Similarly, in-fill flats must be in the same building as the primary measure, so street name is required to verify this.	Alpha- numeric	Max character length of 50 characters	Only entries in the accepted format are valid.	Required when: 'Eligibility_type' = 'In_fill' and 'Property' = 'House' or 'Flat'	Property / Person
Town	What is the name of the town or city in which the premises is located?	Please provide the name of the town in which the property is located.	Alpha- numeric	Max character length of 50 characters	Only entries in the accepted format are valid.	CORE	Property / Person

OFG1162 7



Post_Code	What is the	Please provide the full Royal Mail	Alpha-	AN NAA	Postcodes	CORE	Property /
	postcode for the	postcode corresponding to the address	numeric		with and		Person
	premises?	provided.	with /	ANN NAA	without		
			without		spaces will		
			'Space'	AAN NAA	be accepted.		
				AANN NAA	Only entries		
					in the		
				ANA NAA	accepted		
				AANA NAA	format are		
					valid.		
Unique_Pr	What is the UPRN	Provide the unique property reference	Alpha-	NNNNNNNN	Numeric	Optional	Property /
operty_Ref	for the premises?	number that is the unique twelve digit	numeric	NNN	entries must		Person
erence_Nu		number assigned to every unit of land			be 12 digits.		
mber_(UP		and property by the National Land and		N/A			
RN)		Property Gazetteer and recorded by local			Only entries		
		Government.			in the		
					accepted		
		Suppliers are encouraged to submit this			format are		
		data where it is available as standard.			valid.		
		'N/A' may be entered where the UPRN is					
		unknown.					
Pre_Assess	What method was	All ECO4 projects must have a pre-retrofit	Alphabetic	EPC - SAP	Only entries	Required	Property /
ment_Met	used to obtain the	SAP or RdSAP assessment carried out.			correspondi		Person
hodology		Where the assessment is RdSAP, it can		EPC - RdSAP			
		either be lodged with TrustMark (`TM –					



pre-retrofit SAP	RdSAP') or as an EPC ('EPC – RdSAP').	TM - RdSAP	ng to the list	
rating?	Full SAP assessments may only be lodged		are valid.	
	as an EPC.			
	Which assessment is required depends on			
	the measures to be installed in that			
	project. Where a project is to consist of a			
	district heating connection alone or a			
	district heating connection and novel data			
	light measures, then a full SAP			
	assessment lodged as an EPC is required.			
	Where the project will consist only of one			
	or more novel data light measures, an			
	RdSAP assessment lodged as an EPC is			
	required.			
	In all other cases, an RdSAP assessment			
	should be carried out and lodged with			
	Trustmark.			
	Measures that are installed in this project			
	may generate errors if the measure type			
	does not meet the above criteria, e.g. if a			
	supplier notified a loft insulation measure			
	in a project with 'EPC – SAP' in this field.			
ll				



		Please see draft ECO4 delivery guidance for more details on when a SAP or RdSAP assessment is required.					
t_Assessm	What is the reference number of the pre-retrofit assessment?	Please include the reference number of the pre-retrofit assessment where the assessment has been lodged as an EPC. A reference number is not required where the pre-retrofit assessment is lodged with Trustmark.	Numeric	NNNN-NNNN- NNNN-NNNN- NNNN N/A	Only entries correspondi ng to the list are valid. The format must be correct for the notified pre-retrofit assessment methodolog y.	Required when: 'Trustmark_Project _Reference_Numb er' = 'N/A'	Property / Person
Starting_S AP_Rating	What was the SAP rating in the property before the project started?	The starting SAP rating should be taken from the pre-retrofit assessment and is required for determining both the eligibility of the property and measures installed within it, as well as calculating partial and full project scores.	Alpha- numeric	N N.N NN NN.N	Numeric entries must be between 1 and 100. Up to 1 decimal place is allowed.	Required	Property / Person

OFG1162 10



Floor_Area	What is the floor	To calculate scores the floor area of the	Numeric	Ν	Only entries	Required	Property /
	area of the	property must be notified. This should be			in the		Person
	property in m ² ?	assessed as part of the pre-retrofit		NN	accepted		
		assessment.			format are		
				NNN	valid.		
				NNNN	Max 4		
					characters		
					characters		
Rural_Out	If the property is	For properties in rural areas, please	Alpha-	ANNNNNNN	Only entries	Optional	Property /
put_Area	in a rural area,	provide the code for the Output Area (OA)	numeric		in the		Person
	what is the OA	in which the premises is located.		N/A	accepted		
	code in which the				format are		
	premises is	For non-rural properties enter 'N/A'.			valid.		
	located?						
		For more information on OAs please see					
		the ECO4 draft Guidance.					
On_Gas	Is the property	Please state if the premises was	Alphabetic	On Grid	Only entries	Required	Property /
	connected to the	connected to the mains supply of a			in the		Person
	gas grid AND was	relevant gas transporter before 1 st April		Off Grid	accepted		
	it connected to the	2022 and is connected at the time of the			format are		
	gas grid prior to 1	ECO4 project.		N/A	valid.		
	April 2022?						
		If the property is connected to the grid at					
		the time of the ECO4 project, but was not					
		connected prior to 1 April 2022, select					
		'Off Grid'.					



Private_Do	Did the project	Indicates whether the premises is	Alphabetic	Yes	Only entries	Required	Property /
mestic_Pre	take place at a	generally not owned and/or let by a social			correspondi		Person
mises	private domestic	landlord.		No	ng to the list		
	premises?				are valid.		
		For further information on the definition					
		of private domestic premises, please refer					
		to the draft ECO4 Guidance.					
Tenure_Ty	What is the tenure	Provide a description of the tenure of the	Alphabetic	Owner	Only entries	Required	Property /
ре	of the premises?	premises. Please see draft ECO4 Guidance		Occupied	correspondi		Person
		for details on how tenure impacts			ng to the list		
		eligibility.		PRS	are valid.		
		Note PRS = 'private rented sector'		Social			
				Housing (RSL)			
Property	What type of	Please provide the type of premises the	Alphabetic	House	Only entries	Required	Property /
	property is the	measure was installed to.			correspondi		Person
	premises?			Flat	ng to the list		
					are valid.		
				Park Home			
Eligibility_	What is the ECO	Indicates how the customer or premises	Alphabetic	Help to Heat	Only entries	CORE	Eligibility
Туре	eligibility route?	has been targeted and deemed eligible for		Group	correspondi		
		ECO.			ng to the list		
				Social	are valid.		
		For further information on the various		Housing			
		routes to eligibility, please refer to the					
		draft ECO4 Guidance.					



				LA Declaration Supplier Evidence In-fill			
Verificatio	How has the	For further information on how to identify	Alphabetic	WHD Core	Only entries	Required when:	Eligibility
n_Method	chosen eligibility	whether a person is eligible for the		Group	correspondi	'Eligibility_Type' =	
	type been determined?	scheme, please refer to the draft ECO4 Guidance.		DWP Match	ng to the list are valid.	`Help to Heat Group' OR	
		Where the property is eligible through the help to heat group (HTHG), the below		ECO Eligible Referral		`Supplier Evidence'.	
		options apply: 'WHD Core Group' may be entered where the supplier can produce a WHD Core		HTHG Benefit Letter			
		Group notice at audit for the HTHG member.		Self Declaration			
		A data link exists with the Department of Work and Pensions (DWP) so that help to		РРМ			
		heat group eligibility can be verified through a data matching exercise.		Non-PPM			
		Suppliers should enter 'DWP Match' for measures where HTHG eligibility has been		Flex Route 4			
		verified using this method.		Other			



		Only suppliers that have signed up to the ECO Eligible Referrals (EER) route with DWP should select 'ECO Eligible Referral'. 'Self Declaration' may be entered where a supplier can produce a Child Benefit Self- Declaration at audit. Where eligibility type is 'Supplier Evidence', please state whether the household meets the pre-payment meter (PPM), non-pre-payment meter (non- PPM) requirements, or where ECO flex route 4 has been used. These options should only be entered where eligibility is 'Supplier Evidence' 'Other' should only be entered in exceptional circumstances when agreed with Ofgem before the measures are installed.		N/A			
DWP_Refe rence_Nu mber	If the project is using the 'DWP Match' verification method, what is	Where a customer was verified as a member of the HTHG using the DWP data matching service, enter the reference	Alpha- numeric	NNNNNNNN N	Only entries in the accepted	Required when: 'Verification_Metho d' = 'DWP Match'	Eligibility



	number provided	number provided by the data matching		AAA_ANNNNN	format are	or 'ECO Eligible	
	by the data	provider.		N	valid.	Referral'	
	matching provider						
	confirming DWP	Where a customer was verified as a		AAA_AANNNN	EER URNs		
	have verified the	member of the HTHG using the EER		NN	must be a		
	customer is a	route, enter the unique reference number			maximum of		
	HTHG member?	used in the verification process. This		N/A	50		
		should start with 'EER' and a prefix to			characters.		
	If the project is	indicate the supplier.			Only		
	using the `ECO				numeric		
	Eligible Referral'				characters		
	verification				can follow		
	method, what is				the prefix		
	the unique				"EER_A" or		
	reference number				"EER_AA"		
	provided by DWP?						
				-	a 1		
	If the project is an	In ECO4, properties may be eligible	Alpha-	P-	Only entries	Required when:	Eligibility
_In-	in-fill, what are	through in-fill provided they are	numeric	AAANNNNN	in the	<pre>`Eligibility Type' =</pre>	
-	the projects	supported by eligible primary measures. A		NN	accepted	`In-fill′	
_1	containing the	flat requires one primary measure,			format are		
	primary measures	whereas in-fill at houses require three		N/A	valid.		
	that support the	primary measures all at separate					
	in-fill?	properties. The projects containing					
		primary measures must be notified.					
		Please provide the first associated					
		supporting PRN for the In-fill project. The					
		primary measure for a flat should be					



		notified in this field, and not the two below.					
_In-	If the project is an in-fill, what are the projects containing the primary measures that support the in-fill?	For an in-fill project in a house, please provide the PRN of the project containing the second primary measure. For an in-fill project in a flat, this should be left as 'N/A'.	Alpha- numeric	P- AAANNNNNN NN N/A	Only entries in the accepted format are valid.	Required when: 'Eligibility Type' = 'In-fill' AND 'Property' = 'House'	Eligibility
Associated _In- fill_Project _3	If the project is an in-fill, what are the projects containing the primary measures that support the in-fill?	For an in-fill project in a house, please provide the PRN of the project containing the third primary measure. For an in-fill project in a flat, this should be left as 'N/A'.	Alpha- numeric	P- AAANNNNN NN N/A	Only entries in the accepted format are valid.	Required when: 'Eligibility Type' = 'In-fill' AND 'Property' = 'House'	Eligibility
ECO_Flex_ Referral_R oute	Through which route was the property identified under ECO4 flex?	For properties that are eligible under ECO4 flex via a declaration from a supplier, please state which eligibility route is being claimed. There are four eligible proxy options for route 2. If 'verification method' is either PPM or non-PPM, only certain route 2 options are	Alpha- numeric	Route 2 Area Validation Route 2 Council Tax Reduction	Only entries in the accepted format are valid.	Required when: 'Eligibility Type' = 'Supplier Evidence'	ECO4 Flex



	allowed, these being Area validation,		Route 2 NICE			
	council tax reduction, NICE guidance, and		Guidance			
	free school meals.					
			Route 2 Free			
	If 'verification method' is flex route 4,		School Meals			
	'Route 4 Bespoke Targeting' must also be					
	entered here.					
			Targeting			
			N/A			
What is the route	Please provide the unique application	Alpha-	NNNN	Only entries	Required when:	ECO4 Flex
4 application number?	number for the ECO4 flex route 4 application.	numeric	N/A	in the accepted format are	'Eligibility Type' = 'Supplier Evidence'	
				valid.	AND	
					'Verification	
					method = 'Flex	
					Route 4'	
What is the	For ECO4 flex projects where there is a	Alpha-	ANNNNNN-	Only entries	Required When:	ECO4 Flex
reference number	declaration from a Local Authority or the	numeric	NNNN	in the		
of the LA or	Scottish or Welsh government, please			accepted	'Eligibility Type' =	
devolved	provide the reference number of that		N/A	format are	'LA Declaration'	
administration	declaration.			valid.		
declaration?						
	4 application number? What is the reference number of the LA or devolved administration	Council tax reduction, NICE guidance, and free school meals.If 'verification method' is flex route 4, 'Route 4 Bespoke Targeting' must also be entered here.What is the route 4 application number?Please provide the unique application number for the ECO4 flex route 4 application.What is the reference number of the LA or devolved administrationFor ECO4 flex projects where there is a declaration.	council tax reduction, NICE guidance, and free school meals.If 'verification method' is flex route 4, 'Route 4 Bespoke Targeting' must also be entered here.What is the route 4 application number?Please provide the unique application number for the ECO4 flex route 4 application.What is the reference number of the LA or devolved administrationFor ECO4 flex projects where there is a declaration.	council tax reduction, NICE guidance, and free school meals.GuidanceIf 'verification method' is flex route 4, 'Route 4 Bespoke Targeting' must also be entered here.Route 2 Free School MealsWhat is the route 4 application number?Please provide the unique application number for the ECO4 flex route 4 application.Alpha- numericWhat is the reference number of the LA or devolved administrationFor ECO4 flex projects where there is a declaration.Alpha- numericWhat is the reference number of the LA or declaration.For ECO4 flex projects where there is a declaration.Alpha- numeric	council tax reduction, NICE guidance, and free school meals.Guidance Route 2 Free School MealsIf 'verification method' is flex route 4, 'Route 4 Bespoke Targeting' must also be entered here.Route 4 Bespoke TargetingWhat is the route 4 application number?Please provide the unique application number for the ECO4 flex route 4 application.Alpha- numericNNNNN N/AOnly entries in the accepted format are valid.What is the reference number of the LA or devolved administrationFor ECO4 flex projects where there is a declaration from a Local Authority or the Scottish or Welsh government, please provide the reference number of that declaration.Alpha- numericANNNNNNNNN N/AOnly entries in the accepted format are valid.	council tax reduction, NICE guidance, and free school meals.Guidance Route 2 Free School MealsGuidance Route 2 Free School MealsRoute 4 Bespoke TargetingWhat is the route 4 application number?Please provide the unique application number for the ECO4 flex route 4 application.Alpha- numericNNNNN N/AOnly entries in the accepted format are valid.Required when: 'Eligibility Type' = 'Supplier Evidence' ANDWhat is the reference number of the LA or devolved administrationFor ECO4 flex projects where there is a declaration.Alpha- numericNNNNN N/AOnly entries in the accepted format are valid.Required when: 'Eligibility Type' = 'Supplier Evidence' ANDWhat is the reference number decolaration.For ECO4 flex projects where there is a declaration from a Local Authority or the Scottish or Welsh government, please decolaration.Alpha- numericANNNNNNNN N/AOnly entries in the accepted in the accepted N/ARequired When: 'Eligibility Type' = 'LA Declaration'



Date_Of_H	When did the LA	What date was the household first	Numeric	DD/MM/YY	Only entries	Required When:	ECO4 Flex
ouseholder	find the household	identified as eligible for ECO4 Flex?			in the		
_Eligibility	eligible for ECO4			N/A	accepted	'Eligibility Type' =	
	Flex?				format are	'LA Declaration'	
					valid.	OR 'Supplier	
						Evidence'	
Post_Asses	If one exists, what	To be awarded a full project score, an	Alphabetic	EPC - SAP	Only entries	Required when:	Completed
sment_Met	method was used	ECO4 project must have a post-retrofit			correspondi	'Purpose_of_Projec	project re-
hodology	to obtain the post-	SAP or RdSAP assessment carried out to		TM – RdSAP	ng to the list	t_Notification' =	notification
	retrofit SAP	obtain a post-retrofit SAP rating. The			are valid.	'Completed Project	
	rating?	assessment method must match the one		N/A		Notification'	
		used for the pre-retrofit assessment.			Entry must		
					match entry		
		Where a project consists solely of novel			of		
		data light measures, and therefore 'EPC -			'Pre_Assess		
		RdSAP' was submitted for the pre-			ment_Metho		
		assessment, a post-retrofit assessment is			dology'		
		not required.			unless that		
					field		
		Please see draft ECO4 Guidance for more			contained		
		details on when a SAP or RdSAP			`EPC –		
		assessment is required.			RdSAP'		
Post_Retro	What is the	Please include the reference number of	Numeric	NNNN-NNNN-	Only entries	Required when:	Completed
fit_Assess	reference number	the post-retrofit assessment where the		NNNN-NNNN-	in the	'Purpose_of_Projec	project re-
ment_Refe	of the post-retrofit	post-retrofit assessment is lodged as an		NNNN	accepted	t_Notification' =	notification
rence	assessment?	EPC.				'Completed Project	
						Notification' AND	



		A reference number is not required where the post-retrofit assessment is lodged with TrustMark.		N/A	format are valid. The format must be correct for the notified pre-retrofit assessment methodolog y.	<pre>`Trustmark_Project _Reference_Numb er' = `N/A'</pre>	
Finishing_ SAP_Ratin g	What was the SAP rating in the property after the project ended?	The finishing SAP rating is taken from the post-retrofit assessment and is required for determining if the minimum requirement has been met and, if it has, calculating the final project score	Alpha- numeric	N N.N NN NN.N N/A	Numeric entries must be between 1 and 100. Up to 1 decimal place is allowed but not required	Required when: 'Purpose_of_Projec t_Notification' = 'Completed Project Notification'	Completed project re- notification
Completed _Project_T rustmark_ Cert_ID	What is ID number of the completed project certificate?	TrustMark will award a completed project certificate to a project lodged with them once it is complete. The reference number of the certificate must be notified with a completed project	Alpha- numeric	ANNNN-A ANNNNN-A ANNNNNN-A	Only entries in the accepted format are valid.	Required when: 'Purpose_of_Projec t_Notification' = 'Completed Project Notification'	Completed project re- notification



		re-notification to prove the project is complete.		ANNNNNN-A N/A		AND `Trustmark_Project _Reference_Numb	
						er' ≠ `N/A'	
Measures_	How many	Please provide the number of measures	Alpha-	N	Only entries	Required when:	Completed
in_Project	measures were	that have been completed and notified in	numeric		in the	'Purpose_of_Projec	project re-
	completed in this	this project. We use this to verify that all		NN	accepted	t_Notification' =	notification
	project?	measures that should be notified have been.		N/A	format are valid.	'Completed Project Notification'	
		Note this count should not include any exempt notifications. This is a count only of measures that were completed. If there were measures planned for the project but not completed and notified to Ofgem they should not be included in this count.			Number must be between 1- 99.		
Exemption _from_MR	Is the supplier requesting an exemption from the minimum requirement?	 Starting SAP band E, F, or G projects may be able to achieve a full project score even if the minimum requirement (MR) is not met, where either: 1. One or more measures required to meet the MR attracted an 	Alphabetic	Exempted measure No eligible combination N/A	Only entries correspondi ng to the list are valid.	Optional Entries other than N/A should only be notified where 'Purpose_of_Projec t_Notification' =	Completed project re- notification



exemption and could not be	'Completed Project
installed	Notification'
2. There is no possible combination	
of eligible ECO4 measures that	
would meet the MR	
Suppliers should use this field to indicate	
they request an exemption from the MR	
for either of the above scenarios. These	
projects will count towards the	
exemptions cap.	
Important Note: By requesting an	
exemption from the MR through this field,	
suppliers declare that no other	
combination of eligible ECO4 measures	
would have resulted in a higher finishing	
SAP rating for property. Where we find	
this to be false, the exemption may be	
revoked.	
Suppliers should notify exempt measures	
using the meausre notification template.	
See the relevant fields in that section for	
more details on exemption categories and	
evidencing.	



Consumer	Was the project	Starting SAP band E, F, or G projects may	Alphabetic	Change of	Only entries	Optional	Completed
_Circumst	ended early by the	be able to achieve a full project score		occupancy	correspondi		project re-
ances	consumer?	even if the minimum requirement is not			ng to the list	Entries other than	notification
		met if the consumer chose to end the		Death in	are valid.	N/A should only be	
		project early.		household		notified where	
						'Purpose_of_Projec	
		Please use this field to indicate where this		Other		t_Notification' =	
		occurs and to request an exemption from		NI / A		'Completed Project	
		the MR.		N/A		Notification'	
		If the project was ended due to a death in					
		the household or a change in occupancy,					
		this should be entered. Suppliers should					
		be able to provide a death certificate or					
		tenancy agreement to evidence this,					
		respectively.					
		To all the second second by a second second					
		In all other scenarios, suppliers should					
		contact Ofgem in advance of notifying the					
		completed project to discuss the					
		consumer circumstances and suitable					
		evidence that may be provided. If					
		approved, suppliers should notify this as					
		"Other"					



Measure notification template

Table 2 contains information on the fields in the measure notification template suppliers should use to notify completed measures in ECO4.

Exempt measures

There are cases where a potential measure has been evaluated but deemed ineligibile for installation as the measure attracts one of a set list of exemptions eg. The property is a listed building. Where a measure could not be installed due to an exemption, it can impact the off-gas heirarchy, insulation requirements for heating measures, and may result in a project being exempt from the minimum requirement for SAP improvements. The Register needs a way of determining when a measure hasn't been installed due to exemption, so suppliers should also use the measure template to notify exempt measures. The notification of exemptions is optional.

As exempt measures have not been installed, the majority of the fields on the measure template are not relevant and may be entered as N/A. Only five fields are required: 'Measure_Reference_Number', 'Project_Reference_Number', 'Measure_Type', ' Purpose_of_Notification' and 'Exemption_Category'. They have no installation date and therefore no notification deadline. Exempted measures are distinguished through the 'purpose of notification' field. See chapter 4 of the draft ECO4 Delivery Guidance for more detail on exemptions.³

³ <u>https://www.ofgem.gov.uk/publications/draft-energy-company-obligation-eco4-guidance-delivery-v01</u> OFG1162 23



Table 2: Measure template data dictionary

Data	Question	Information	Data	Accepted	Validatio	Mandatory	Review Tab
			Field	Format	ns		
			Туре				
Measure_R	What is the unique	This is the unique reference number generated	Alpha-	AAANNNNNN	Only	CORE	All
eference_	measure reference	by the supplier and ascribed to the measure	numeric		entries in		
Number	number that the	being notified. This allows the measure to be		AAANNNNNNNN	the		
	supplier has	identified by both suppliers and Ofgem.			accepted		
	generated for this				format are		
	particular	The first three characters are an assigned			valid.		
	measure?	acronym identifier for the company name. The					
		following eight numbers should be generated by					
		the supplier.					
		This reference number must be unique across					
		ECO1, ECO2, ECO2t, ECO3 and ECO4.					
Project_Re	What is the	Every measure in ECO4 must be associated with	Alpha-	P-AAANNNNNNN	Only	Required	All
ference_N	reference number	a project. For notification purposes in-fill	numeric		entries in		
umber	of the project of	measures should also be notified as part of their			the		
	which this	own project.			accepted		
	measure is a part?				format are		
		This field is how measures are attached to			valid.		
		projects. The notified PRN should belong to an					
		already existing PRN on the ECO4 register.			Listed		
					project		



		The P indicates a project. The three letters are			must		
		an assigned acronym identifier for the company			already		
		name. The following seven numbers should be			have been		
		generated by the supplier.			notified to		
					Ofgem.		
Measure_T	Which measure	This describes the measure type installed at the	Alpha-	As per the	Only	CORE	Measure
уре	was installed at	premises (each measure installed is to be	numeric	advised list of	entries		
	the premises?	reported in a separate row).		measures in the	correspond		
				ECO4 Measures	ing to		
		For exempt notifications, this describes the		Table	those in		
		measure type that could not be installed as it			the ECO4		
		attracts an exemption			Measures		
		When completing this field, refer to the ECO4			Table are		
		Measures Table published on our website. This			valid.		
		sets out the 'Measure Name: format for					
		notification to Ofgem'.					
		Measures need to be notified in the exact					
		naming convention specified in the ECO4					
		Measures Table under 'Measure Name: format					
		for notification to Ofgem'.					



Purpose_of	What is the	This indicates the reason for notifying the	Alphabe	New Notification	Only	Required	Overview
Notificati on	purpose of this submission?	measure. 'New Notification' should be entered when notifying a measure for the first time, provided it is not subject to an extension request or to be included as part of the supplier's auto late quota. 'Edited Notification' should be entered when an existing notification is being amended and the measure is re-notified. 'Extended Notification' should be entered when the measure has an approved extension request associated with it. 'Automatic Late Extension' should be entered when the measure is being notified after its Notification Period and falls within a supplier's 5% automatic late extension quota. Either 'New Exemption or 'Edited Exemption' should be entered when the notification is for an exempt measure rather than a completed measure.	tic	Edited Notification Extended Notification Automatic Late Extension New Exemption Edited Exemption	entries correspond ing to the list are valid.		



Date_of_C	On what date was	The date of completed installation (DOCI)	Date	DD/MM/YYYY	Only DOCI	CORE unless	Overview
ompleted_	the installation of	indicates the date on which the installation of	Field		between	'Purpose_of_No	
Installation	the measure	the measure was 'complete'. Please refer to the		N/A	01/04/202	tification` =	
	completed?	draft delivery ECO4 Guidance for information on			2 and	`New	
		how this date is determined.			31/03/202	Exemption' or	
					6	`Edited	
		N/A should be entered only for exemptions. All			(inclusive)	Exemption'	
		completed measures should have a DOCI.			are valid.		
					Only		
					entries in		
					the		
					accepted		
					format are		
					valid.		
PPS_Type	What type of	Indicates whether the measure is a regular	Alphabe	PPS	Only	Required unless	Measure
	scoring method is	ECO4 measure type (PPS), a data light measure	tic		entries	'Purpose_of_No	
	used for the	(DLM) or a standard alternate methodology		DLM	correspond	tification` =	
	Partial project	(SAM).		CAM	ing to the	`New	
	score?			SAM	list are	Exemption' or	
		N/A should be entered only for exemptions. All		N/A	valid.	`Edited	
		completed measures should have a scoring		,		Exemption'	
		type.					



Percentage	What percentage	Indicates what percentage of the property has	Alpha-	Ν	Only	Required unless	Measure
_Of_Prope	of the property	been treated by the measure.	numeric		entries in	'Purpose_of_No	
rty_Treate	was treated with			NN	the	tification` =	
d	the measure?	If 67% or more of the measure has been			accepted	`New	
		treated, '67+' can be notified here. Otherwise,		NNN	format are	Exemption' or	
		the exact percentage of property treated (POPT)		67+	valid.	`Edited	
		must be notified.				Exemption'	
		The only exception is Solar PV, where the POPT parameter is interpreted differently. Here, the exact POPT must always be notified for this measure type, as it is possible to notify up to 400%. Rounding should be carried out to the nearest whole number. Suppliers should not include the '%' symbol		N/A			
		when completing this field.					
Consumer	Where relevant,	Where a District Heating Connection (DHC) is	Alphabe	Heat Trust	Only	Required when:	Measure
_Protectio	has the measure	installed, it must have appropriate consumer	tic		entries	'Measure Type'	
n	been registered	protection in place. This can mean registration		HT Equivalent	correspond	belongs to the	
	with an	with the heat networks consumer protection		TM Equivalopt	ing to the	DHC or DLM	
	appropriate	body Heat Trust or an equivalent organisation or		TM Equivalent	list are	measure	
	consumer	standard.		N/A	valid.	categories	
				,		unless	



	protection organisation?	In such cases, suppliers should notify either 'Heat Trust' or 'HT Equivalent'.				'Purpose_of_No tification' =	
	UI ganisation :	Registration with Heat Trust or an equivalent is not required when the DHC is a shared ground loop, with individual heat pumps in each property. In such cases suppliers should notify N/A. Where a Data Light Measure (DLM) is installed it must have consumer protection equivalent to TrustMark. 'TM Equivalent' should be entered.				'New Exemption' or 'Edited Exemption'	
Insulation_ Requireme nts_Met	If the measure is a heating measure, how did it meet the minimum insulation requirements?	For a heating measure to be eligibile it must meet certain minimum requirements for the insulation present in the property. The requirements may vary depending on the measure type and starting SAP band of the property. Suppliers should state here through which route the insulation requirements have been met. Please see chapter 5 of the draft ECO4 delivery guidance for details of these minimum insulation requirements.	tic	All Present Pre- Project New Insulation Installed Due To Exemptions New Insulation and Exemptions N/A	Only entries correspond ing to the list are valid.	Required when: 'Measure_Type' is a heating measure (boiler, DHC, ESH and or heating controls) unless 'Purpose_of_No tification' = 'New Exemption'	Measure



'All Present Pre-Project' should be entered	or `Edited
where every relevant insulation type was	Exemption'
present in the property before the project	
started, so no insulation measure or exempt	
measure is required.	
'New Insultation Installed' should be entered	
where at least one ECO insulation measure has	
been installed in the same project and these	
measures result in the minimum requirements	
being met. These insulation measures should	
have DOCIs earlier than the heating measure	
they support.	
'Due To Exemptions' should be entered where	
one or more insulation types required to meet	
the requirements could not be installed due to	
attracting an exemption, and that if these	
measures had been installed the requirements	
would have been met before the project started.	
The exempt meausres in question should be	
notified to Ofgem as part of the same project as	
the heating measure.	
'New Insulation and Exemptions' should be	
netered where a combination of both one or	



		1					
		more exempt measures and one or more					
		completed insulation measures has resulted in					
		the insulation requirements being met. All					
		exempt and insulation measures in question					
		should be notified as part of the same project as					
		the heating measure.					
		N/A should be entered where the measure is not					
		a measure type to which the minimum					
		insulation requirements apply.					
Pre_Main_	What was the fuel	Indicates the main space heating source of the	Alphabe	Valid entry taken	Only	Required when:	Property /
Heating_S	type of the main	premises prior to installation of the measure or,	tic	from Table 18 or	entries	'Measure_Type'	Person
ource_for_	space heating	for heating measures, the heating source being		19 of the draft	correspond	is a heating	
the_Proper	system(s) for the	replaced or repaired.		delivery	ing to the	measure	
ty	premises before			guidance	list are	(boiler, DHC,	
	the measure was	Table 18 in chapter 6 of the draft delivery			valid.	ESH and or	
	installed?	guidance includes the list of eligible pre-main		N/A		heating	
		heating sources. Also eligible in Table 19 are				controls) unless	
		rare pre-main heat sources that are not listed in				'Purpose_of_No	
		the scoring matrix. When one of these is				tification` =	
		notified it will be converted by the ECO4				`New	
		Register to the associated proxy heating source				Exemption' or	
		listed in Table 19.				`Edited	
						Exemption'	
					1		L



r_Cost measures, does Note: the name and input options of this field tic N/A entries the property meet are temporary, and will be updated in future N/A correspond optional	_Heating_ Source_for _the_Prop erty	What is the fuel type of the main space heating system(s) for the premises after the measure was installed?	For further guidance on determining the pre- main heating source, when it is required and how it impacts eligibility of measures please refer to chapters 5 and 6 of the draft ECO4 delivery guidance. For certain heating measures it is necessary to notify the heating source that has been installed at the property. The list of valid post-main heating sources can be found in Table 20 in chapter 6 of the ECO4 draft delivery guidance For measures where this is not relevant please enter N/A. For more information on the post-main heat source see chapters 5 and 6 of the draft ECO4 delivery guidance .	Alphabe tic	from Table 20 of the draft delivery guidance N/A	entries	Required when: 'Measure_Type' is a boiler, DHC or ESH unless 'Purpose_of_No tification' = 'New Exemption' or 'Edited Exemption'	Property / Person
	— ·			-			ομισιαι	ineasul e
the property meet lare temporary, and will be updated in future correspond		-			N/A			
the requirements ing to the			are temporary, and will be updated in future			•		



	for the measures	versions of the template to better match its			list are		
	to be counted as a	purpose			valid.		
	solid wall action?						
		For premises to count as solid wall premises,					
		and therefore be eligible to count towards the					
		SWMR, at least 50% of the premises exterior					
		wall area must be constructed of solid wall, and					
		at least 50% of the solid wall area must be					
		uninsulated					
		Where the supplier is notifying an appropriate					
		insulation measure type and the property meets					
		these requirements, please enter `11111'					
		Where the property does not meet these					
		requirements or they are irrelevant to the					
		measure, please enter `N/A'					
Installer_N	What is the name	Provide the full name of the installer company	Alpha-	Max character	Only	Required unless	Measure
ame	of the installer	that carried out the installation of the measure	numeric	length of 150	entries in	'Purpose_of_No	
	company	at the premises. This should not be the name of		characters	the	tification` =	
	responsible for	the managing agent unless they carried out the			accepted	`New	
	installating the	installation.		N/A	format are	Exemption' or	
	measure?				valid.	`Edited	
						Exemption'	



Innovation	If the measure is	Every approved innovation measure application	Alpha-	NNN	Only	Optional	Measure
	an innovation	is given an innovation measure number. These	numeric		entries		
Number	measure, what is	numbers can be found in the ECO4 Approved		N/A	correspond		
	, the Innovation	Innovation Measures document on the Ofgem			ing to the		
	Measure Number?	website.			list are		
					valid.		
		The presence of a number in this field indicates					
		the measure is an innovation measure. If the					
		measure is not an innovation measure please					
		enter `N/A'.					
		This number will be used to assign the correct					
		innovation uplift to the measure/project.					
Trustmark	If the measure is	All ECO measures that are captured in the scope	Numeri	NNNNNNNNNN	Only	Required for all	Measure
Business	registered with	of PAS2035 must be delivered by a TrustMark	c	N	entries	completed	i leabare
Licence	TrustMark, what is	registered business and suppliers must notify			that match	measures	
Number	the TrustMark	the number on the ECO4 register.		N/A	with	captured in	
	business licence				TrustMark'	PAS2035	
	number?	This field will be validated against TrustMark's			s Data		
		Data Warehouse.			warehouse		
					are valid.		
Trustmark	If the measure is	When a measure is lodged with TrustMark a	Alpha-	Max 20	Only	Required when:	Measure
_Unique_M	registered with	unique TrustMark measure reference will be	numeric	characters	entries	'Trustmark_Bus	
	TrustMark, what is				that match	iness_Licence_	



easure_Re	the TrustMark	generated. A supplier must have this number		N/A	with	Number' ≠	
ference	unique measure	before notifying the measure to Ofgem.			TrustMark'	`N/A′	
	reference?				s Data		
		This should be the same as the TM project			warehouse		
		reference number plus an additional 4			are valid.		
		characters to signify the unique measure.					
Trustmark	If the measure is	Provide a TrustMark lodged certificate ID which	Alpha-	ANNNN-N	Only	Required when:	Measure
_Lodged_C	registered with	will be issued by TrustMark for the measure.	numeric		entries	'Trustmark_Bus	
ertificateID	TrustMark, what is	The measure will not be approved as a		ANNNNN-N	that match	iness_Licence_	
	the TrustMark's	qualifying action until the certificate ID has been			with	Number' ≠	
	lodged certificate	notified.		ANNNNN-N	TrustMark'	`N/A′	
	ID?			ANNNNNN-N	s Data		
		This field will be validated against TrustMark's			warehouse		
		Data Warehouse.		N/A	are valid		
		This should be the same as the TM project					
		reference number plus a hyphen and a number					
		to signify the lodgement ID.					
Other_Cert	If the measure is a	Please state the full name of the qualification or	Alpha-	Max character	Only	Required when:	Measure
ification	DHC or DLM	certification that is relevant to the measure.	numeric	length of 150	entries in	'Measure type'	
	installation, what			characters	the	belongs to the	
	certification does	DHC measures under ECO involve the			accepted	DHC or DLM	
	the installer hold	installation, or connection of a central heating		N/A	format are	measure	
	to demonstrate	system to a District Heating System. For this we			valid.	categories	
		would consider a Level 2 or 3 NVQ in gas,				unless	



	onnuonuinte el.:!!!-	alumbing and (as machaging) as sing arises	1			Dumpers of N-	
		plumbing and/or mechanical engineering,				'Purpose_of_No	
	and experience?	appropriate skill and experience to install or				tification' =	
		connect a central heating system. Appropriate				'New	
	If the measure has	skill and experience can also be evidenced				Exemption' or	
	been certified	through certification schemes which require the				`Edited	
	through any other	above qualification, such as Gas Safe.				Exemption'	
	alternative						
	mechanism,	For further information on this requirement					
	provide the details	please refer to the draft ECO4 Guidance.					
	here.						
		For a Data Light Measure (DLM) the appropriate					
		qualification or certification should be arranged					
		with Ofgem as part of the data light application.					
		For all other measures please enter N/A.					
		For the purposes of ECO4 rules, measures may	Alphabe	Listed building	Only	Required when:	Measure
_Category	is for an exempt	only be exempt where they meet one of a set	tic	Concernation	entries	'Purpose_of_No	
	measure, please	list of exemption categories.		Conservation	correspond	tification' =	
	provide the reason			area	ing to the	'New	
	for the exemption.	Provide the reason here. Where the project is		Protected species	list are	Exemption' or	
		lodged with TrustMark, the exemptions will be		Protected species	valid	`Edited	
		validated against TrustMark data. For non-		Unlawful		Exemption'	
		TrustMark projects, suppliers must be able to					
		provide the relevant evidence for the		Environmental			
		exemption. The required evidence for each		conditions			
			I				l



	exemption category is listed in the draft ECO	Property		
	Delivery guidance.	suitability/access		
		issues		
		N/A		