GT2 PCFM Guidance				
First publication	01 June 2021	Team:	Regulatory Finance	
Effective date	01 June 202 <u>3</u> ,	Tel:	020 7901 7000	 Deleted: 2
Version	1.2	Email:	RegFinance@ofgem.gov.uk	 Deleted: 1
				Formatted: Font: 10 pt

This document provides instructions and guidance to licensed network operators to enable them to complete the reporting requirements associated with updating various values and performance data in the Price Control Financial Model (PCFM) during the Annual Iteration Process (AIP).

© Crown copyright 2021

The text of this document may be reproduced (excluding logos) under and in accordance with the terms of the **Open Government Licence**.

Without prejudice to the generality of the terms of the Open Government Licence the material that is reproduced must be acknowledged as Crown copyright and the document title of this document must be specified in that acknowledgement.

Any enquiries related to the text of this publication should be sent to Ofgem at: 10 South Colonnade, Canary Wharf, London, E14 4PU. Alternatively, please call Ofgem on 0207 901 7000.

This publication is available at www.ofgem.gov.uk. Any enquiries regarding the use and re-use of this information resource should be sent to: psi@nationalarchives.gsi.gov.uk

Contents

1. Introduction	<u>. 5</u> ,	 Deleted: 65
Background	. 5,	Deleted: 65
Legal Framework	. 5,	 Deleted: 65
Purpose	. 5,	Deleted: 65
2. The Price Control Financial Model	7	 Deleted: 87
Background		 Deleted: 87
Model structure		 Deleted: 87
Supporting models	_	 Deleted: 109
Reporting timescales		 Deleted: 119
Submissions		 Deleted: 1210
Forecasting		 Deleted: 1211
Price base	-	 Deleted: 1311
Annual inflation updates		 Deleted: 1311
Related documents	12.	 Deleted: 1412
3. Instructions for completing the PCFM Variable Values	13,	Deleted: 2413
4. PCFM Dry Run Commentary	<u>30</u> ,	Deleted: 4330
Background	30,	 Deleted: 4330
Structure of the commentary	30,	Deleted: 4330
Submission	31,	Deleted: 4431
▼		Deleted: 1. Introduction 5¶ Background 5¶ Legal Framework 5¶ Purpose 5¶ 2. The Price Control Financial Model 7¶ Background 7¶ Model structure 7¶ Supporting models 9¶ Reporting timescales 10¶ Submissions 10¶ Forecasting 11¶ Price base 12¶ Related documents 13¶ 3. The GT2 Price Control Financial Model Variable Values 14¶ 4. Instructions for completing the PCFM Variable

1. Introduction

Background

1.1. The PCFM Guidance provides network operators (licensees) with information on how to fill out the PCFM Variable Values and any underlying templates that feed into them, which they are required to submit to <u>Ofgem</u> for each <u>dry run of the</u> Annual Iteration Process (AIP).

Deleted: us

- 1.2. It also sets out the required information that should be submitted to Ofgem in the supporting narrative commentary.
- 1.3. This document should be read in conjunction with chapter 2 of the GT2 Price Control Financial Handbook, which contains a detailed description of the PCFM modification process and the AIP dry run process. Additionally, this document should be read in conjunction with Appendix 1 ('Glossary') of the GT2 Price Control Financial Handbook and with Part B of Special Condition 1.1 (Interpretation and Definitions).

Deleted:

Legal Framework

- 1.4. The modification and governance process for the Price Control Financial Model (PCFM) and Price Control Financial Handbook (PCFH), collectively known as the Price Control Financial Instruments, is set out in Special Condition 8.1 (*Governance of the GT2 Price Control Financial Instruments*).
- 1.5. The modification and governance process for the PCFM Guidance and the steps of the Annual Iteration Process are set out in Special Condition 8.2 (*Annual Iteration Process for the GT2 Price Control Financial Model*).

Purpose

1.6. The purpose of this document is to provide guidance to enable the licensee to complete each dry run of an AIP that is submitted to Ofgem. As described in the GT2 Price Control Financial Handbook, the dry runs process entails amending and confirming values for each Regulatory Year over a number of months, from 30 September, to early Janauary, on an iterative basis to account for updates to the PCFM Variable Values as they become known.

Deleted: 31 August **Deleted:** November

1.7. This document provides:

- instructions and guidance on how to populate the PCFM Variable Values for submission for an AIP_dry run;
- guidance on the process and timeframe for reporting and submitting the required data; and
- any requirements that apply to supporting information, documentation or commentary to be submitted.

2. The Price Control Financial Model

Background

- 2.1. We set ex-ante allowed revenues for each licensee at the outset of the RIIO-2 price control based on the information available at the time.
- 2.2. Throughout the price control, we use the AIP to update the variable values in the PCFM by updating inputs for actual expenditure and performance as well as updating forecasts for the latest view.
- 2.3. The revenue calculation macro in the model is then re-run to capture this new information and to calculate an adjustment to allowed revenue (ARt) using the latest information.
- 2.4. This model and the re-calculated value of AR $_{t}$ as well as the adjustment to revenue known as ADJR $_{t}$ is published on Ofgem's website by 31 January, each year and is the value that licensees must use to set their charges for the forthcoming Regulatory Year under Special Condition 2.1 (Transportation owner revenue restriction) and Special Condition 2.3 (System operator revenue restriction).

Model structure

2.5. The table below sets out the structure and contents of the sheets in the PCFM:

Sheet	Contents
Cover	Content directory and Model key
UserInterface	This sheet contains company and year selector switch allowing the user to switch between companies and
	Regulatory Years.
	It also includes the "RunForOne" and "RunForAll" macro
	buttons, enabling the user to perform the model's
	recalculation function for either just the selected licensee or
	all licensees.

Deleted: 0 November

Input	The Input tab is the starting point for all calculations in the
	PCFM and contains all the inputs necessary to calculate all
	the components of ARt.
	The Input tab pulls input values from the NGGT TO tab and
	the SystemOperator tab pulls input values from the NGGT
	SO tab.
Calculation sheets:	The calculation sheets are purple sheets and will be auto-
Totex	populated by the model when the inputs are updated for
TIM	each AIP. The calculations within the majority of these
Depn	sheets follow the algebra set out in the special licence
<u>TaxPools</u>	conditions for the TO and SO.
Return&RAV	
Finance&Tax	
<u>NonCore</u>	
SystemOperator	
ReturnAdj	
Revenue	
AR	
SOAR	
Results sheets	The "LiveResults" sheet shows a live summary of the
	changes to the components of ARt, following any input
	updates. The values in this sheet update automatically
	following any changes to inputs to the year or company
	selector switch. This sheet shows results for the selected
	company.
	The "SavedResults" sheet hard-codes the values in the
	"LiveResults" sheet for comparison and record-keeping
	purposes, after the RunForOne or RunForAll macro has been
	run in the "UserInterface" sheet. This sheet shows the
	summary of results for all companies.
Monthly Inflation input sheet	The "Monthly Inflation" sheet shows the values for monthly
Annual Inflation input sheet	outturn and forecast price indices relating to the Retail Price
	Index (RPI), Consumer Price Inflation including owner-
	occupiers' housing costs (CPIH) and Price index (PI), as
	defined in chapter 2 of PCFH.

Deleted: eight identically structured company-specific

Deleted: input

Deleted: s at the end of the model

Deleted: , using a choose function, depending on which company is selected.

Deleted: FuelPoor¶ Return&RAV¶ TaxPools¶ Finance&Tax¶ NonCore¶

	The "Annual Inflation" sheet shows the derivation of annual
	indices and inflation rates by aggregating the data in the
	"Monthly Inflation" sheet.
	The inflation rates in the "Annual Inflation" sheet are used
	to derive "real to nominal" conversion factors used
	throughout the PCFM in relation to 2018/19 price base.
NGGT TO	The blue and grey shaded inputs, also known as the PCFM
NGGT SO	Variable Values, in each company-specific input sheet are
	the inputs, which should be updated as part of an AIP.
	These are the values that this guidance document pertains
	to, unless otherwise specified.

Supporting models

2.6. As well as the PCFM itself, licensees must submit a number of other templates and files, the values from which will feed into the PCFM Variable Values table. These include but are not limited to:

- GT2 Regulatory Reporting Pack (RRP)¹
- Legacy GT1 PCFM and any supporting files
- GT1 Revenue RRP (for LAR values)

Reporting timescales

2.7. The licensee must submit the PCFM, the required supporting models and commentary to the Authority by 30 September, prior to each Regulatory Year t^2

Deleted: 1 August

 $^{^{\}rm 1}$ From the regulatory period starting 2022/23.

 $^{^{2}}$ This term is defined in Part B of Special Condition 1.1 (Interpretations and Definitions).

2.8. Ofgem will maintain up-to-date copies of and make any required modifications to the PCFM and its supporting models, the PCFH and the PCFM Guidance on an annual basis in accordance with the relevant governance processes set out in Special Conditions 8.1 and 8.2.

To allow licensees sufficient time to populate a PCFM for submission, modifications will be reflected in the version of the PCFM to be used for an upcoming AIP by 1 July, prior to each Regulatory Year³.

2.9. There will be one or more dry runs of the PCFM between the licensee's initial submission of the PCFM and the final run in early <u>January prior to the Regulatory Year t</u>. The number of dry runs needed will depend on the number and timing of variable value updates required for the licensee in any particular Regulatory Year.

2.10. The AIP will be completed by 31_January prior to each Regulatory Year t, or as soon as is reasonably practicable thereafter. The deadline of 31_January reflects the need for the licensee to have confirmation of its ARt⁴ in time to calculate and set its use of system charges.

2.11. The steps of the AIP are specified in Special Condition 8.2, Part A and the process is further described in the GT2 PCFH.

Submissions

2.12. By 30 September, prior to each Regulatory Year t and at each dry run, the licensee must submit to the Authority the GT2 PCFM with a completed variable values table (covering activity in the prior Regulatory Year and changes to forecast activity¹²), which has been run to calculate AR_b along with an updated copy of the GT2 RRP.

2.13. As well as this, the licensee must submit the relevant supporting models used to derive the variable values and any relevant commentary. For the submission due on 30 September

Formatted: No bullets or numbering

Deleted: June

Deleted: ¶

Deleted: November

Deleted: 0

Deleted: November

Deleted: prior to

Deleted: 0

Deleted: November

Deleted: 1

Deleted: August

Deleted: ,

Deleted: ,

Deleted: 1

³ See the PCFM functional cut-off dates set out in Table 2.1 of the GT2 PCFH.

⁴ This term is defined in Part B of Special Condition 1.1 (Interpretations and Definitions).

¹² Variable Values for Regulatory Years later than Regulatory Year t do not feed into the calculation of the term AR_t. Therefore, calculated values in the PCFM for Regulatory Years later than Regulatory Year t represent only a forecast. This is without prejudice to the status of the Variable Values concerned, which may have been decided and/or directed under licence conditions and which may or may not be subject to subsequent revision.

and thereafter at each dry run, the variable values in the "4.1 TO PCFM Input Summary" and "4.2 SO PCFM Input Summary" sheets of the GT2 RRP should match the company-specific input sheets of the GT2 PCFM, where applicable.

Deleted: August

Deleted: be linked

Deleted: to

2.14. All of the documents submitted as part of a dry run of the AIP must be sent to the Authority either through email or a secure file-sharing application such as Huddle.

Forecasting

- 2.15. The AIP allows for PCFM Variable Values to be updated during the course of the price control for outturn actual data as well as forecast data.
- 2.16. Where a PCFM Variable Value is not known at the time of submission, we expect the licensee to forecast a value using its best estimate under Special Condition 8.2.
- 2.17. It is acknowledged that forecasts will not be as accurate as actual reported data and that all forecasts will be made with a view to truing-up at a subsequent dry run or AIP, however we expect that the inclusion of forecasts will reduce the magnitude of any subsequent true-ups and reduce revenue volatility.

Price base

- 2.18. As described in chapter 2 of the GT2 PCFH, when ascertaining calculated revenue, the GT2 PCFM works in a constant 2018/19 price base except in respect of some calculations internal to the model that use nominal prices, eq, tax and legacy calculations.
- 2.19. The price base for each PCFM Variable Value is set out in the PCFM input sheets, for the avoidance of doubt.

Annual inflation updates

2.20. Ofgem will update and circulate the inflation data contained in the "Universal Data" tab of the GD2 RRP by the end of April in each Regulatory Year, reflecting actual RPI and CPIH data until the end of March as well as data from the March OBR forecast. This inflation data must be used by the licensee in its RRP submission due on 31 July. This will ensure the latest inflation data are feeding into the GD2 RRP and PCFM.

Deleted: I

2.21. Ofgem will perform a further inflation update in July in each Regulatory Year, reflecting actual RPI and CPIH data until the end of June. This will be published in the version of the PCFM to be used for the next AIP. This inflation data must be used by the licensee in the RRP and the PCFM that it submits as part of its first AIP dry run by 30 September.

2.22. Ofgem will normally perform a final inflation update in November following the publication of the OBR's autumn forecast, in line with the methodology prescribed in the PCFH.

Related documents

GT2 Price Control Financial Handbook

GT2 Price Control Financial Model

GT2 Regulatory Instructions and Guidance (RIGs)

GT2 Regulatory Reporting Pack

GT2 Regulatory Financial Performance Reporting

Other relevant Associated Documents as listed in <u>Table 3.1 of the PCFH</u>

Deleted: <#>As per paragraph 2.20 of the GT2 PCFH, the forecasts in the PCFM will be the Office for Budget Responsibility's (OBR) forecast of CPI and RPI from the "economic and fiscal outlook" publication. Any forecast nominal values provided by licensees during the first dry run will be based on the March OBR update, the PCFH requires that we refresh the OBR forecast data used in the PCFM by 31 October during each AIP. As such, we need to we need to update the old forecast values to 'new nominal' forecasts based on the 31 October forecast assumptions.¶

This update is based on the following assumptions: ¶
OBR publishes the forecast in time for the October
update i.e. by October 31. If the update is not
available, nominal forecasts will not be updated from
those that were submitted. ¶

The update will be applied to nominal forecast values, only. \P

The October OBR forecast will be updated by Ofgem. ¶ The OBR forecast will be updated in the 'Annual inflation' worksheet of the PCFM resulting in updated combined RPI-CPIH price index values (financial year average), which will be used in the '4.18-Inflation update' worksheet of the GT2 RRP. The differential between the previous and new OBR forecast will determine the new nominal values, which will be used in the.' 4.7 - TO PT' and '4.8 - SO PT' worksheets of the RRP. For more detail on this inflation update, please see 'pass through costs' section in chapter 4.¶

Deleted: Table 3.1 and Table 3.2

Deleted: <#>The GT2 Price Control Financial Model Variable Values¶

The variable values that can be revised during an AIP are set out in Table 3.1 and $\frac{\text{Table 3.2}}{\text{1}}$ below, and are also included as part of the PCFH. ¶

For each variable value, the table provides a description, cross-references to the relevant Special Condition(s) (where appropriate), and details of Associated Documents (where relevant). It identifies a list of variable values in PCFM for which further guidance is provided either in this document or the RIGs as applicable. ¶

Table 3.1 - RIIO-GT2 variable values (VV) for TO I

3. Instructions for completing the PCFM Variable Values

Deleted: table

4.1. The PCFM Variable Values that can be revised during an AIP are set out in in Chapter 3 of the PCFH.

Field Code Changed

- 4.2. For each variable value, table 3.1 provides a description, cross-references to the relevant Special Condition(s) (where appropriate) and details of Associated Documents (where relevant).
- <u>4.3.</u> The below table contains instructions for licensees on how to populate the PCFM Variable Values table for submission to the Authority at each dry run of an AIP.
- 4.4. Unless otherwise specified, all references relate to the Revenue input sheets of the RIIO-GT2 RRP.

Deleted: <#>¶

Variable Value category	Guidance for Completion			
	In general, the value of the Price Control			
Variant Totex Allowances - Price	Deliverable is an ex-ante allowance, subtracting			
Control Deliverables (PCDs)	any reductions that have been directed by the			
	Authority.			
TO:				
Baseline Allowed NARM	The ex-ante allowances are given in the appendix			
Expenditure	for the relevant Special Condition, and the			
Physical security Price Control	reductions are provided by directions from the			
Deliverable	Authority.			
Bacton terminal site				
redevelopment Price Control	For these Variable Values, the actual adjustments			
Deliverable	directed by Ofgem should be input into the yellow			
King's Lynn subsidence Price	adjustment cells in the "TO PCDs" and "SO PCDs"			
Control Deliverable	sheets of the GT2 RRP. This data will then be			
Asset health - non lead assets	picked up in the allowance values on the TO and			
Price Control Deliverable	SO PCFM Input Summary sheets, which should be			
Compressor emissions Price	used to populate the licensee input sheets in the			
Control Deliverable	PCFM.			

- Redundant Assets Price Control Deliverable
- Funded incremental obligated capacity Price Control Deliverable
- Cyber Resilience OT Baseline
- Cyber Resilience IT Baseline
- Net Zero And Re-opener
 Development Fund use it or lose it allowance

S0:

- Funded incremental obligated capacity Price Control Deliverable
- Cyber resilience OT Baseline
- Cyber Resilience IT Baseline

Forecasting

Where Ofgem has yet to issue any directions, but a licensee expects not to deliver an output identified in the relevant Special Condition appendices, it should use best endeavours to forecast the expected adjustment into the yellow adjustment cells in the "TO PCDs" and "SO PCDs" sheets of the GT2 RRP.

Details of the assumptions made should be provided in the supplementary commentary.

<u>Variant Totex Allowances - Re-</u> <u>openers</u>

TO:

- NARM Asset Health Re-opener
- Non-operational IT Capex Reopener
- Coordinated adjustment mechanism Re-opener
- Net zero Re-opener
- Asset health Re-opener
- Asset health non lead assets
 Re-opener
- Uncertain Costs Re-opener
- Net Zero Pre-construction Work and Small Net Zero Projects Reopener
- Bacton terminal site redevelopment Re-Opener
- Physical Security Re-Opener

A re-opener is a type of uncertainty mechanism, which allows the Authority to adjust a licensee's allowances (either up or down) based on an application by the licensee, in response to changing circumstances during the price control period.

The ex-ante allowances are given in the appendix for the relevant Special Condition, and the adjustments are provided by directions from the Authority.

Within the application window

For these Variable Values, where actual amounts are known at the time of the dry run, ie, where a decision has already been made on a reopener application, the licensee must use the adjustment values as published by the Authority to update the relevant re-opener allowance and adjustment yellow input cells in the "TO Re-openers" and "SO

- Compressor emissions Re-Opener
- Cyber Resilience OT nonbaseline
- Cyber Resilience IT non-baseline
- King's Lynn subsidence Re-Opener
- Funded incremental obligated capacity Re-Opener

SO:

- Cyber Resilience OT nonbaseline
- Cyber Resilience IT non-baseline
- Net Zero Re-opener
- Funded incremental obligated capacity Re-opener
- Non-operational IT Capex Reopener

Re-openers" sheets of the GT2 RRP. This data will then be picked up in the allowance values on the TO and SO PCFM Input Summary sheets, which should be used to populate the licensee input sheets in the PCFM.

Where an application has been submitted but no decision has been made, the licensee must use the adjustment values as published in any minded-to position by the Authority. Where no minded-to position has been published, the licensee may use the same values included in its application or the actual costs incurred in the Regulatory Year, whichever is lower.

This is with a view to updating these values at a later dry run (or AIP) to correspond to a subsequent Ofgem decision.

Outside of the application window

The licensee may choose to update its re-opener allowance Variable Values using forecast data ahead of any relevant re-opener window, at any dry run. This should be done by updating the yellow allowance cells in the "4.5_TO Re-openers" and "4.6_SO Re-openers" sheets of the GT2 RRP and in the "8.10 Pipeline Log" sheet, which should be updated on a consistent basis.

The values to use are the actual costs incurred or forecast costs expected to be incurred in each Regulatory Year and applied for through the relevant re-opener and the adjusted allowance should be based on the information that the licensee has provided in the "8.10 Pipeline Log", which will be included in the GT2 RRP. Where the values submitted in the pipeline log are out of

Deleted: adjustment and

	date and require updating, the licensee should
	update the pipeline log as part of any subsequent
	dry run submission for the purpose of AIP.
	Any supporting justification should be provided in
	addition to the log as per the re-opener guidance
	specified in the RIGs.
Opex Escalator	The opex escalator provides an additional
TO:	allowance for any capital expenditure incurred on
Opex Escalator	the eligible re-openers listed in SpC 3.18 (Opex
	escalator).
	For these Variable Values for TO, actual and
	forecast data for the eligible re-openers within
	$UMTERM_t$ is fed into the "Opex Escalator" sheet
	from the "TO Re-opener" sheet of the GT2 RRP.
	This data is then picked up in the allowance
	values on the TO PCFM Input Summary sheet,
	which should be used to populate the licensee
	input sheets in the PCFM.
<u>Actual Totex</u>	Totex is reported in one of two buckets,
TO:	capitalisation rate 1 and capitalisation rate 2.
Capitalisation rate 1:	
Actual load related capex	Any expenditure relating to ex-ante, or baseline
expenditure	funded activities including PCDs is subject to
Actual asset replacement capex	capitalisation rate 1.
expenditure	
Actual other capex expenditure	Any expenditure relating to activities that have
 Actual non-load (opex) 	been funded under Uncertainty Mechanisms (as
Actual indirects (opex)	labelled in the PCFM) is subject to capitalisation
Actual non-operational capex	rate 2.

Capitalisation rate 2:

- Actual load related capex expenditure
- Actual asset replacement capex expenditure
- Actual other capex expenditure
- Actual non-load (opex)
- Actual indirects (opex)
- Actual non-operational capex

SO:

- Actual non-operational capex
- Actual controllable opex

For totex values, actual and forecast data for the reporting period in question will be automatically linked to the "4.1 TO PCFM Input summary" sheet and the "4.2 SO PCFM Input summary" sheet from the "2.1 Revenue_Interface" sheet of the GT2 RRP. The values picked up in the "4.1 TO PCFM Input summary" sheet and the "4.2 SO PCFM Input summary" sheet should be used to populate the licensee input sheets in the PCFM.

Pass-through costs - other

TO:

- · Licence fees
- Prescribed Rates
- Pension Scheme Established
 Deficit repair
- Secretary of State in respect of Policing Costs
- PARCA Termination Value
- Gas conveyed to Independent Systems
- Hy-Net
- Net Zero Pre-construction Work and Small Net Zero Projects Reopener

Pass-through costs are specified costs that are predominantly outside of a licensee's control and may be passed through to consumers. These costs are defined in SpC 6.1 (Transportation owner pass-through items) and SpC 6.3 (System operator pass-through items).

For pass-through Variable Values, actual data for the reporting period in question should be input directly into the yellow input cells of the "5.1 TO_Indirects" and "5.2 SO_Indirects" sheets. This data is then picked up in the "4.7 - TO PT" and "4.8 - SO PT" which are linked to the TO and SO PCFM Input Summary sheets, which should be used to populate the licensee input sheets in the PCFM.

SO:

- CDSP Costs
- Pension Scheme Established
 Deficit

Where required, further detailed guidance for updating these variable values is provided in the GT RIGs.

For Licence fees: where a rebate is given by Ofgem in relation to Licence fee costs for the

Deleted: Forecast nominal values in the '4.7-TO PT' and '4.8-SO PT' sheets will need updating if Ofgem updates the OBR inflation forecast used in the PCFM by October 31. These values are linked to the '4.18 – Inflation update' worksheet.

Ät each AIP, when the availability of OBR update is confirmed in October, Ofgem will update row 20 on the '4.18 – Inflation update' sheet resulting in a differential on row 26 based on the difference between March and latest OBR update. ¶

Ofgem will then select 'YES' on row 7, which will automatically populate additional tables incorporated in '4.7 and 4,8 – TO PT and SO PT'. These new nominal values will then feed into the PCFM input summary sheets, where applicable, and will be used to populate PCFM. ¶

previous regulatory year, that rebate should be netted off against the Licence Fee costs, when reported in the PCFM.

E.g. if Ofgem provides a rebate to networks in the 21/22 year, relating to the 20/21 year, the licensee may either restate its Licence fee variable value for the regulatory year 20/21 or it may net off the rebate from the licence fee variable value for the 2021/22 regulatory year.

Forecasting

Forecasts for future regulatory periods should be input directly into the yellow input cells of the of the "5.1 TO_Indirects" and "5.2 SO_Indirects" sheets.. This data is then picked up in the "TO PT" and "SO PT" which are linked to the TO and SO PCFM Input Summary sheets, which should be used to populate the licensee input sheets in the PCFM.

<u>Incentive revenue (Output Delivery</u> <u>Incentives)</u>

TO:

- Customer satisfaction survey
 ODI
- Environmental scorecard ODI

Incentive revenue or output delivery incentives (ODI) are used to reward or penalise licensees for their performance.

For ODI values for TO, actual data for the reporting period in question should be input directly into the yellow input cells of the relevant GT2 RRP sheet. This data is then picked up in the "4.10 TO ODI" which is linked "TO PCFM Input Summary" sheet, which should be used to populate the licensee input sheets in the PCFM.

Further detailed guidance for updating the underlying inputs to the calculations in the ODI sheet will be provided in the GT2 RIGs.

Forecasting

Forecasts for future regulatory periods should be input directly into the yellow input cells of the relevant GT2 RRP sheet. This data is then picked up in the "4.10 TO ODI" which is linked "TO PCFM Input Summary" sheet, which should be used to populate the licensee input sheets in the PCFM.

Other Revenue allowances

TO:

- RIIO-2 Network Innovation
 Allowance
- Carry-over Network Innovation Allowance
- Strategic Innovation Fund

S0:

- Constraint management incentive revenue
- Revenue from accelerated release of incr. obl. entry capacity
- Exit capacity buyback cost which users are liable to reimburse
- Revenue for net residual balancing costs
- Total costs for procurement of operating margin services
- System costs
- Residual balancing incentive
- Quality of demand forecasting incentive
- Greenhouse gas emissions incentive
- Maintenance incentive

For ORA values, actual data for the reporting period in question should be input directly into the yellow input cells of the "TO ORA" and "SOORA" sheets and into the yellow input cells of the relevant GT2 RRP sheets. This data is then picked up in the SO and TO PCFM Input Summary sheets, which should be used to populate the licensee input sheets in the PCFM.

With respect to Total NIA Expenditure, the licensee must input expenditure excluding any expenditure which is deemed to be 'Unrecoverable NIA Expenditure' as per the requirements of the RIIO-2 NIA Governance Document.

With respect to *Strategic Innovation Fund*, the licensee must input the sum value of SIF Funding that is collected on behalf of all gas networks as per the SIF Governance Document.

Further detailed guidance for updating the underlying inputs to the calculations in the "TO ORA" and "SOORA" sheets is provided in the GT2 RIGs.

Forecasting

Forecasts for future regulatory periods should be input directly into the yellow input cells of the "TO ORA" and "SOORA" sheets and into the

yellow input cells of the relevant GT2 RRP sheets. This data is then picked up in the SO and TO PCFM Input Summary sheets, which should be used to populate the licensee input sheets in the PCFM.

Legacy MOD

Closeout adjustment

Legacy values will be directed by Ofgem following the formal close-out of the RIIO-GT1 price control.

Legacy MOD

In the interim period between the beginning of GT2 and the direction of these values and the establishment of a close-out methodology, the licensee must calculate its provisional Legacy MOD values for 2021/22 and 2022/23 in accordance with the processes set out in the "Legacy MOD (LMODt and SOLMODt)" section of chapter 8 of the PCFH. These values have now been set and will not be revised further beyond the 2022 AIP. Any subsequent revisions will feed through the closeout adjustment.

Closeout adjustment

For the 2023 AIP and beyond, the value of LMODt and SOLMODt will be calculated within the PCFM based on the value of COAt and SOCOAt (the closeout adjustments).

In the interim period between the beginning of GT2 and the direction of the closeout adjustment value, the licensee must calculate its provisional closeout adjustment value in accordance with the processes set out in the "LMOD and SOLMOD values to finalise the closeout of RIIO-GT1" section of chapter 8 of the PCFH.

Formatted: Font: Bold

Deleted: ¶

The licensee must update its legacy GT1 PCFM for any outturn data relating to the 2020/21 Regulatory Year as taken from its 31 August 2021 RIGs submissions. The legacy GT1 PCFM must then be run to generate the legacy MOD_{2022/23} value. This should then be inflated using the RPIF figure from the GT1 Revenue RRP and input in the LMOD and SOLMOD variable value input row in the licensee-specific input sheets in the GT2 PCFM for 2022/23.¶

The Licensee may choose to incorporate other modifications as it considers necessary to the Legacy GT1 PCFM to reflect any anticipated close-out adjustments for which Ofgem has not yet provided a methodology in the Legacy MOD value for 2022/23. ¶

If the Licensee chooses to make any such provisional revisions to the Legacy GT1 PCFM, it Deleted: do this must also submit a description of the specific modifications made to the Legacy GT1 PCFM along with a copy of the Closeout methodology reporting file and a justification for the revisions, Deleted: m in its PCFM Dry Run Commentary (see section 5 of this Guidance). RIIO-1 net RAV additions (after Legacy RIIO-1 net RAV additions values will be disposals) directed by Ofgem following the formal close-out of the RIIO-GT1 price control. In the interim period between the beginning of GT2 and the direction of these values and the establishment of a close-out methodology, the licensee must calculate its provisional RIIO-1 net RAV additions (LRAV and SOLRAV) values in accordance with the closeout methodologies and processes set out in chapter 8 of the PCFH. If the Licensee chooses to make any such Deleted: The licensee must update its legacy GT1 PCFM for any outturn data relating to the 2020/21 Regulatory Year as taken from its 31 August 2021 provisional revisions to the Legacy GT1 PCFM, it RIGs submissions. The legacy GT1 PCFM must then be must submit a description of the specific run to generate the provisional closing RAV position and this should be input in the LRAV and SOLRAV modifications made to the Legacy GT1 PCFM variable value input row in its licensee-specific input sheet in the GT2 PCFM, covering the historical GT1 along with a copy of the Closeout methodology period to 31 March 2021.¶ reporting file and a justification for the revisions The Licensee may choose to incorporate other modifications as it considers necessary to the Legacy in its PCFM Dry Run Commentary (see section 5 GT1 PCFM to reflect any anticipated close-out adjustments for which Ofgem has not yet provided a methodology, in its LRAV and SOLRAV values. ¶ of this Guidance). **Deleted:** If the Licensee chooses to do this, it must also submit a description of the specific modifications made to the Legacy GT1 PCFM along with a justification for them in its PCFM Dry Run Commentary (see section 5 of this Guidance).¶ **Other Legacy adjustments** Legacy adjustments to revenue are calculated on TO: a lagged basis by the licensee in accordance with Legacy pass-through the relevant special conditions and the process Legacy K correction set out in the "Legacy Adjustment to Revenue Legacy TRU section" of chapter 8 of the PCFH.

- Close out of the RIIO-GT1 network outputs
- RIIO-GT1 network innovation competition
- _Close out of the RIIO-GT1 stakeholder satisfaction output
- Revenue for TRU term
- RIIO-1 RPI forecast term

S0:

- System Operator legacy K correction
- System Operator legacy TRU
- Close out of the RIIO-GT1 entry and exit capacity constraint management incentive
- Close out of the RIIO-GT1 constraint management cost adjustment
- Close out of the RIIO-GT1 transportation support services adjustment
- Revenue for SOTRU term
- RIIO-1 RPI forecast term

In some cases, these legacy variable values will be directed by Ofgem following the formal closeout of the RIIO-GD1 price control.

> **Deleted:** values will be directed by Ofgem following the formal close-out of the RIIO-GT1 price control. ¶

> In the interim period between the beginning of GT2 and the direction of these values following the closeout of GT1, the licensee must use the legacy values in accordance with the processes set out in the "Legacy Adjustment to Revenue section" of chapter 8 of the PCFH.¶

Formatted: Indent: Left: 1.27 cm, No bullets or numbering

Directly remunerated services

TO:

- Directly remunerated services revenue
- Directly remunerated services cost

For DRS Revenue values for NGGT-TO, actual and forecast data for the reporting period in question should be input directly into the yellow input cells in the "DRS Revenue" sheet of the GT2 RRP, which should be used to populate the licensee input sheets in the PCFM.

DRS Cost is directly linked to "2.1 Revenue_Interface". For this value please see the 'Instructions for completing the operational

	expenditure worksheets' chapter in the 'RIIO-GT2			
	Regulatory Instructions and Guidance' document.			
	This value should then be used to populate the			
	licensee input sheets in the PCFM.			
iBoxx trailing average (iBTAt)	These finance inputs are calculated by the			
Risk-free rate (RFR and SORFR)	Authority using the WACC allowance model and			
	feed into the licensee's allowed return on capital.			
	These input values are calculated and populated			
	by Ofgem during the AIP dry runs. This update	 D	eleted: final dry run of each	
	usually takes place in November.	 D	eleted: , which	
		D	eleted: early	
	These values are sourced from the updated			
	WACC allowance model. The methodology for the			
	derivation of iBTA and RFR is described in chapter			
	4 of the PCFH.			
Sterling Overnight Index Average (It)	This finance input is calculated by the Authority			
	using the WACC allowance model and is used in			
	calculation of the correction term (K_t).			
	The input value in row 125 and row 76 for TO			
	and SO respectively, is calculated and populated			
	by Ofgem during the AIP dry runs. This update.	 D	eleted: final dry run of each	
	usually takes place in November.	\succeq	eleted: ,	
	,	D	eleted: which	
	This value is sourced from the updated WACC allowance model.	D	eleted: early	
Real Price Effects (RPEs) annual growth	This value (%) is calculated by the Authority and			
rate	is sourced directly from the updated RPE model in			
	accordance with the methodology and process set			
	out in chapter 5 of PCFH.			
	A redacted version of this workbook will be shared with the licensee and published by Ofgem following each AIP, alongside the PCFM and			
	WACC Allowance Model.			

Adjusted net debt	For this variable value, actual data for the
	reporting period in question should be input
	directly into the company specific input sheets of
	the PCFM. Licensees may also update forecast
	data for this variable value.
	The figures used to update this variable value
	should be those reported as "Net Debt as per the
	Regulatory (RIIO-2) definition" in the licensee's
	submitted RFPR.
	See the RIIO-2 RFPR Guidance for further detail
	on what this value comprises.
Tax deductible net interest cost	For this variable value, actual data for the
	reporting period in question should be input
	directly into the company specific input sheets of
	the PCFM. Licensees may also update forecast
	data for this variable value.
	The figures used to update this variable value
	should be those reported as "Net Interest as per
	the Regulatory (RIIO-2) definition" in the
	licensee's submitted RFPR.
	See the RIIO-2 RFPR Guidance for further detail
	on what this value comprises.
Tax liability allowance adjustments –	These variable values will not be applicable
driven by tax trigger events	unless the licensee has followed the notification
General Pool Opening Balance	process set out in chapter 6 of the PCFH.
Adjustment	
Special Pool Opening Balance	These values will be calculated according to the

Formatted: Default Paragraph Font, No underline, Font color: Auto

Formatted: Normal, Font Alignment: Auto Formatted: Default Paragraph Font

Formatted: Font: (Default) Verdana, 10 pt

Formatted: Default Paragraph Font, No underline, Font color: Auto

Formatted: Default Paragraph Font, No underline, Font color: Auto, Pattern: Clear

Formatted: Default Paragraph Font

Formatted: Font: (Default) Verdana, 10 pt

	Ofgem will provide confirmation of the final	
	figures to be used for these variable values.	
Tax liability allowance adjustments	This value will not be applicable unless the	
	Authority has directed a value following a tax	
	review under Special Condition 2.2.	
Capital allowance opening pools	These Legacy values will be directed by Ofgem	Deleted: L
brought forward	following the formal close-out of the RIIO-GT1	
	price control.	
	In the interim period between the beginning of	
	GT2 and the direction of these values, the	Deleted: following the close-out of GT1
	licensee must use the provisional closing	
	balances taken from the legacy GT1 PCFM to	
	populate the Capital allowance opening pools	
	brought forward balances in its RIIO-2 PCFM.	
	The closing balances should come from the same	
	version of the legacy GT1 PCFM that the LRAV,	
	SOLRAV, LMOD, SOLMOD, COA and SOCOA	Deleted: and
	values are taken from.	
Tax loss brought forward ⁵	As above for "Capital allowance opening pools	
	brought forward".	
Tax pool allocation rates	For these values, the rates used to allocate totex	
	into the different tax pools can be updated using	
	the calculations in the "TO Tax Pools Totex	
	allocations" and "SO Tax Pools Totex allocations"	

sheets of the GT2 RRP.

Allocation percentages of totex categories to tax pools should be input by the licensee in the yellow input rows based on their best estimate of the allocation rates at the time of updating the

 $^{^{\}rm 5}$ This variable value relates to a licensee's regulatory opening tax losses and not statutory tax losses per corporation tax returns.

	inputs. These rates will then be used to derive
	capital allowance allocation rates used by the
	PCFM.
	Allocation rates should not be retrospectively
	updated for a year where the ADJR* value has
	already been published and charges have already
	been set.
Recovered Revenue billed basis	This variable value should be provided by
	licensees. This value should be Recovered
	Revenue as defined below, but inclusive of Bad
	Debt.
	Bad debt costs relate to any amounts that are
то:	incurred (or forecast) by the licensee due to
Bad Debt	network charges owed to it by one or more
60.	defaulting gas shippers.
SO:	
SO Bad Debt	Values should be input into the yellow input cells
	of the bad debt section of the "5.1 TO_Indirects"
	and "5.2 SO_Indirects" sheets. For Regulatory
	Year 2020/21 these values should be input
	directly on "4.16 – TO Recovered Revenue" and
	"4.17 – SO Recovered Revenue" sheets. This data
	is then picked up in the TO and SO PCFM Input
	Summary sheets, which should be used to
	populate the PCFM.
	populate the FeFFII
	The <i>provisional Bad Debt cost</i> should include the
	Bad Debt costs that the licensee expects to incur
	including any RIIO-GT1 Bad Debt and COVID-19
	Bad Debt, with respect to network charges owed
	to the licensee by one or more Defaulting Gas
	Shippers. This row contains forecasts only and
	should not include any actual costs, which should
	be input in the row below labelled actual Bad
	Debt cost incurred.

	For the interest income accrued adjustment
	value, the licensee should input the adjustment
	for any interest income relating to late or non-
	payment of network charges. The adjustment is
	the difference between interest accrued at the
	default rates set out in the Uniform Network Code
	net of WACC with respect to the COVID-19
	Scheme. Where this is an income amount, this
	should be entered as a negative.
	The recovered Bad Debt value should be input as
	a positive value and should include the aggregate
	value of any Bad Debt recovered (including RIIO-
	GT1 Bad Debt and COVID-19 Bad Debt), where
	the costs have previously been recovered via the
	BDA term. ⁶
	All values should be exclusive of VAT.
Recovered Revenue	This variable value is defined in SpC 2.1, Part B
	of GT Licence and is automatically fed from "4.16
	- TO Recovered Rev" and "4.17 - SO Recovered
	Rev".
Penal rate proportion	This value will be calculated and input by Ofgem.
CPIH Outturn	This value is shown in the "Monthly inflation"
	sheet of the PCFM and will be updated by the
	Authority in line with the methodology for the
	Price Index calculation set out in chapter 2 of the
	PCFH.
	Ofgem will update the CPIH outturn index during
	the final dry run of each AIP using data that is
	available as at 31 October.

 $^{^6}$ For the System Operator, all references to Bad Debt, COVID-19 Bad Debt and RIIO-GT1 Bad Debt should be read as SO Bad Debt, SO COVID-19 Bad Debt and RIIO-GT1 SO Bad Debt respectively.

RPI Outturn	This value is shown in the "Monthly inflation"
N. I Gutturn	sheet of the PCFM and will be updated by the
	Authority in line with the methodology for the
	Price Index calculation set out in chapter 2 of the
	PCFH.
	Ofgem will update the RPI outturn index during
	the final dry run of each AIP using data that is
	available as at 31 October.
RPI inflation forecast (Calendar year)	This value is shown in the "Annual inflation" sheet
	of the PCFM and will be updated by the Authority
	in line with the methodology for the Price Index
	calculation set out in chapter 2 of the PCFH.
	Ofgem will update the RPI inflation forecast
	during the final dry run of each AIP using Office
	for Budget Responsibility (OBR) data that is
	available as at 31 October.
Long term CPIH inflation forecast	This value is shown in the "Annual inflation" sheet
	of the PCFM and will be updated by the Authority
	in line with the methodology set out in chapter 4
	of PCFH.
	Ofgem will update this inflation forecast during
	the final dry run of each AIP using OBR data that
	is available as at 31 October.
CPI inflation forecast (Calendar year)	This value is shown in the "Annual inflation" sheet
	of the PCFM and will be updated by the Authority
	in line with the methodology for the Price Index
	calculation set out in chapter 2 of the PCFH.
	Ofgem will update the RPI inflation forecast
	during the final dry run of each AIP using OBR
	data that is available as at 31 October.

Totex variant allowances allocation	Where a licensee has provided a forecast for a
<u>percentages</u>	variant allowance variable value, which does not
	have a corresponding hard-coded ("yellow-box")
	allocation rate, it may update these variable
	values with its own forecast allocation rates.
	This will enable any forecast values for the
	affected variant allowances to feed through to
	Allowed Revenue.
	Where Ofgem directs these allocation rates, the
	directed values must be used.
Disposals net sales proceeds	

4. PCFM Dry Run Commentary

Background

- 5.1. The licensee's PCFM submission should be accompanied by supporting commentary as well as any applicable supporting models and underlying workings.
- 5.2. The main purpose of the PCFM dry run commentary is to provide a useful summary of the updates that have been made to the PCFM variable values and the impact that these have had on the licensee's ARt for the Regulatory Year t, in narrative form.

Structure of the commentary

- 5.3. The outline structure of the commentary is as follows:
- Executive summary
- Updates to the PCFM Variable Values
- Impact on Allowed Revenue
- Statement on forecast data
- Data assurance statement
- Other relevant information
- 5.4. The sections outlined above should contain sufficient detail such that the Authority is able to re-perform the updates made and arrive at the same value for ADJR and ARt.
- 5.5. The licensee should provide detail on the following areas at a minimum:
- a summary of the updates the licensee has made to the PCFM Variable Values in the input sheet(s) since the last published version of the PCFM that was made available by Ofgem;
- the source of the data used to update the PCFM Variable Values (ie, Ofgem directions, GT2 RRP, Legacy PCFM or forecast data;
- a description of the impact of the changes on ADJR and ARt and the key driver(s) of this impact;
- for any forecast data, the licensee should include a statement confirming that it has used
 its best estimate to ensure forecasts are reasonable in light of the information available at
 the time and that any significant changes to forecast values have suitable supporting
 statements;

- A data assurance statement briefly setting out the assurance processes that the information in the commentary, the PCFM inputs sheet and any underlying input files (eg, GT2 RRP) are subject to; and,
- any other information the licensee considers is appropriate to explain the PCFM submission.

Submission

- 5.6. A dry run commentary is required from all licensees. Where a licensee is part of a company that has more than one licence within a sector it may submit a single commentary to cover all licensees.
- 5.7. The dry run commentary should reconcile with and refer to the PCFM dry run submitted. Any narrative or tables in the commentary should be clearly disaggregated by licensee (by TO and GSO). A full dry run commentary is required for the first dry run submission and for any subsequent dry runs, a narrative will only be required for any variable values, which have been amended from the prior dry run.
- 5.8. Where appropriate, the licensee may cross-reference to other information that supports its submission. Any cross-referencing should clearly direct the Authority to the source data used eg, through hyperlinks.