

# The Great British Insulation Scheme: Post Retrofit Customer and Installer Declaration V1

#### Introduction

The purpose of this form is to capture the details of the completed measure(s). In scenarios where insulation and heating measures are carried out sections B2 and C must be filled accordingly.

The form may be completed offsite when work has completed, and a copy must be retained by the customer.

The information and details recorded here must be true and accurate. If issues arise that raise doubts around the accuracy of the evidence and information provided, measures will be investigated and may be rejected. Any fraudulent activity, including misrepresenting details of the property, may also be reported to law enforcement agencies.

Any evidence of electronically duplicated or forged signatures will be investigated. Any measures where suspected fraudulent activity or scheme abuse is detected will be rejected<sup>1</sup>.

All photographic evidence in relation to a measure must be appropriate and in line with UK GDPR and Data Protection Act 2018 requirements.

Please ensure forms are separated when data is being collated by different parties. Ofgem also recommends that any additional evidence collected as part of these forms be handled as the final step in the process to adhere to Data Protection Act 2018 requirements<sup>2.</sup>

For a better understanding on how your data will be used under the Great British Insulation Scheme please visit our website<sup>3</sup>.

Additional pages should be appended if there is not enough space in the fields provided.

<sup>&</sup>lt;sup>1</sup> Please see chapter 8 in the Delivery Guidance for further information.

<sup>&</sup>lt;sup>2</sup> https://www.legislation.gov.uk/ukpga/2018/12/contents/enacted

<sup>&</sup>lt;sup>3</sup> <a href="https://www.ofgem.gov.uk/ofgem-privacy-policy">https://www.ofgem.gov.uk/ofgem.gov.uk/ofgem-privacy-policy</a>, https://www.ofgem.gov.uk/environmental-and-social-schemes/great-british-insulation-scheme



# Completing the post retrofit installation declaration form

This section is designed to capture the details of the customer who resides in the premises at the beginning of the measure(s). Customer confirms the following statements by signing section A.  • The installation date recorded next to the measure(s) described on the following page or on the attached spreadsheet is/are correct.  • The operative has demonstrated and explained the use and maintenance of (or relating to) any measure and provided operating instructions and system documentation for the installed measure(s) described on the following page.  The installer has also made me aware of the need to continue to maintain the fabric (walls, floors, and roof).  • Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section of the Great British Insulation Scheme measure(s). The section is		Guidance
statements by signing section A.  • The installation date recorded next to the measure(s) described on the following page or on the attached spreadsheet is/are correct.  • The operative has demonstrated and explained the use and maintenance of (or relating to) any measure and provided operating instructions and system documentation for the installed measure(s) described on the following page. The installer has also made me aware of the need to continue to maintain the fabric (walls, floors, and roof).  • Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.	Section A	This section is designed to capture the details of the customer who resides in the
The installation date recorded next to the measure(s) described on the following page or on the attached spreadsheet is/are correct.  The operative has demonstrated and explained the use and maintenance of (or relating to) any measure and provided operating instructions and system documentation for the installed measure(s) described on the following page. The installer has also made me aware of the need to continue to maintain the fabric (walls, floors, and roof).  Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18 °C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		premises at the beginning of the measure(s). Customer confirms the following
following page or on the attached spreadsheet is/are correct.  The operative has demonstrated and explained the use and maintenance of (or relating to) any measure and provided operating instructions and system documentation for the installed measure(s) described on the following page.  The installer has also made me aware of the need to continue to maintain the fabric (walls, floors, and roof).  Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		statements by signing section A.
The operative has demonstrated and explained the use and maintenance of (or relating to) any measure and provided operating instructions and system documentation for the installed measure(s) described on the following page.  The installer has also made me aware of the need to continue to maintain the fabric (walls, floors, and roof).  Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		The installation date recorded next to the measure(s) described on the
relating to) any measure and provided operating instructions and system documentation for the installed measure(s) described on the following page.  The installer has also made me aware of the need to continue to maintain the fabric (walls, floors, and roof).  • Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		following page or on the attached spreadsheet is/are correct.
documentation for the installed measure(s) described on the following page.  The installer has also made me aware of the need to continue to maintain the fabric (walls, floors, and roof).  • Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		The operative has demonstrated and explained the use and maintenance of (or
The installer has also made me aware of the need to continue to maintain the fabric (walls, floors, and roof).  • Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		relating to) any measure and provided operating instructions and system
fabric (walls, floors, and roof).  • Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		documentation for the installed measure(s) described on the following page.
Applicable only for those premises built from 1 April 2022 and to be signed by the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.      For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		The installer has also made me aware of the need to continue to maintain the
the landlord or non-resident owner, excluding the repair of broken heating measures: I confirm that the premises were occupied before the date of completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		fabric (walls, floors, and roof).
measures: I confirm that the premises were occupied before the date of completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		Applicable only for those premises built from 1 April 2022 and to be signed by
completed installation.  • For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E Section is developed to be signed from the Retrofit Coordinator and operatives upon		the landlord or non-resident owner, excluding the repair of broken heating
For Internal Wall Insulation measures where any rooms have been left uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		measures: I confirm that the premises were occupied before the date of
uninsulated, I confirm that the installer has made me aware of the importance of continuous ventilation, and heating those rooms to at least 18°C.  Section B This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E Section is developed to be signed from the Retrofit Coordinator and operatives upon		completed installation.
of continuous ventilation, and heating those rooms to at least 18°C.  Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		For Internal Wall Insulation measures where any rooms have been left
Section B  This section is designed to capture the details of the completed measure(s). It must be completed by the Retrofit Coordinator and all questions are mandatory.  Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		uninsulated, I confirm that the installer has made me aware of the importance
completed by the Retrofit Coordinator and all questions are mandatory.  Section C This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E Section is developed to be signed from the Retrofit Coordinator and operatives upon		of continuous ventilation, and heating those rooms to at least 18°C.
Section C  This section is designed to capture the details of the measure(s) carried out. This must be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon	Section B	This section is designed to capture the details of the completed measure(s). It must be
be completed by the Retrofit Coordinator once the measure(s) are completed. Complete relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		completed by the Retrofit Coordinator and all questions are mandatory.
relevant sections according to measures installed.  Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon	Section C	This section is designed to capture the details of the measure(s) carried out. This must
Section D  This section is designed to capture the POPT calculation for completed retrofit measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		be completed by the Retrofit Coordinator once the measure(s) are completed. Complete
measure(s). To be completed by the qualified operative who completed the installation in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E  Section is developed to be signed from the Retrofit Coordinator and operatives upon		relevant sections according to measures installed.
in accordance with PAS. May be completed offsite when work has been subcontracted.  Section E Section is developed to be signed from the Retrofit Coordinator and operatives upon	Section D	This section is designed to capture the POPT calculation for completed retrofit
Section E Section is developed to be signed from the Retrofit Coordinator and operatives upon		measure(s). To be completed by the qualified operative who completed the installation
		in accordance with PAS. May be completed offsite when work has been subcontracted.
the completion of the Great British Insulation Scheme measure(s). The section is	Section E	Section is developed to be signed from the Retrofit Coordinator and operatives upon
		the completion of the Great British Insulation Scheme measure(s). The section is
designed to capture multiple operatives. Both Retrofit Coordinator and operative/s		designed to capture multiple operatives. Both Retrofit Coordinator and operative/s
confirm that the information in this form is true and accurate by signing this section.		confirm that the information in this form is true and accurate by signing this section.



## A. Customer Details and Declaration (This must be completed by the customer only)

Customer details:	<ul> <li>□ Private Tenant □ Owner Occupier □ Social housing tenant</li> <li>□ Landlord<sup>4</sup> / Managing agent<sup>5</sup> :</li> </ul>					
Customer print name and full address including postcode:	Customer name:					
Contact phone number and email address:	Contact number: Email address <sup>6</sup> :					
Customer signature:		Date: / /				
Signing on behalf of customer <sup>7</sup> :	Print name:	Customer relationship:				
	Signature:	Date: / /				

Including social housing providers
 Landlord's authorised property management agent.

<sup>&</sup>lt;sup>6</sup> If email address is not available enter N/A

<sup>&</sup>lt;sup>7</sup> If you are signing on behalf of the customer, you must not be the installer, energy supplier or any other party in the supply chain responsible for this measure.

By signing this, you do not sacrifice any rights to remedy.



## **B. Completed Retrofit Details (To be completed by Retrofit Coordinator)**

	If yes, associated in-fill reference numbers:				
Yes					
	1				
□No	2				
	3				
	<u> </u>				
were carried out following th	e pre-installation RdSAP assessment?				
A. Insulation	measures				
Cavity Wall Insulation					
Cavity Wall Insulation of a Ca	avity with Partial Fill Insulation				
Party Cavity Wall Insulation					
External Wall Insulation					
☐ Internal Wall Insulation					
Hybrid Wall Insulation					
Loft insulation					
☐ Pitched roof insulation					
☐ Flat roof insulation					
☐ Room in Roof insulation					
Underfloor insulation					
Solid floor insulation					
_					
☐ Park Home Insulation					
	Didense				
	Evidence:				
☐ Yes (If yes confirm	☐ A valid guarantee certificate which				
	states the product / system installed				
	Mid and neet install photographic				
followed)	<ul><li>Mid and post install photographic evidence</li></ul>				
□No	Other places enecify				
]	☐ Other, please specify:				
B. Secondary Heating	Control Measure <sup>8</sup>				
r and room thermostat (P&RT)	)				
	A. Insulation  Cavity Wall Insulation of a Ca Party Cavity Wall Insulation External Wall Insulation Internal Wall Insulation Hybrid Wall Insulation Hybrid Wall Insulation Hybrid Wall Insulation Pitched roof insulation Pitched roof insulation Room in Roof insulation Underfloor insulation Solid floor insulation Park Home Insulation Park Home Insulation No B. Secondary Heating				

<sup>&</sup>lt;sup>8</sup> Heating control measure are only complaint if they follow the install of a Great British Insulation Measure in the low-income group only.



#### C. Measure Details

Insulation Measures <sup>9</sup>	Product Details <sup>10</sup>	Is POPT≥ 67%? (Y/N) <sup>11</sup>	Date Measure Installed (DD/MM/YYYY)	Date of Handover (DD/MM/YYYY)
Cavity Wall Insulation (B1)				
□ 0.027				
☐ 0.033 ☐ 0.04				
Cavity Wall Insulation of a Cavity with Partial Fill Insulation (B1)				
Party Cavity Wall Insulation (B1)				
External Wall Insulation (B4)				
☐ Cavity ☐ Solid				
Thickness installed:mm				
Internal Wall Insulation (B8)				
☐ Cavity ☐ Solid				
Thickness installed:mm				

<sup>&</sup>lt;sup>9</sup> Thickness installed is the thickness of the insulation material alone and does not include any boarding, rendering etc. <sup>10</sup> Enter the following details: manufacture, product name, serial number (eg Insulation Inc ECO/GBIS Therm,12/3456) <sup>11</sup> If answer is no then actual POPT should be entered.



External Hybrid/Internal Wall Insulation (B7)		
☐ Cavity		
Solid		
Thickness Installed (External Wall):mm		
Thickness Installed (Internal Wall):mm		
Loft Insulation(B9)		
<=100 <b>□</b> <=100		
□ >100		
Start Depth:mm.		
Finish Depth:mm.		
Roof Insulation		
☐ Pitched (B10)		
☐ Flat (B5)		
Room in Roof Insulation (B12)		
Yes-Residual loft insulated by installer		
☐ No-Residual loft not insulated by installer		
☐ N/A-No residual loft area present		
Floor Insulation (B6)		
Solid		
☐ Suspended		



Park Home Insulation (B13)		
Floor		
☐ Wall		
Roof		

Heating Measure/s	Product Details	Is POPT ≥ 67%? (Y/N)	Measure Date Installed (DD/MM/YY YY)	Date of Handover (DD/MM/YYYY )
Heating Controls (C5)				
☐ Boiler Programmer and room thermostat				
☐ Thermostatic radiator valves				
Please record the number of heating controls present post installation:	Number of radiators:		_	
	Smart Thermostat:			



#### D. POPT Calculation for Measure/s

## **Roof insulation measures only**

Enter areas with a different roof type (or where a different roof insulation measure/depth is being installed) as extensions. For RIRI, the total residual loft area should be included in the RIR area recorded below. For further information on RIRI measure please see RIRI section in the Great British Insulation Scheme Delivery Guidance.

Property sectio (main loft, extension etc)	Flat /	Roof area (m²)	m <sup>2</sup> and type of insulation to be installed <sup>12</sup>							
			≤		>100m		- EDI		DIDI	
			100mm		m		FRI RII		KIKI	RIRI
			≤		>100m		FRI		RIRI	
			100mm		m		11/1		KIKI	
			≤		>100m		FRI		RIRI	
			100mm		m		11/1		IXIIXI	
			≤		>100m		FRI		RIRI	
			100mm		m		1111		11111	
			≤		>100m		FRI		RIRI	
			100mm		m		1111		IXIIXI	
Total roo	of area <sup>13</sup>		≤		>100m		FRI		RIRI	
10001100	or area	А	100mm	В	m	С	1112	D	11111	Е
≤ 100mm	B/A= %	FR	I POPT					D/A=		%
POPT	2,7.		D/A= 9					, 5		
> 100mm	C/A= %	Percentage of RIRI measure				F	F %			
POPT		installed <sup>14</sup>					70			
		RII	RI POPT					(ExF	)/A=	%

<sup>&</sup>lt;sup>12</sup> For RIRI, 'E' refers to the floor area of the RIR + the residual area, not the amount of insulation installed. The elements of the RIR that have been insulated should be recorded in the RIRI checklist to calculate the POMI.

<sup>&</sup>lt;sup>13</sup> For RIRI measures, the total roof area is the footprint area and not all the elements of the RIRI measure.

<sup>&</sup>lt;sup>14</sup> For RIRI, percentage of the measure installed should be calculated in the RIRI checklist and recorded here.



# Internal / External / Cavity Wall Measures Only

Enter each different type of wall area as an extension. Wall area must include all <u>heat loss</u> wall areas (including areas already insulated and areas that cannot be insulated).

<u>wall areas</u> (including areas already insulated and areas that cannot be insulated).							
Property section (e.g., main property, extension, front walls etc)	e.g., o	all construction  Cavity / cob / solid  solid brick / system  nber / park home	Wall area m² (excl windows and doors)	M² of i	insulati	on to be ir	nstalled
				CWI		IWI/EWI	
				CWI		IWI/EWI	
				CWI		IWI/EWI	
				CWI		IWI/EWI	
				CWI		IWI/EWI	
				CWI		IWI/EWI	
				CWI		IWI/EWI	
				CWI		IWI/EWI	
				CWI		IWI/EWI	
Tot	Total wall areas			CWI	В	IWI/EWI	С
			IWI/EWI (Typ	pe 2)			D
		Total wall areas				WI/EWI type 2)	D
CWI POPT		B/A=	%	IWI/EW POPT (type 2	D	/A=	%
IWI/EWI POPT		C/A=	%				



Under Floor Insulation Measures Only					
Property section (main	Flo	or con	struction e.g.	Area	m <sup>2</sup> of insulation
property, extension etc)	;	suspen	ded timber	$m^2$	to be installed
Underfloor Insulation POPT	B/A=	%	Total floor area		
				А	В

	Solid Floor Insulation Measures Only						
Property section (main	Floor construction e.g. solid			Area (m²)	m <sup>2</sup> of insulation		
property, extension etc)		СО	ncrete	Alea (III )	to be installed		
Solid Floor Insulation	B/A=	%	Total floor area				
				А	В		



#### E. Retrofit Coordinator / Compliance Declaration / Operative Declaration

## Please confirm the following statements are true by signing below 15

- I confirm that the installation details recorded for the measure(s) described on the previous pages or on the attached spreadsheet are true and correct.
- I confirm that the handover included copies of all relevant warranties and manuals, and verbal instructions were given on how to use and maintain the measure.
- I confirm that installed measure/s have been completed in accordance with PAS 2035.
- For loft insulation measures with ≤ 100mm pre-existing insulation only: I confirm that a loft declaration is secured in the loft, near the hatch.
- For premises unoccupied after 1 April 2022 only:
  I confirm that to the best of my knowledge, the property was built before 1 April 2022.

a. Retrofit Coo	rdinator Declaration
1. Name of retrofit coordinator:	
2. Address Details:	
3. Certificate Number(s):	
4. Date of completed installation	
5. Retrofit coordinator signature:	

 $<sup>^{15}</sup>$  Each operative is responsible and accountable for the measure they installed. In signing this section, operatives confirm the below statements only in respect of the measures they have installed themselves.



b.	Operative(s)	/ Compliance Declaration16
----	--------------	----------------------------

The installation of the energy efficiency measures listed below at the address provided in section A and handed over on the date listed in section C has been undertaken on the basis of a retrofit design claimed to comply with PAS 2035, using a process complying with PAS 2030, including Annexes indicated in section C.

Operative 1		
Measure		
Name of retrofit installer		
Operative company and address details		
Trustmark License Number (TMLN)		
Signature		
Operative 2		
Measure		
Name of retrofit installer		
Operative company and address details		
Trustmark License Number (TMLN)		
Signature		

<sup>&</sup>lt;sup>16</sup> Each operative is responsible and accountable for the measure they installed. In signing this section, operatives confirm the below statements only in respect of the measures they have installed themselves.



c. Subcontracted operative signatures <sup>17</sup> (only to be completed when work is subcontracted)		
Operative 1		
Measure		
Name of retrofit installer		
Operative company and address details		
Trustmark License Number (TMLN)		
Signature		
Operative 2		
Measure		
Name of retrofit installer		
Operative company and address details		
Trustmark License Number (TMLN)		
Signature		

 $<sup>^{17}</sup>$  Each operative is responsible and accountable for the measure they installed. In signing this section, operatives confirm the below statements only in respect of the measures they have installed themselves.