

Energy Company Obligation (ECO4) Supplier Data Dictionary

Version 2.0

Introduction

This document provides a data dictionary and general information to help suppliers complete the Notification Templates for ECO4 projects and measures installed from 1 April 2022.

This document has been updated to reflect the <u>amendments</u> made to the ECO4 Order in 2025, as well as general formatting and drafting improvements.

For further details on the updates contained in this version and previous versions of this publication, see the Summary of Updates. You can find it as a subsidiary document at the bottom of the website page hosting this document.

Background

In ECO4, notifications are separated into projects and measures, aligning with the lodgement process in TrustMark's Data Warehouse. A SAP or RdSAP assessment of the relevant property should take place before any measure installation commences and will form the basis of the project. For the purposes of notification to the ECO4 Register, a project consists of one or more ECO measures installed at a single property. Every measure must be attached to a project. Projects and measures each have their own notification template, with different fields.

The full project score for a completed project will be attached to the project. Partial project scores for completed measures will be attached to individual measures. It is intended for the project to be notified before any of the measures. A measure can be OFG1162

1

notified and successfully uploaded before the attached project but will not be processed until that project has been notified and passed project validation checks. Once a project is complete (i.e. all measures to be installed have been completed and notified) suppliers should re-notify the project as a completed project re-notification containing end of project data such as the post-retrofit SAP rating. This is explained in further detail below.

This data dictionary sets out each of the fields to be completed on the supplier notification templates, the questions suppliers should be answering when completing the field, as well as an explanation of the information suppliers should provide. It then sets out the data field type required, the accepted format and validations involved for each field.

The supplier data dictionary also distinguishes between types of data that are provided in the Notification Template.

- Core Data: must be provided in order for a notification to be made. If core data is omitted or provided in a format other than the accepted format, the attempt to notify the measure will fail and it will not be accepted onto the register.
- Required Data: must be provided before we can process the notification. If this information is omitted or not provided in the correct format, the notification may still be made and be accepted onto the register, but we will be unable to process the notification.
- Optional Data: we request suppliers provide this in order to assist our validation and audit processes, and to assist suppliers should they later wish to transfer a measure to another supplier.

Suppliers should be aware that Ofgem's system cannot accept data unless notified in accordance with the accepted format as specified below. The accepted format is case sensitive and includes headings. As noted above, where core data is provided in a format other than the accepted format, the attempt to notify the measure will fail.

Ofgem will perform additional validations to check dependencies of mandatory fields and measure eligibility.

Some fields are only required to be filled in for projects that do not have a lodged RdSAP assessment with TrustMark. These are projects that consist solely of a District Heating Connection (DHC) measure (except those connected to a shared ground loop) and/or data light measures (DLM) and are therefore outside the scope of PAS 2035. For projects with a lodged RdSAP assessment these fields can be entered as N/A and they will be updated by the ECO Register.

Fields P30-P37 on the project notification template can be 'N/A' during an initial or edited notification, but require data to be entered when 'Purpose_of_Project_Notification' is set to 'Completed Project Notification'. These fields contain data that is only required after the project is complete in order to calculate a full project score. These fields are marked with 'completed project notification' in the overview column.

Submitting the notification template

- Format "A" Alphabetic.
- Format "N" Numeric.
- There is no required formatting for the file name.
- File should be submitted in .csv format.
- File should include the heading for each field.
- The contents of each field should follow the required formatting as described in this data dictionary.
- Projects and measures cannot be notified in the same file as the notification templates have different fields.
- The file can contain details of multiple measures or projects.
- There is a limit of 5000 notifications per file. This applies to both measure and project notifications.
- When a field is not applicable, or not required for your notification (as indicated by the 'required when' statement in the 'Mandatory' column), it should be populated with 'N/A'.

Whilst legislative deadlines are on a monthly basis, we would encourage measures and projects to be submitted as they are completed rather than in single monthly batches. Whilst some manual processes remain, this should ultimately reduce timescales for approval.

For more information on the notification process and the requirements notifications must meet to be eligible, see the <u>ECO4</u> <u>Delivery Guidance</u> and <u>ECO4 Supplier Administration Guidance</u>.

Project notification template

Table 1: Project template data dictionary

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P1	ECO_Suppl	What is the ECO	This refers to the unique ECO supplier	Alpha-	AAANNNNNN	The	CORE	Supplier
	ier_Refere	supplier reference	reference number allocated to every	numeric	NNA	reference		
	nce	number of the	obligated supplier by Ofgem. The letters			number		
		supplier that owns	at the beginning are an assigned acronym		AAAAANNNNN	must be a		
		the project?	identifier for the company name. The		NA	valid		
			numeric characters following that are the			supplier		
			licence-holder's company registration			reference.		
			number and the final letter denotes the					
			licence type, E = Electricity, G = Gas.			Only entries		
						in the		
			This entry identifies the supplier whose			accepted		
			obligations the project and associated			format are		
			measures will be credited towards. The			valid.		
			ECO supplier reference number that is					
			provided must be for the supplier that					
			owns the project. In relation to					
			transferred projects, this will be the					
			supplier that is the 'buyer'.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P2	Project_Re ference_N umber	What is the unique project reference number (PRN) that the supplier has generated for this particular project?	This is the unique reference number generated by the supplier and ascribed to the project being notified. This allows the project to be identified by both suppliers and Ofgem. The P indicates a project. The three letters are an assigned acronym identifier for the company name. The following seven numbers should be generated by	Alpha- numeric	P- AAANNNNN N	Only entries in the accepted format are valid.	CORE	Project
P3		If the project is registered with TrustMark, what is the TrustMark unique project reference?	When a project is lodged with TrustMark a unique TrustMark project reference will be generated. Supplier must have this number before notifying the project to Ofgem. This should only be N/A where no measures in the project will be lodged with TrustMark. Measures will not pass validation checks if they are a measure type covered by PAS 2035 but no TrustMark Project reference number (TM PRN) has been entered for the project.	· ·	ANNNN ANNNNNN ANNNNNNN N/A	Only entries that match with TrustMark's Data warehouse are valid.	Optional, but should only be 'N/A' when no measures to be installed are covered by PAS2035.	Project

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P4		What is the	This indicates the reason for notifying the	Alphabetic	New Project	Only entries	Required	Project
	_Project_N	purpose of this	project.		Notification	correspondi		
	otification	submission?	Man Natification/ should be automed upon		Editod Dusiast	ng to the list		
			'New Notification' should be entered when		Edited Project	are valid.		
			notifying a project for the first time.		Notification			
			`Edited Notification' should be entered		Completed			
			when an existing project is being		Project			
			amended and the project is re-notified,		Notification			
			except in cases where the project is being					
			notified as complete.					
			'Completed Project' should be entered					
			when an existing project is being re-					
			notified to signify a project is complete					
			and provide the required end of project					
			details.					
P5	Building_N	Where relevant,	Provide the number of the building (if	Alpha-	Max character	Only entries	CORE when:	Property /
	umber	what is the	applicable).	numeric	length of 50	in the	'Building_Name' is	Person
		number of the			characters	accepted	unavailable	
		building in which				format are		
		the project took				valid.		
		place?						
		, p. 3 3 0 1						

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
	Building_N	Where relevant,	Provide the name of the building (if	Alpha-		Only entries		Property /
	ame	what is the name	applicable).	numeric	length of 100	in the	`Building_Number'	Person
		of the building in			characters	accepted	is unavailable	
		which the project				format are		
		took place?				valid.		
P6	Flat_Name	Where relevant,	Provide the name or number of the flat (if	Alpha-	Max character	Only entries	Optional	Property /
	/Number	what is the name	applicable). The word 'Flat' should be	numeric	length of 50	in the		Person
		or number of the	entered where appropriate (e.g. `Flat 1').		characters	accepted		
		flat in which the				format are		
		project took place?	If not entered in this field, the flat			valid.		
		. ,	name/number should be provided in					
			"Building_Name" instead.					
P7	Street_Na	What is the name	Provide the name of the street on which	Alpha-	Max character	Only entries	Required when:	Property /
	me	of the street on	the premises is located (if applicable).	numeric	length of 50	in the	`Eligibility_type' =	Person
		which the			characters	accepted	`In_fill' and	
		premises is	In-fill houses must be located on the			format are	'Property' =	
		located?	same (named) street as the projects			valid.	'House' or 'Flat'	
			containing the primary premises,					
			therefore, this field is required for the					
			notification of an in-fill house.					
			Similarly, in-fill flats must be in the same					
			building as the primary measure, so					
			street name is required to verify this.					
0501								

No.	Data	Question	Information	Data Field Type	Accepted Format	Validations	Mandatory	Review Tab
P8	Town	What is the name	Please provide the name of the town in	Alpha-	Max character	Only entries	CORE	Property /
		of the town or city	which the property is located.	numeric	length of 50	in the		Person
		in which the			characters	accepted		
		premises is				format are		
		located?				valid.		
P9	Post_Code	What is the	Please provide the full Royal Mail	Alpha-	AN NAA	Postcodes	CORE	Property /
		postcode for the	postcode corresponding to the address	numeric		with and		Person
		premises?	provided.	with /	ANN NAA	without		
				without	AAN NAA	spaces will		
				'Space'		be accepted.		
					AANN NAA	Only entries		
					ANA NAA	in the		
						accepted		
					AANA NAA	format are		
						valid.		
P10	Unique_Pr	What is the UPRN	Provide the unique property reference	Alpha-	NNNNNNNN	Numeric	Optional	Property /
	operty_Ref	for the premises?	number that is the unique twelve-digit	numeric	NNN	entries must		Person
	erence_Nu		number assigned to every unit of land			be 12 digits.		
	mber_(UP		and property by the National Land and		N/A			
	RN)		Property Gazetteer and recorded by local			Only entries		
			Government.			in the		
						accepted		

No.	Data	Question	Information	Data Field Type	Accepted Format	Validations	Mandatory	Review Tab
			Suppliers are encouraged to submit this			format are		
			data where it is available as standard.			valid.		
			Where the UPRN is fewer than 12 digits,					
			the UPRN should be preceded by enough					
			'0's to total 12 digits. For example, an 8-					
			digit UPRN should be notified as					
			'0000NNNNNNN'.					
			'N/A' may be entered where the UPRN is					
			unknown.					
P11	Pre_Assess	What method was	All ECO4 projects must have a pre-retrofit	Alphabetic	EPC - SAP	Only entries	Required	Property /
	ment_Met	used to obtain the	SAP or RdSAP assessment carried out.			correspondi		Person
	hodology	pre-retrofit SAP	Where the assessment is RdSAP, it can		EPC - RdSAP	ng to the list		
		rating?	either be lodged with TrustMark ('TM –		TM - RdSAP	are valid.		
			RdSAP') or as an EPC ('EPC – RdSAP').					
			Full SAP assessments may only be lodged					
			as an EPC.					
			Which assessment is required depends on					
			the measures to be installed in that					
			project. Where a project is to consist of a					
			district heating connection alone and the					
			connection is not a shared ground loop					
			GSHP, then a full SAP assessment lodged					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			as an EPC is required. Where a project is					
			to consist of a district heating connection					
			which is not a shared ground loop GSHP					
			and novel data light measures only, a full					
			SAP assessment lodged as an EPC is also					
			required. Where the project will consist					
			only of one or more novel data light					
			measures, an RdSAP assessment lodged					
			as an EPC is required.					
			In all other cases, an RdSAP assessment					
			should be carried out and lodged with					
			Trustmark.					
			Measures that are installed in this project					
			may generate errors if the measure type					
			does not meet the above criteria, e.g. if a					
			supplier notified a loft insulation measure					
			in a project with 'EPC – SAP' in this field.					
			Please see the ECO4 Delivery Guidance					
			for more details on when a SAP or RdSAP					
			assessment is required.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P12	Pre_Retrofi	What is the	Please include the reference number of	Numeric	NNNN-NNNN-	Only entries	Required when:	Property /
	t_Assessm	reference number	the pre-retrofit assessment where the		NNNN-NNNN-	correspondi	`Trustmark_Project	Person
	ent_Refere	of the pre-retrofit	assessment has been lodged as an EPC.		NNNN	ng to the list	_Reference_Numb	
	nce	assessment?	A reference number is not required where		N/A	are valid.	er' = `N/A'	
			the pre-retrofit assessment is lodged with			The format		
			Trustmark.			must be		
						correct for		
						the notified		
						pre-retrofit		
						assessment		
						methodolog		
						y.		
P13	Starting_S	What was the SAP	The starting SAP rating should be taken	Alpha-	N	Numeric	Required	Property /
	AP_Rating	rating in the	from the pre-retrofit assessment and is	numeric		entries must		Person
		property before	required for determining both the		N.N	be between		
		the project started?	eligibility of the property and measures installed within it, as well as calculating		NN	1 and 100.		
		Startea.	partial and full project scores.			Up to 1		
			partial and rail project scores.		NN.N	decimal		
						place is		
						allowed.		

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P14	Floor_Area	What is the	To calculate scores the internal floor area	Numeric	N	Only entries	Required	Property /
	11001_Arca	internal floor area	of the property must be notified. This	Numeric		in the	Required	Person
		of the property in	should be taken from the pre-retrofit		NN	accepted		reison
		m ² ?	assessment.			format are		
		111-1	assessment.		NNN	valid.		
						valiu.		
					NNNN	Max 4		
						characters		
P15	Rural_Out	If the property is	For properties in rural areas, please	Alpha-	ANNNNNNN	Only entries	Optional	Property /
	put_Area in a rural area,	provide the code for the Output Area (OA)	numeric		in the		Person	
		what is the OA	in which the premises is located.		N/A	accepted		
		code in which the				format are		
		premises is	For non-rural properties enter 'N/A'.			valid.		
		located?	For more information on OAs please see					
			the ECO4 Delivery Guidance.					
			the Lee i Benvery Guidance.					
P16	On_Gas	Was the property	Please state if the premises was	Alphabetic	On Grid	Only entries	Required	Property /
		connected to the	connected to the mains supply of a			in the		Person
		gas grid on 31	relevant gas transporter on 31 March		Off Grid	accepted		
		March 2022?	2022.			format are		
					N/A	valid.		
			If the property was not connected on 31					
			March 2022, select 'Off Grid'.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P17	Private_Do	Did the project	Indicates whether the premises is	Alphabetic	Yes	Only entries	Required	Property /
	mestic_Pre	take place at a	generally not owned and/or let by a social			correspondi		Person
	mises	private domestic	landlord.		No	ng to the list		
		premises?				are valid.		
			For further information on the definition					
			of private domestic premises, please refer					
			to the ECO4 Delivery Guidance.					
P18	Tenure_Ty	What is the tenure	Provide a description of the tenure of the	Alphabetic	Owner	Only entries	Required	Property /
	pe	of the premises?	premises. Please see ECO4 Delivery		Occupied	correspondi		Person
			Guidance for details on how tenure			ng to the list		
			impacts eligibility.		PRS	are valid.		
			Note PRS = 'private rented sector'		Social			
			F		Housing (RSL)			
P19	Property	What type of	Please provide the type of premises the	Alphabetic	House	Only entries	Required	Property /
		property is the	measure was installed to.			correspondi		Person
		premises?			Flat	ng to the list		
					Park Home	are valid.		
D20	Elizibilia.	What is the ECO	Tudiata la cutta a cutta cana a cuntura a	Almhahahatia	Hala ta Haat	Only antiise	CODE	Fliathille.
P20	Eligibility_	What is the ECO	Indicates how the customer or premises	Alphabetic	Help to Heat	Only entries	CORE	Eligibility
	Туре	eligibility route?	has been targeted and deemed eligible for		Group	correspondi		
			ECO.		Social	ng to the list		
					Housing	are valid.		
0501	1	ı		I .	l .	L		

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			For further information on the various		LA			
			routes to eligibility, please refer to the		Declaration			
			ECO4 Delivery Guidance.		Complian			
					Supplier			
					Evidence			
					In-fill			
P21	Verificatio	How has the	For further information on how to identify	Alphabetic	DWP Match	Only entries	Required when:	Eligibility
F Z 1	n_Method	chosen eligibility	whether a person is eligible for the	Aipilabetic	DWF Match	correspondi	'Eligibility_Type' =	Liigibility
	II_Method	type been	scheme, please refer to the ECO4		ECO Eligible	_	'Help to Heat	
		determined?			Referral	are valid.	Group' OR	
		determined?	Delivery Guidance.			are valid.	•	
			Where the property is eligible through the		HTHG Benefit		'Supplier Evidence'.	
			help to heat group (HTHG), the below		Letter		Evidence.	
			options apply:					
					Self			
			A data link exists with the Department of		Declaration			
			Work and Pensions (DWP) so that help to		PPM			
			heat group eligibility can be verified					
			through a data matching exercise.		Non-PPM			
			Suppliers should enter 'DWP Match' for					
			measures where HTHG eligibility has been		Flex Route 4			
			verified using this method.					
					Other			
			Only suppliers that have signed up to the					
			ECO Eligible Referrals (EER) route with					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			DWP should select 'ECO Eligible Referral',		N/A			
			and only where the eligibility of the					
			project has been determined through this					
			route.					
			'Self Declaration' may be entered where a					
			supplier can produce a Child Benefit Self-					
			Declaration at audit.					
			Where eligibility type is 'Supplier					
			Evidence', please state whether the					
			household meets the pre-payment meter					
			(PPM), non-pre-payment meter (non-					
			PPM) requirements, or where ECO flex					
			route 4 has been used. These options					
			should only be entered where eligibility is					
			'Supplier Evidence'					
			'Other' should only be entered in					
			exceptional circumstances when agreed					
			with Ofgem before the measures are					
			installed.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
D2.2	DIMB B 6	TC bloom and in the	Williams	Alada	NINININININININININI	Oalaantia	Description description	Eli alla ilia
P22		If the project is	Where a customer was verified as a	Alpha-	NNNNNNNN	Only entries	Required when:	Eligibility
	rence_Nu	using the 'DWP	member of the HTHG using the DWP data	numeric	N	in the	'Verification_Metho	
	mber	Match' verification	matching service, enter the reference			accepted	d' = `DWP Match'	
		method, what is	number provided by the data matching		AAA_ANNNNN	format are	or 'ECO Eligible	
		the reference	provider.		N	valid.	Referral'	
		number provided			AAA AANNNN			
		by the data	Where a customer was verified as a		_	EER URNs		
		matching provider	member of the HTHG using the EER route,		NN	must be a		
		confirming DWP	enter the unique reference number used		N/A	maximum of		
		have verified the	in the verification process. This should			50		
		customer is a	start with 'EER' and a prefix to indicate			characters.		
		HTHG member?	the supplier.			Only		
		Tittio member:				numeric		
		If the project is				characters		
		using the 'ECO				can follow		
		Eligible Referral'				the prefix		
		verification				"EER_A" or		
		method, what is				"EER_AA"		
		the unique						
		reference number						
		provided by DWP?						
P23	Associated	If the project is an	In ECO4, properties may be eligible	Alpha-	P-	Only entries	Required when:	Eligibility
	_In-	in-fill, what are	through in-fill provided they are	numeric	AAANNNNNN	in the	'Eligibility Type' =	
		the projects	supported by eligible primary measures. A		NN	accepted	`In-fill'	
		containing the	flat requires one primary measure,					
OFG1	162		, , , ,	1				

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
	fill_Project	primary measures	whereas in-fill at houses require three		N/A	format are		
	_1	that support the in-fill?	primary measures all at separate properties. The projects containing primary measures must be notified. Please provide the first associated			valid.		
			supporting PRN for the In-fill project. The primary measure for a flat should be notified in this field, and not the two below.					
P24	_In-	If the project is an in-fill, what are the projects containing the primary measures that support the in-fill?	For an in-fill project in a house, please provide the PRN of the project containing the second primary measure. For an in-fill project in a flat, this should be left as 'N/A'.	Alpha- numeric	P- AAANNNNN NN N/A	Only entries in the accepted format are valid.	Required when: 'Eligibility Type' = 'In-fill' AND 'Property' = 'House'	Eligibility
P25	Associated _In- fill_Project _3	If the project is an in-fill, what are the projects containing the primary measures	For an in-fill project in a house, please provide the PRN of the project containing the third primary measure. For an in-fill project in a flat, this should be left as 'N/A'.	Alpha- numeric	P- AAANNNNN NN N/A	Only entries in the accepted format are valid.	Required when: 'Eligibility Type' = 'In-fill' AND	Eligibility

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P26	ECO_Flex_ Referral_R oute	that support the in-fill? Through which route was the property identified under ECO4 flex?	For properties that are eligible under ECO4 Flex, please state which eligibility route is being claimed. There are four eligible proxy options for route 2. If 'verification method' is either PPM or non-PPM, only certain route 2 options are allowed, these being Area validation, council tax reduction, NICE guidance, and free school meals. If 'verification method' is flex route 4, 'Route 4 Bespoke Targeting' must also be entered here. See the ECO4 Guidance: Delivery for more details on these eligibility routes.	Alpha- numeric	Route 2 Area Validation Route 2 Council Tax Reduction Route 2 NICE Guidance Route 2 Free School Meals Route 4 Bespoke Targeting N/A	Only entries corresponding to the list are valid.	'Property' = 'House' Required when: 'Eligibility Type' = 'Supplier Evidence'	ECO4 Flex
P27	Route_4_A pplication_ Number	What is the route 4 application number?	Please provide the unique application number for the ECO4 flex route 4 application.	Alpha- numeric	NNNNN N/A	Only entries in the accepted	Required when:	ECO4 Flex

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
						format are	'Eligibility Type' =	
						valid.	'Supplier Evidence' AND	
							'Verification method = 'Flex Route 4'	
P28	LA_Declar ation_Refe rence_Nu mber	What is the reference number of the LA or devolved administration declaration?	For ECO4 flex projects where there is a declaration from a Local Authority or the Scottish or Welsh government, please provide the reference number of that declaration.	Alpha- numeric	ANNNNNNN- NNNNN N/A	Only entries in the accepted format are valid.	Required When: 'Eligibility Type' = 'LA Declaration'	ECO4 Flex
P29		When did the LA find the household eligible for ECO4 Flex?	What date was the household first identified as eligible for ECO4 Flex? A valid date should be entered where 'Eligibility Type' = 'LA Declaration' or 'Supplier Evidence'. In any other case, enter "N/A"	Numeric	DD/MM/YYYY N/A	Only entries in the accepted format are valid.	CORE	ECO4 Flex
P30	sment_Met hodology	If one exists, what method was used to obtain the post-	To be awarded a full project score, an ECO4 project must have a post-retrofit SAP or RdSAP assessment carried out to	Alphabetic	EPC - SAP TM - RdSAP	Only entries correspondi	Required when: 'Purpose_of_Projec t_Notification' =	Completed project re-notification

'Completed Project Notification'	Tab
Notification'	
1	
Required when:	Completed
'Purpose_of_Projec	project re-
t_Notification' =	notification
'Completed Project	
Notification' AND	
`Trustmark_Project	
_Reference_Numb	
er' = `N/A'	
ı	
`Co Not `Tru _Re	mpleted Project tification' AND ustmark_Project eference_Numb

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
						assessment		
						methodolog		
						у.		
D22	Eta talata a	NAVI - L LI CAD	The Cristian CAR action is talent from the	A lasta a	N.I.	Ni	Denotice declarate	Commission
P32	Finishing_	What was the SAP	The finishing SAP rating is taken from the	Alpha-	N	Numeric	Required when:	Completed
	SAP_Ratin	rating in the	post-retrofit assessment and is required	numeric	N.N	entries must	. – –	
	g	property after the	for determining if the minimum		IV.IV	be between	t_Notification' =	notification
		project ended?	requirement has been met and, if it has,		NN	1 and 100.	'Completed Project	
			calculating the final project score.				Notification'	
					NN.N	Up to 1		
			Note that suppliers should not include any			decimal		
			deemed SAP improvements for relevant		N/A	place is		
			measures in this value. The notified value			allowed but		
			should be the rating taken from the SAP			not required		
			assessment and the register will add any					
			deemed SAP improvements.					
			This field should not change to account					
			for any measures rejected for an admin					
			reason. Instead the 'Rejection_Adjusted					
			Finishing_SAP_Rating' field should be					
			filled in seperately with the adjusted					
			value.					

No.	Data	Question	Information	Data Field Type	Accepted Format	Validations	Mandatory	Review Tab
				, ·				
P33	Completed	What is the ID	TrustMark will award a completed project	Alpha-	ANNNN-A	Only entries	Required when:	Completed
	_Project_T	number of the	certificate to a project lodged with them	numeric		in the	'Purpose_of_Projec	project re-
	rustmark_	completed project	once it is complete.		ANNNNN-A	accepted	t_Notification' =	notification
	Cert_ID	certificate?			ANNNNN-A	format are	'Completed Project	
			The reference number of the certificate		Aidinini	valid.	Notification'	
			must be notified with a completed project		ANNNNNN-A			
			re-notification to prove the project is				AND	
			complete.		N/A		`Trustmark_Project	
							Reference Numb	
							er' ≠ 'N/A'	
							CI + IV/A	
P34	Measures_	How many	Please provide the number of measures	Alpha-	N	Only entries	Required when:	Completed
	in_Project	measures were	that have been completed and notified in	numeric		in the	'Purpose_of_Projec	project re-
		completed in this	this project. We use this to verify that all		NN	accepted	t_Notification' =	notification
		project?	measures that should be notified have		N/A	format are	'Completed Project	
			been.		IN/A	valid.	Notification'	
			Note this count should not include any			Number		
			exempt notifications.			must be		
			exempe neumodations:			between 1-		
			This is a count only of measures that			99.		
			were completed. If there were measures			331		
			planned for the project but not completed					
			and notified to Ofgem they should not be					
			included in this count.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P35	Exemption	Is the supplier	Starting SAP band E, F, or G projects may	Alphahetic	Exempted	Only entries	Optional	Completed
	_from_MR	requesting an	be able to achieve a full project score	Alphabetic	measure	correspondi	Орегонал	project re-
		exemption from the minimum requirement?	even if the minimum requirement (MR) is not met, where either: 1. One or more measures required		No eligible combination	ng to the list are valid.	Entries other than N/A should only be notified where 'Purpose_of_Projec	notification
			to meet the MR attracted an exemption and could not be installed		N/A		t_Notification' = 'Completed Project Notification'	
			There is no possible combination of eligible ECO4 measures that would meet the MR				Notification:	
			Suppliers should use this field to indicate they request an exemption from the MR for either of the above scenarios. These projects will count towards the exemptions cap.					
			Important Note: By requesting an exemption from the MR through this field, suppliers declare that no other combination of eligible ECO4 measures would have resulted in a higher finishing SAP rating for property. Where we find					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			this to be false, the exemption may be revoked. Suppliers should notify exempt measures using the measure notification template. See the relevant fields in that section for more details on exemption categories and evidencing.					
P36	Consumer _Circumst ances	Was the project ended early by the consumer?	Starting SAP band E, F, or G projects may be able to achieve a full project score even if the minimum requirement is not met if the consumer chose to end the project early. Please use this field to indicate where this occurs and to request an exemption from the MR. If the project was ended due to a death in the household or a change in occupancy, this should be entered. Suppliers should be able to provide a death certificate or tenancy agreement to evidence this, respectively.	Alphabetic	Change of occupancy Death in household Other N/A	Only entries corresponding to the list are valid.	Optional Entries other than N/A should only be notified where 'Purpose_of_Projec t_Notification' = 'Completed Project Notification'	Completed project renotification

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
P37	Rejection_ Adjusted_F inishing_S AP_Rating	What was the SAP rating in the property after the project ended, excluding any measures that have been rejected for an admin reason?	towards a properties finishing SAP rating. Where a measure is functioning in the property but has been rejected from the ECO scheme for an administrative reason it may still have been included in the finishing SAP rating recorded in the post-retrofit assessment, therefore suppliers should use this field to notify the finishing SAP rating adjusted for any administrative rejections (such as a late notification without an extension).	Alpha- numeric	N N.N NN NN.N N/A	Numeric entries must be between 1 and 100. Up to 1 decimal place is allowed but not required	Required when: 'Purpose_of_Projec t_Notification' = 'Completed Project Notification' AND the project contains at least one measure that has rejection category of 'admin rejection'	Completed project renotification
			In such cases the 'Finishing_SAP_rating' field should still be populated:					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			`Finishing_SAP_Rating' should					
			contain the rating taken from the					
			post-retrofit assessment					
			`Rejection_Adjusted_Finishing_SA					
			P_Rating' should contain the					
			rating that has been lowered to					
			exclude any measures rejected					
			for an admintrative reason.					
			Where there are no such rejections this					
			field should be entered as 'N/A'					
			Note that this adjusted SAP rating should					
			never be greater than the					
			`Finishing_SAP_Rating'					

Measure notification template

Table 2 contains information on the fields in the measure notification template suppliers should use to notify completed measures in ECO4.

Exempt measures

There are cases where a potential measure has been evaluated but deemed ineligible for installation as the measure attracts one of a set list of exemptions eg. The property is a listed building. Where a measure could not be installed due to an exemption, it can impact the off-gas hierarchy, insulation requirements for heating measures, and may result in a project being exempt from the minimum requirement for SAP improvements. The Register needs a way of determining when a measure hasn't been installed due to exemption, so suppliers should also use the measure template to notify exempt measures. The notification of an exemption is required only where there is a specific purpose for an exemption in the ECO4 project. If a supplier is not seeking an exemption from scheme requirements, for example the minimum requirement for SAP improvements, an exempt measure does not need to be notified, even if it is included in the assessment.

As exempt measures have not been installed, the majority of the fields on the measure template are not relevant and may be entered as N/A. Only five fields are required: 'Measure_Reference_Number', 'Project_Reference_Number', 'Measure_Type', 'Purpose_of_Notification' and 'Exemption_Category'. They have no installation date and therefore no notification deadline. Exempted measures are distinguished through the 'purpose of notification' field. See chapter 4 of the ECO4 Delivery Guidance for more detail on exemptions.

Table 2: Measure template data dictionary

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
M1	Measure_R	What is the unique	This is the unique reference number	Alpha-	AAANNNNNN	Only entries	CORE	All
	eference_	measure reference	generated by the supplier and ascribed to	numeric	N	in the		
	Number	number that the	the measure being notified. This allows			accepted		
		supplier has	the measure to be identified by both		AAANNNNNN	format are		
		generated for this	suppliers and Ofgem.		NN	valid.		
		particular						
		measure?	The first three characters are an assigned					
			acronym identifier for the company name.					
			The following numbers should be					
			generated by the supplier.					
			This reference number must be unique					
			across ECO1, ECO2, ECO2t, ECO3 and					
			ECO4.					
M2	Project_Re	What is the	Every measure in ECO4 must be	Alpha-	P-	Only entries	Required	All
	ference_N	reference number	associated with a project. For notification	numeric	AAANNNNNN	in the		
	umber	of the project of	purposes in-fill measures should also be		N	accepted		
		which this	notified as part of their own project.			format are		
		measure is a part?				valid.		
			This field is how measures are attached to					
			projects. The notified PRN should belong			Listed		
			to an already existing PRN on the ECO4			project must		
			register.			already		
						have been		

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			The P indicates a project. The three			notified to		
			letters are an assigned acronym identifier			Ofgem.		
			for the company name. The following					
			seven numbers should be generated by					
			the supplier.					
M3	Measure_T	Which measure	This describes the measure type installed	Alpha-	As per the	Only entries	CORE	Measure
	уре	was installed at	at the premises (each measure installed is	numeric	advised list of	correspondi		
		the premises?	to be reported in a separate row).		measures in	ng to those		
					the ECO4	in the ECO4		
			For exempt notifications, this describes		Measures	Measures		
			the measure type that could not be		Table	Table are		
			installed as it attracts an exemption			valid.		
			When completing this field, refer to the					
			ECO4 Measures Table published on our					
			website. This sets out the 'Measure					
			Name: format for notification to Ofgem'.					
			Measures need to be notified in the exact					
			naming convention specified in the ECO4					
			Measures Table under 'Measure Name:					
			format for notification to Ofgem'.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
M4	Purpose_of	What is the	This indicates the reason for notifying the	Alphabetic	New	Only entries	Required	Overview
	_Notificati	purpose of this	measure.		Notification	correspondi		
	on	submission?				ng to the list		
			'New Notification' should be entered when		Edited	are valid.		
			notifying a measure for the first time,		Notification			
			provided it is not subject to an extension		C. Handad			
			request or to be included as part of the		Extended			
			supplier's auto late quota.		Notification			
			'Edited Notification' should be entered		Automatic			
			when an existing notification is being		Late			
			amended and the measure is re-notified.		Extension			
			'Extended Notification' should be entered		New			
			when the measure has an approved		Exemption			
			extension request associated with it.		Edited			
			'Automatic Late Extension' should be		Exemption			
			entered when the measure is being					
			notified after its Notification Period and					
			falls within a supplier's 5% automatic late					
			extension quota.					
			Either 'New Exemption or 'Edited					
			Exemption' should be entered when the					

No.	Data	Question	Information	Data Field Type	Accepted Format	Validations	Mandatory	Review Tab
			notification is for an exempt measure					
			rather than a completed measure.					
M5	Date_of_C	On what date was	The date of completed installation (DOCI)	Date Field	DD/MM/YYYY	Only DOCI	CORE unless	Overview
	ompleted_	the installation of	indicates the date on which the			between	`Purpose_of_Notifi	
	Installation	the measure	installation of the measure was		N/A	01/04/2022	cation' = 'New	
		completed?	'complete'. Please refer to the ECO4			and	Exemption' or	
			Delivery Guidance for information on how			31/03/2026	'Edited Exemption'	
			this date is determined.			(inclusive)		
			N/A should be entered only for			are valid.		
			exemptions. All completed measures			Only entries		
			should have a DOCI.			in the		
						accepted		
						format are		
						valid.		
M6	PPS_Type	What type of	Indicates whether the measure is a	Alphabetic	PPS	Only entries	Required unless	Measure
		scoring method is	regular ECO4 measure type (PPS), a data			correspondi	'Purpose_of_Notifi	
		used for the Partial	light measure (DLM) or a standard		DLM	ng to the list	cation' = 'New	
		project score?	alternate methodology (SAM).		SAM	are valid.	Exemption' or	
					SAM		'Edited Exemption'	
			N/A should be entered only for		N/A			
			exemptions. All completed measures		,			
			should have a scoring type.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
M7	Percentage	What percentage	Indicates what percentage of the property	Alpha-	N	Only entries	Required unless	Measure
	_Of_Prope	of the property	has been treated by the measure.	numeric		in the	'Purpose_of_Notifi	
	rty_Treate	was treated with			NN	accepted	cation' = 'New	
	d	the measure?	If 67% or more of the measure has been		NININI	format are	Exemption' or	
			treated, `67+' can be notified here.		NNN	valid.	`Edited Exemption'	
			Otherwise, the exact percentage of		67+			
			property treated (POPT) must be notified.					
					N/A			
			The only exception is Solar PV, where the					
			POPT parameter is interpreted differently.					
			Here, the exact POPT must always be					
			notified for this measure type, as it is					
			possible to notify up to 400%.					
			Rounding should be carried out to the					
			nearest whole number.					
			Suppliers should not include the '%'					
			symbol when completing this field.					
M8	Consumer	Where relevant,	Where a District Heating Connection	Alphabetic	Heat Trust	Only entries	Required when:	Measure
	_Protectio	has the measure	(DHC) is installed, it must have			correspondi	'Measure Type'	
	n	been registered	appropriate consumer protection in place.		HT Equivalent	ng to the list	belongs to the	
		with an	This can mean registration with the heat		TM Facility	are valid.	DHC or DLM	
		appropriate	networks consumer protection body Heat		TM Equivalent		measure	
		consumer			N/A		categories unless	
					,,,		`Purpose_of_Notifi	

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
		protection	Trust or an equivalent organisation or				cation' = 'New	
		organisation?	standard.				Exemption' or	
							`Edited Exemption'	
			In such cases, suppliers should notify				OR	
			either 'Heat Trust' or 'HT Equivalent'.				`Post_Main_Heatin	
			Registration with Heat Trust or an				g_Source_for_the	
			equivalent is not required when the DHC				_Property' =	
			is a shared ground loop, with individual				`Shared Ground	
			heat pumps in each property. In such				Loop GSHP'	
			cases suppliers should notify N/A.					
			cases suppliers should notify by A.					
			Where a Data Light Measure (DLM) is					
			installed it must have consumer					
			protection equivalent to TrustMark. 'TM					
			Equivalent' should be entered.					
M9		If the measure is a		Alphabetic	All Present	Only entries	Required when:	Measure
	Requireme	heating measure,	must meet certain minimum requirements		Pre-Project	correspondi	'Measure_Type' is	
	nts_Met	how did it meet	for the insulation present in the property.		New		a heating measure	
		the minimum	The requirements may vary depending on		Insulation	are valid.	(boiler, DHC, ESH,	
		insulation	the measure type and starting SAP band		Installed		solar PV and/or	
		requirements?	of the property. Suppliers should state		I i i i i i i i i i i i i i i i i i i i		heating controls)	
			here through which route the insulation		Due To		unless	
			requirements have been met.		Exemptions		`Purpose_of_Notifi	

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			Please see chapter 5 of the ECO4 Delivery		New		cation' = 'New	
			Guidance for details of these minimum		Insulation and		Exemption'	
			insulation requirements.		Exemptions		or 'Edited	
			'All Present Pre-Project' should be entered		N/A		Exemption'	
			where every relevant insulation type was					
			present in the property before the project					
			started, so no insulation measure or					
			exempt measure is required.					
			'New Insultation Installed' should be					
			entered where at least one ECO insulation					
			measure has been installed in the same					
			project and these measures result in the					
			minimum requirements being met. These					
			insulation measures should have DOCIs					
			earlier than the heating measure they					
			support.					
			'Due To Exemptions' should be entered					
			where one or more insulation types					
			required to meet the requirements could					
			not be installed due to attracting an					
			exemption, and that if these measures					
			had been installed the requirements					
			would have been met before the project					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			started. The exempt measures in question					
			should be notified to Ofgem as part of the					
			same project as the heating measure.					
			'New Insulation and Exemptions' should					
			be entered where a combination of both					
			one or more exempt measures and one or					
			more completed insulation measures has					
			resulted in the insulation requirements					
			being met. All exempt and insulation					
			measures in question should be notified					
			as part of the same project as the heating					
			measure.					
			N/A should be entered where the measure					
			is not a measure type to which the					
			minimum insulation requirements apply.					
M10	Pre_Main_	What was the fuel	For heating measures, this field indicates	Alphabetic	Valid entry	Only entries	Required when:	Property /
	Heating_S	type of the main	the heating source being replaced or		taken from	correspondi	'Measure_Type' is	Person
	ource_for_	space heating	repaired. For heating controls, the field		Table 21 or	ng to the list	a heating measure	
	the_Proper	system(s) for the	indicates the heating source they will		22 of the	are valid.	(boiler, DHC, ESH	
	ty	premises before	control.		ECO4 Delivery		and or heating	
		the measure was			Guidance		controls and	
		installed?	For Solar PV measures installed on or				Solar_PV) unless	
			after 14 August 2023: if, prior to the		N/A		`Purpose_of_Notifi	

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			installation of the measure, all or part of				cation' = 'New	
			the property's heating is provided by a				Exemption' or	
			hydronic heat pump, ESH, or electric				'Edited Exemption'	
			heating system with a responsiveness of					
			at least 0.8, enter this as the pre-main				Only required for	
			heating source even if it is not the				Solar PV where	
			property's main heating system.				DOCI is on or after	
			Otherwise, enter the main heating system				14/08/2023	
			of the property.					
			For Solar PV measures installed before 14					
			August 2023, 'N/A' should be entered.					
			For measure types not mentioned above,					
			`N/A' should be entered.					
			Table 21 in chapter 6 of the ECO4					
			delivery guidance includes the list of					
			eligible pre-main heating sources. Also					
			eligible in Table 22 are rare pre-main heat					
			sources that are not listed in the scoring					
			matrix. When one of these is notified it					
			will be converted by the ECO4 Register to					
			the associated proxy heating source listed					
			in Table 22.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
M11	Post_Main _Heating_ Source_for _the_Prop erty	What is the fuel type of the main space heating system(s) for the premises after the measure was installed?	For further guidance on determining the pre-main heating source, when it is required and how it impacts eligibility of measures please refer to chapters 5 and 6 of the ECO4 delivery guidance. For certain heating measures it is necessary to notify the heating source that has been installed at the property. The list of valid post-main heating sources can be found in Table 23 in chapter 6 of the ECO4 Delivery Guidance For measures where this is not relevant please enter N/A. For more information on the post-main heat source see chapters 5 and 6 of the ECO4 Delivery Guidance.	Alphabetic	Valid entry taken from Table 23 of the ECO4 Delivery Guidance N/A	Only entries corresponding to the list are valid.	Required when: 'Measure_Type' is a boiler, DHC or ESH unless 'Purpose_of_Notifi cation' = 'New Exemption' or 'Edited Exemption'	Property / Person
M12	SWMR_Co nditions_M et	For solid wall measures, does the property meet the requirements	For premises to count as solid wall premises, and therefore be eligible to count towards the SWMR, at least 50% of the premises exterior wall area must be	Alphabetic	Yes N/A	Only entries correspondi	Optional	Measure

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
		for the measures	constructed of solid wall, and prior to the			ng to the list		
		to be counted as a	insulation measure at least 50% of the			are valid.		
		solid wall action?	solid wall area must be uninsulated.					
			Where the supplier is notifying an					
			appropriate insulation measure type and					
			the property meets these requirements,					
			please enter 'Yes'.					
			Where the property does not meet these					
			requirements or they are irrelevant to the					
			measure, please enter 'N/A'.					
M13	Installer_N	What is the name	Provide the full name of the installer	Alpha-	Max character	Only entries	Required unless	Measure
	ame	of the installer	company that carried out the installation	numeric	length of 150	in the	'Purpose_of_Notifi	
		company	of the measure at the premises. This		characters	accepted	cation' = 'New	
		responsible for	should not be the name of the managing		_	format are	Exemption' or	
		installing the	agent unless they carried out the		N/A	valid.	'Edited Exemption'	
		measure?	installation.					
M14	Innovation	If the measure is	Every approved innovation measure	Alpha-	NNN	Only entries	Optional	Measure
	Measure	an innovation	application is given an innovation	numeric		correspondi		
	Number	measure, what is	measure number. These numbers can be		N/A	ng to the list		
		the Innovation	found in the ECO4 Approved Innovation			are valid.		
		Measure Number?	Measures document on the Ofgem					
			website.					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			The presence of a number in this field					
			indicates the measure is an innovation					
			measure. If the measure is not an					
			innovation measure please enter 'N/A'.					
			This number will be used to assign the					
			correct innovation uplift to the					
			measure/project.					
M15	Trustmark	If the measure is	All ECO measures that are captured in the	Numeric	NNNNNNNN	Only entries	Required for all	Measure
1113	Business	registered with	scope of PAS2035 must be delivered by a	Numeric	NNN	that match	completed	ricusure
	Licence_N	TrustMark, what is	·		TVIVIV	with	measures	
	umber	the TrustMark	suppliers must notify the number on the		N/A	TrustMark's	captured in	
	amber	business licence	ECO4 register.			Data	PAS2035	
		number?	Leo Tregister.			warehouse	1732033	
		mamber:	This field will be validated against			are valid.		
			TrustMark's Data Warehouse.			are valia.		
M16	Trustmark	If the measure is	When a measure is lodged with TrustMark	Alpha-	Max 20	Only entries	Required when:	Measure
		registered with	a unique TrustMark measure reference	numeric	characters	that match	`Trustmark_Busine	
		TrustMark, what is	will be generated. A supplier must have			with	ss_Licence_Numbe	
	erence	the TrustMark	this number before notifying the measure		N/A	TrustMark's	r' ≠ `N/A′	
		unique measure	to Ofgem.			Data		
		reference?				warehouse		
						are valid.		

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
			This should be the same as the TM project					
			reference number plus an additional 4					
			characters to signify the unique measure.					
M17	Trustmark	If the measure is	Provide a TrustMark lodged certificate ID	Alpha-	ANNNN-N	Only entries	Required when:	Measure
	_Lodged_C	registered with	which will be issued by TrustMark for the	numeric		that match	`Trustmark_Busine	
	ertificateID	TrustMark, what is	measure. The measure will not be		ANNNNN-N	with	ss_Licence_Numbe	
		the TrustMark's	approved as a qualifying action until the			TrustMark's	r' ≠ `N/A'	
		lodged certificate	certificate ID has been notified.		ANNNNN-N	Data		
		ID?			ANNNNNN-N	warehouse		
			This field will be validated against			are valid		
			TrustMark's Data Warehouse.		N/A			
			This should be the same as the TM project					
			reference number plus a hyphen and a					
			number to signify the lodgement ID.					
M18	Other_Cert	If the measure is a	Please state the full name of the	Alpha-	Max character	Only entries	Required when:	Measure
	ification	DHC or DLM	qualification or certification that is	numeric	length of 150	in the	'Measure type'	
		installation, what	relevant to the measure.		characters	accepted	belongs to the	
		certification does				format are	DHC or DLM	
		the installer hold	DHC measures under ECO involve the		N/A	valid.	measure	
		to demonstrate	installation, or connection of a central				categories unless	
		appropriate skills	heating system to a District Heating				`Purpose_of_Notifi	
		and experience?	System. For this we would consider a				cation' = 'New	
			Level 2 or 3 NVQ in gas, plumbing and/or				Exemption' or	
			mechanical engineering, appropriate skill					

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
		If the measure has	and experience to install or connect a				'Edited Exemption'	
		been certified	central heating system. Appropriate skill				OR	
		through any other	and experience can also be evidenced				`Post_Main_Heatin	
		alternative	through certification schemes which				g_Source_for_the	
		mechanism,	require the above qualification, such as				_Property' =	
		provide the details	Gas Safe.				`Shared Ground	
		here.	Other certification is not required when				Loop GSHP'	
			the DHC is a shared ground loop, with					
			individual heat pumps in each property.					
			In such cases suppliers should notify N/A.					
			For further information on this requirement please refer to the ECO4 Delivery Guidance.					
			For a Data Light Measure (DLM) the appropriate qualification or certification should be arranged with Ofgem as part of the data light application. For all other measures please enter N/A.					
M19	Exemption	If the notification	For the purposes of ECO4 rules, measures	Alphabetic	Listed	Only entries	Required when:	Measure
	_Category	is for an exempt	may only be exempt where they meet one	, apridbede	building	correspondi	'Purpose_of_Notifi	
	,	measure, please	of a set list of exemption categories.		· · ··································		cation' = 'New	

No.	Data	Question	Information	Data Field	Accepted	Validations	Mandatory	Review
				Туре	Format			Tab
		provide the reason	Provide the reason here. Where the		Conservation	ng to the list	Exemption' or	
		for the exemption.	project is lodged with TrustMark, the		area	are valid	'Edited Exemption'	
			exemptions will be validated against					
			TrustMark data. For non-TrustMark		Protected			
			projects, suppliers must be able to		species			
			provide the relevant evidence for the		Halawful			
			exemption. The required evidence for		Unlawful			
			each exemption category is listed in the		Environmenta			
			ECO4 Delivery Guidance.		l conditions			
					Property			
					suitability/acc			
					ess issues			
					N/A			