

NOTICE OF PROPOSED MODIFICATION OF THE SPECIAL CONDITIONS OF NATIONAL GRID GAS PLC'S GAS TRANSPORTER LICENCE IN RESPECT OF ITS NATIONAL TRANSMISSION SYSTEM UNDER SECTION 23(3) OF THE GAS ACT 1986

1. National Grid Gas ("NGG") holds a Gas Transporter Licence ("the Licence") in respect of its National Transmission System ("NTS") granted or treated as granted under section 7 of the Gas Act 1986 ("the Act").
2. In accordance with section 23(3) and (4) of the Act The Gas and Electricity Markets Authority ("the Authority") proposes to modify the Licence held by NGG by amending Annex A to Special Condition C8E (NTS gas exit incentives, costs and revenues) ("the Condition") in the manner set out in Appendix A of this Notice.
3. The reasons why the Authority proposes to make these licence modifications is to allow NGG to include a new exit point in the Licence. Full background to the proposed modification can be found in the letter accompanying this Notice 'Consultation on the addition of a new National Transmission System (NTS) exit point to National Grid Gas's (NGG's) gas transporter licence', published on 12 September 2011.
4. The effect of the proposed modification is to add a new exit point called 'Hilltop (Hole House Farm)' in Annex A to Special Condition C8E.
5. A copy of the proposed modification and other documents referred to in this Notice are available (free of charge) from the Ofgem library (telephone 020 7901 1600) or on the Ofgem website (www.ofgem.gov.uk).
6. Any representations or objections to the proposed licence modifications may be made in writing on or before 10 October 2011 and sent to:

James P Thomson,
Office of Gas and Electricity Markets,
Third Floor, Cornerstone,
107 West Regent Street,
Glasgow,
G2 2BA

or by email to gas.transmissionresponse@ofgem.gov.uk.

7. All responses will normally be published on Ofgem's website and held in the Research and Information Centre. However, if respondents do not wish their response to be made public then they should clearly mark their response as not for publication. Ofgem prefers to receive responses in an electronic form so they can be placed easily on the Ofgem website.



.....
Hannah Nixon, Acting Senior Partner
Smarter Grids and Governance: Transmission
Duly authorised on behalf of the Gas and Electricity Markets Authority
12 September 2011

APPENDIX 1 - Annex A to Special Condition C8E (NTS gas exit incentives, costs and revenues)

Table 1 –NTS baseline exit flat capacity and NTS baseline exit shipper capacity

Offtake Point	Type of Offtake	Transitional baseline (GWh/day)
Bacton	GDN (EA)	3.66
Brisley	GDN (EA)	3.11
Cambridge	GDN (EA)	0
Great Wilbraham	GDN (EA)	35.59
Matching Green	GDN (EA)	83.85
Peterborough Eye (Tee)	GDN (EA)	25.45
Roudham Heath	GDN (EA)	14.7
Royston	GDN (EA)	2.67
Whitwell	GDN (EA)	161.87
West Winch	GDN (EA)	11.69
Yelverton	GDN (EA)	84.44
Alrewas (EM)	GDN (EM)	92.15
Blaby	GDN (EM)	11.03
Blyborough	GDN (EM)	90.89
Caldecott	GDN (EM)	11.08
Thornton Curtis (DN)	GDN (EM)	106.64
Drointon	GDN (EM)	107.51
Gosberton	GDN (EM)	15.79
Kirkstead	GDN (EM)	1.21
Market Harborough	GDN (EM)	9.48
Silk Willoughby	GDN (EM)	3.53
Sutton Bridge	GDN (EM)	1.15
Tur Langton	GDN (EM)	82.52
Walesby	GDN (EM)	0.93
Asselby	GDN (NE)	3.64
Baldersby	GDN (NE)	1.34
Burley Bank	GDN (NE)	20.31
Ganstead	GDN (NE)	23.15
Pannal	GDN (NE)	148.41
Paull	GDN (NE)	38.14
Pickering	GDN (NE)	9.38
Rawcliffe	GDN (NE)	3.42
Towton	GDN (NE)	81.13
Bishop Auckland	GDN (NO)	69.26
Coldstream	GDN (NO)	1.93
Corbridge	GDN (NO)	0.07
Cowpen Bewley	GDN (NO)	53.71
Elton	GDN (NO)	33.26
Guyzance	GDN (NO)	2.19
Humbleton	GDN (NO)	0.15

Keld	GDN (NO)	1.7
Little Burdon	GDN (NO)	17.75
Melkinthorpe	GDN (NO)	0.34
Saltwick Pressure Controlled	GDN (NO)	9.22
Saltwick Volumetric Controlled	GDN (NO)	69.26
Thrintoft	GDN (NO)	5.16
Towlaw	GDN (NO)	0.55
Wetheral	GDN (NO)	26.86
Horndon	GDN (NT)	46.41
Luxborough Lane	GDN (NT)	165.3
Peters Green	GDN (NT)	348.98
Peters Green South Mimms	GDN (NT)	0
Winkfield (NT)	GDN (NT)	15.91
Audley (NW)	GDN (NW)	8.2
Blackrod	GDN (NW)	136.81
Ecclestone	GDN (NW)	21.14
Holmes Chapel	GDN (NW)	20.83
Lupton	GDN (NW)	16.23
Malpas	GDN (NW)	0.49
Mickle Trafford	GDN (NW)	29.58
Partington	GDN (NW)	96.29
Samlesbury	GDN (NW)	140.68
Warburton	GDN (NW)	107.25
Weston Point	GDN (NW)	30.64
Aberdeen	GDN (SC)	38.44
Armadale	GDN (SC)	3.01
Balgray	GDN (SC)	11.4
Bathgate	GDN (SC)	24.22
Broxburn	GDN (SC)	64.37
Burnhervie	GDN (SC)	0
Careston	GDN (SC)	3.05
Drum	GDN (SC)	77.53
St Fergus	GDN (SC)	0.88
Glenmavis	GDN (SC)	145.79
Hume	GDN (SC)	1.22
Kinknockie	GDN (SC)	2.35
Langholm	GDN (SC)	0.15
Lauderhill	GDN (SC)	0
Lockerbie	GDN (SC)	5.7
Netherhowcleugh	GDN (SC)	0.2
Pitcairngreen	GDN (SC)	1.59
Soutra	GDN (SC)	8.94
Stranraer	GDN (SC)	0.68
Farningham	GDN (SE)	135.12
Farningham B	GDN (SE)	0
Shorne	GDN (SE)	67.06
Tatsfield	GDN (SE)	276.46
Winkfield (SE)	GDN (SE)	106.26
Braishfield A	GDN (SO)	99.23
Braishfield B	GDN (SO)	46.65

Crawley Down	GDN (SO)	0
Hardwick	GDN (SO)	118.68
Ipsden	GDN (SO)	12.39
Ipsden 2	GDN (SO)	14.25
Mappowder	GDN (SO)	47.68
Winkfield (SO)	GDN (SO)	79.91
Aylesbeare	GDN (SW)	22.75
Cirencester	GDN (SW)	9.18
Coffinswell	GDN (SW)	0
Easton Grey	GDN (SW)	30.89
Evesham	GDN (SW)	6.58
Fiddington	GDN (SW)	26.64
Ilchester	GDN (SW)	33.07
Kenn	GDN (SW)	70.91
Littleton Drew	GDN (SW)	2.84
Lyneham (Choakford)	GDN (SW)	0
Pucklechurch	GDN (SW)	28.38
Ross (SW)	GDN (SW)	4.28
Seabank (DN)	GDN (SW)	57.62
Alrewas (WM)	GDN (WM)	130.79
Aspley	GDN (WM)	84.65
Audley (WM)	GDN (WM)	21.83
Austrey	GDN (WM)	86.09
Leamington	GDN (WM)	4.26
Lower Quinton	GDN (WM)	29.91
Milwich	GDN (WM)	21.04
Ross (WM)	GDN (WM)	16.52
Rugby	GDN (WM)	80.08
Shustoke	GDN (WM)	44.76
Stratford-upon-Avon	GDN (WM)	4.68
Maelor	GDN (WN)	57.56
Dowlais	GDN (WS)	113.11
Dyffryn Clydach	GDN (WS)	47.92
Gilwern	GDN (WS)	46.67
Abson (Seabank Power Station phase I)	DC - FIRM	27.8
Bacton (Great Yarmouth)	DC - FIRM	20.04
Barking (Horndon)	DC - INTERRUPTIBLE	58.59
Barrow (Black Start)	DC	0
Billingham ICI (Terra Billingham)	DC - FIRM	43.54
Bishop Auckland (test facility)	DC	0
Blackness (BP Grangemouth)	DC - FIRM	27.29
Blyborough (Brigg)	DC - INTERRUPTIBLE	16.89
Blyborough (Cottam)	DC - INTERRUPTIBLE	17.54
Brine Field (Teesside) Power Station	DC	0
Burton Point (Connahs Quay)	DC - INTERRUPTIBLE	73.21

Caldecott (Corby Power Station)	DC - - FIRM	21.12
Carrington (Partington) Power Station	DC	0
Centrax Industrial	DC	0
Cockenzie Power Station	DC	0
Coryton 2 (Thames Haven) Power Station	DC	0
Deeside	DC - FIRM	28.48
Didcot A	DC - INTERRUPTIBLE	0
Didcot B	DC - FIRM	50.47
Drakelow Power Station	DC	0
Eastoft (Keadby Blackstart)	DC - INTERRUPTIBLE	2.38
Eastoft (Keadby)	DC - FIRM	36.06
Enron Billingham	DC - INTERRUPTIBLE	121.51
Epping Green (Enfield Energy, aka Brimsdown)	DC - FIRM	18.41
Ferny Knoll (AM Paper)	DC - FIRM	1.08
Goole (Guardian Glass)	DC - FIRM	1.62
Gowkhall (Longannet)	DC - FIRM	43.32
Grain Power Station	DC	0
Harwarden (Shotton, aka Shotton Paper)	DC - FIRM	11.59
Hatfield Power Station	DC	0
Hollingsgreen (Hays Chemicals)	DC - INTERRUPTIBLE	3.25
Langage Power Station	DC	0
Marchwood Power Station	DC	0
Medway (aka Isle of Grain Power Station, NOT Grain Power)	DC - INTERRUPTIBLE	38.12
Middle Stoke (Damhead Creek, aka Kingsnorth Power Station)	DC - FIRM	40.94
Moffat (Irish Interconnector)	INTERCONNECTOR - FIRM, EXIT ONLY	433.4
Pembroke Power Station	DC	0
Peterborough (Peterborough Power Station)	DC - INTERRUPTIBLE	23.28
Phillips Petroleum, Teesside	DC	3.69
Pickmere (Winnington Power, aka Brunner Mond)	DC - FIRM	15.38
Roosecote Power Station (Barrow)	DC - INTERRUPTIBLE	14.73
Rosehill (Saltend Power Station)	DC - FIRM	57.83
Ryehouse	DC - FIRM	38.66

Saddle Bow (Kings Lynn)	DC - FIRM	17.98
Saltend BPHP (BP Saltend HP)	DC - FIRM	9.1
Sandy Lane (Blackburn CHP, aka Sappi Paper Mill)	DC - FIRM	4.55
Seabank (Seabank Power Station phase II)	DC - FIRM	19.1
Sellafield Power Station	DC - INTERRUPTIBLE	12.35
Shellstar (aka Kemira, not Kemira CHP)	DC	16.24
Spalding 2 (South Holland) Power Station	DC	0
Shotwick (Bridgewater Paper)	DC - FIRM	5.52
St. Fergus (Shell Blackstart)	DC	0
St. Fergus (Peterhead)	DC - FIRM	108.3
St. Neots (Little Barford)	DC - FIRM	35.2
Stallingborough (phase 2)	DC - FIRM	28.16
Stallingborough (phase 1)	DC - FIRM	38.34
Stanford Le Hope (Coryton)	DC - FIRM	36.61
Staythorpe PH1	DC - FIRM	38.12
Staythorpe PH2	DC - FIRM	38.12
Sutton Bridge Power Station	DC - FIRM	37.47
Teesside (BASF, aka BASF Teesside)	DC - FIRM	9.75
Teesside Hydrogen	DC - FIRM	6.61
Terra Nitrogen (aka ICI, Terra Severnside)	DC - FIRM	0.65
Thornton Curtis (Humber Refinery, aka Immingham)	DC - FIRM	46.89
Thornton Curtis (Killingholme)	DC	81.22
Tilbury Power Station	DC	0
Tonna (Baglan Bay)	DC - FIRM	26.75
Upper Neeston (Milford Haven Refinery)	DC	0
West Burton Power Station	DC	0
Weston Point (Castner Kelner, aka ICI Runcorn)	DC - FIRM	11.7
Weston Point (Rocksavage)	DC - FIRM	38.19
Willington Power (Rocksavage)	DC - FIRM	11.7
Wragg Marsh (Spalding)	DC - FIRM	42.02
Wyre Power Station	DC	0
Zeneca (ICI Avecia, aka 'Zenica')	DC - FIRM	0.11
Bacton (Baird)	STORAGE SITE	0
Barrow (Bains)	STORAGE SITE	0
Barrow (Gateway)	STORAGE SITE	0
Caythorpe	STORAGE SITE	0
Hatfield Moor Max Refill	STORAGE SITE	30.21
<u>Hilltop (Hole House Farm)</u>	<u>STORAGE SITE</u>	<u>0</u>
Holford	STORAGE SITE	0
Hole House Max Refill	STORAGE SITE	119.58

Partington Max Refill	STORAGE SITE	2.41
Saltfleetby Storage (Theddlethorpe)	STORAGE SITE	0
Stublach (Cheshire)	STORAGE SITE	0
Glenmavis Max Refill	STORAGE SITE	1.62
Barton Stacey Max Refill (Humbly Grove)	STORAGE SITE	0
Avonmouth Max Refill	STORAGE SITE	0
Dynevor Max Refill	STORAGE SITE	2.61
Garton Max Refill (Aldbrough)	STORAGE SITE	211.01
Hornsea Max Refill	STORAGE SITE	22.43
Rough Max Refill	STORAGE SITE	160
Bacton (IUK)	INTERCONNECTOR	623.58
Bacton (BBL)	INTERCONNECTOR	0

Table 2 –NTS baseline exit flat capacity

Offtake Point	Type of Offtake	Enduring flat baseline (GWh/day)
Bacton	GDN (EA)	3.66
Brisley	GDN (EA)	3.11
Cambridge	GDN (EA)	0
Great Wilbraham	GDN (EA)	35.59
Matching Green	GDN (EA)	92.31
Peterborough Eye (Tee)	GDN (EA)	25.45
Roudham Heath	GDN (EA)	25.46
Royston	GDN (EA)	2.70
Whitwell	GDN (EA)	161.87
West Winch	GDN (EA)	12.26
Yelverton	GDN (EA)	64.61
Alrewas (EM)	GDN (EM)	139.87
Blaby	GDN (EM)	13.40
Blyborough	GDN (EM)	79.33
Caldecott	GDN (EM)	11.08
Thornton Curtis (DN)	GDN (EM)	118.15
Drointon	GDN (EM)	74.27
Gosberton	GDN (EM)	15.23
Kirkstead	GDN (EM)	1.21
Market Harborough	GDN (EM)	9.48
Silk Willoughby	GDN (EM)	3.53
Sutton Bridge	GDN (EM)	1.71
Tur Langton	GDN (EM)	65.67
Walesby	GDN (EM)	0.97
Asselby	GDN (NE)	3.92
Baldersby	GDN (NE)	1.34
Burley Bank	GDN (NE)	20.31
Ganstead	GDN (NE)	23.15
Pannal	GDN (NE)	148.41
Paull	GDN (NE)	38.14
Pickering	GDN (NE)	9.38
Rawcliffe	GDN (NE)	3.55
Towton	GDN (NE)	80.73
Bishop Auckland	GDN (NO)	62.13
Coldstream	GDN (NO)	1.96
Corbridge	GDN (NO)	0.07
Cowpen Bewley	GDN (NO)	52.12
Elton	GDN (NO)	38.27
Guyzance	GDN (NO)	2.19
Humbleton	GDN (NO)	0.16
Keld	GDN (NO)	1.89
Little Burdon	GDN (NO)	17.75
Melkinton	GDN (NO)	1.77
Saltwick Pressure Controlled	GDN (NO)	9.22

Saltwick Volumetric Controlled	GDN (NO)	69.07
Thrintoft	GDN (NO)	5.16
Towlaw	GDN (NO)	0.55
Wetheral	GDN (NO)	29.11
Horndon	GDN (NT)	46.41
Luxborough Lane	GDN (NT)	165.3
Peters Green	GDN (NT)	151.86
Peters Green South Mimms	GDN (NT)	197.12
Winkfield (NT)	GDN (NT)	15.91
Audley (NW)	GDN (NW)	12.14
Blackrod	GDN (NW)	166.49
Ecclestone	GDN (NW)	21.14
Holmes Chapel	GDN (NW)	22.19
Lupton	GDN (NW)	16.23
Malpas	GDN (NW)	0.99
Mickle Trafford	GDN (NW)	29.08
Partington	GDN (NW)	87.63
Samlesbury	GDN (NW)	110.99
Warburton	GDN (NW)	110.62
Weston Point	GDN (NW)	30.64
Aberdeen	GDN (SC)	23.09
Armadale	GDN (SC)	3.01
Balgray	GDN (SC)	11.4
Bathgate	GDN (SC)	24.22
Broxburn	GDN (SC)	60.80
Burnhervie	GDN (SC)	22.38
Careston	GDN (SC)	3.05
Drum	GDN (SC)	77.04
St Fergus	GDN (SC)	0.88
Glenmavis	GDN (SC)	145.79
Hume	GDN (SC)	1.22
Kinknockie	GDN (SC)	2.35
Langholm	GDN (SC)	0.15
Lauderhill	GDN (SC)	1.79
Lockerbie	GDN (SC)	5.7
Netherhowcleugh	GDN (SC)	0.2
Pitcairngreen	GDN (SC)	1.59
Soutra	GDN (SC)	4.19
Stranraer	GDN (SC)	0.68
Farningham	GDN (SE)	135.12
Farningham B	GDN (SE)	0
Shorne	GDN (SE)	67.06
Tatsfield	GDN (SE)	276.46
Winkfield (SE)	GDN (SE)	106.26
Braishfield A	GDN (SO)	107.28
Braishfield B	GDN (SO)	46.65
Crawley Down	GDN (SO)	0
Hardwick	GDN (SO)	118.68

Ipsden	GDN (SO)	12.39
Ipsden 2	GDN (SO)	14.25
Mappowder	GDN (SO)	47.68
Winkfield (SO)	GDN (SO)	71.86
Aylesbeare	GDN (SW)	22.68
Cirencester	GDN (SW)	8.97
Coffinswell	GDN (SW)	5.15
Easton Grey	GDN (SW)	29.60
Evesham	GDN (SW)	6.57
Fiddington	GDN (SW)	25.95
Ilchester	GDN (SW)	34.96
Kenn	GDN (SW)	15.43
Littleton Drew	GDN (SW)	2.47
Lyneham (Choakford)	GDN (SW)	50.30
Pucklechurch	GDN (SW)	25.79
Ross (SW)	GDN (SW)	4.53
Seabank (DN)	GDN (SW)	60.74
Alrewas (WM)	GDN (WM)	128.48
Aspley	GDN (WM)	84.65
Audley (WM)	GDN (WM)	21.83
Austrey	GDN (WM)	87.81
Leamington	GDN (WM)	4.26
Lower Quinton	GDN (WM)	29.91
Milwich	GDN (WM)	21.63
Ross (WM)	GDN (WM)	16.52
Rugby	GDN (WM)	80.08
Shustoke	GDN (WM)	44.76
Stratford-upon-Avon	GDN (WM)	4.68
Maelor	GDN (WN)	57.56
Dowlais	GDN (WS)	112.18
Dyffryn Clydach	GDN (WS)	42.78
Gilwern	GDN (WS)	52.74
Abson (Seabank Power Station phase I)	DC - FIRM	36.59
Bacton (Great Yarmouth)	DC - FIRM	20.04
Barking (Horndon)	DC - INTERRUPTIBLE	58.59
Barrow (Black Start)	DC	0
Billingham ICI (Terra Billingham)	DC - FIRM	43.54
Bishop Auckland (test facility)	DC	0
Blackness (BP Grangemouth)	DC - FIRM	27.29
Blyborough (Brigg)	DC - INTERRUPTIBLE	16.89
Blyborough (Cottam)	DC - INTERRUPTIBLE	17.54
Brine Field (Teesside) Power Station	DC	0

Burton Point (Connahs Quay)	DC - INTERRUPTIBLE	73.21
Caldecott (Corby Power Station)	DC - FIRM	21.12
Carrington (Partington) Power Station	DC	0
Cockenzie Power Station	DC	0
Coryton 2 (Thames Haven) Power Station	DC	0
Centrax Industrial	DC	0
Deeside	DC - FIRM	28.48
Didcot	DC - FIRM	137.76
Drakelow Power Station	DC	0
Eastoft (Keadby Blackstart)	DC - INTERRUPTIBLE	2.38
Eastoft (Keadby)	DC - FIRM	36.06
Enron Billingham	DC - INTERRUPTIBLE	121.51
Epping Green (Enfield Energy, aka Brimsdown)	DC - FIRM	18.41
Ferny Knoll (AM Paper)	DC - FIRM	1.08
Goole (Guardian Glass)	DC - FIRM	1.62
Gowkhall (Longannet)	DC - FIRM	43.32
Grain Power Station	DC	0
Harwarden (Shotton, aka Shotton Paper)	DC - FIRM	11.59
Hatfield Power Station	DC	0
Hollingsgreen (Hays Chemicals)	DC - INTERRUPTIBLE	3.25
Langage Power Station	DC	0
Marchwood Power Station	DC	0
Medway (aka Isle of Grain Power Station, NOT Grain Power)	DC - INTERRUPTIBLE	38.12
Middle Stoke (Damhead Creek, aka Kingsnorth Power Station)	DC - FIRM	40.94
Moffat (Irish Interconnector)	INTERCONNECTOR - FIRM, EXIT ONLY	433.4
Pembroke Power Station	DC	0
Peterborough (Peterborough Power Station)	DC - INTERRUPTIBLE	23.28
Phillips Petroleum, Teesside	DC	3.69
Pickmere (Winnington Power, aka Brunner Mond)	DC - FIRM	15.38

Roosecote Power Station (Barrow)	DC - INTERRUPTIBLE	14.73
Rosehill (Saltend Power Station)	DC - FIRM	57.83
Ryehouse	DC - FIRM	38.66
Saddle Bow (Kings Lynn)	DC - FIRM	17.98
Saltend BPHP (BP Saltend HP)	DC - FIRM	9.1
Sandy Lane (Blackburn CHP, aka Sappi Paper Mill)	DC - FIRM	4.55
Seabank (Seabank Power Station phase II)	DC - FIRM	19.1
Sellafield Power Station	DC - INTERRUPTIBLE	12.35
Shellstar (aka Kemira, not Kemira CHP)	DC	16.24
Shotwick (Bridgewater Paper)	DC - FIRM	5.52
Spalding 2 (South Holland) Power Station	DC	0
St. Fergus (Shell Blackstart)	DC	0
St. Fergus (Peterhead)	DC - FIRM	108.3
St. Neots (Little Barford)	DC - FIRM	35.2
Stallingborough	DC - FIRM	66.5
Stanford Le Hope (Coryton)	DC - FIRM	36.61
Staythorpe	DC - FIRM	76.24
Sutton Bridge Power Station	DC - FIRM	37.47
Teesside (BASF, aka BASF Teesside)	DC - FIRM	9.75
Teesside Hydrogen	DC - FIRM	6.61
Terra Nitrogen (aka ICI, Terra Severnside)	DC - FIRM	13.1
Thornton Curtis (Humber Refinery, aka Immingham)	DC - FIRM	46.89
Thornton Curtis (Killingholme)	DC	81.22
Tilbury Power Station	DC	0
Tonna (Baglan Bay)	DC - FIRM	26.75
Upper Neeston (Milford Haven Refinery)	DC	0
West Burton Power Station	DC	0
Weston Point (Castner Kelner, aka ICI Runcorn)	DC - FIRM	11.7
Weston Point (Rocksavage)	DC - FIRM	38.19
Willington Power Station	DC	0
Wragg Marsh (Spalding)	DC - FIRM	42.02
Wyre Power Station	DC	0

Zeneca (ICI Avecia, aka 'Zenica')	DC - FIRM	0.11
Bacton (Baird)	STORAGE SITE	0
Barrow (Bains)	STORAGE SITE	0
Barrow (Gateway)	STORAGE SITE	0
Caythorpe	STORAGE SITE	0
Deborah Storage (Bacton)	STORAGE SITE	0
Hatfield Moor Max Refill	STORAGE SITE	30.21
Hilltop (Hole House Farm)	STORAGE SITE	0
Holford	STORAGE SITE	0
Hole House Max Refill	STORAGE SITE	119.58
Partington Max Refill	STORAGE SITE	2.41
Saltfleetby Storage (Theddlethorpe)	STORAGE SITE	0
Stublach (Cheshire)	STORAGE SITE	0
Glenmavis Max Refill	STORAGE SITE	1.62
Barton Stacey Max Refill (Humbly Grove)	STORAGE SITE	100.94
Avonmouth Max Refill	STORAGE SITE	2.3
Dynevor Max Refill	STORAGE SITE	2.61
Garton Max Refill (Aldbrough)	STORAGE SITE	211.01
Hornsea Max Refill	STORAGE SITE	22.43
Rough Max Refill	STORAGE SITE	160
Bacton (IUK)	INTERCONNECTOR	623.58
Bacton (BBL)	INTERCONNECTOR	0