

# ECO2t consultation Part 1: consultation questions

## **Background**

The questions below relate to the ECO2 consultation on the transition period which can be found on our website:

<https://www.ofgem.gov.uk/environmental-programmes/eco/contacts-guidance-and-resources/consultations-and-feedback>

## **Notes For Completion**

The consultation is open from 12 October 2016 to 23 November 2016. We have provided a template for responses to help us collate and analyse the feedback we receive. Please complete all relevant sections of the document by selecting an answer for the question and then providing reasons/evidence for your response in the box provided. **Please do not amend the format of the template.**

Where use of the template is not possible, other formats will still be accepted. Please send your responses to [eco.consultation@ofgem.gov.uk](mailto:eco.consultation@ofgem.gov.uk) by **close of business on 23 November 2016**.

## **Respondent details**

Organization Name:	Warmer Worcestershire
Completed By:	Heather Lammas
Contact Details:	hlammas@worcestershire.gov.uk 01905 8446855

## Scheme extension

**Q1.** Do you agree with our proposed administrative approach and guidance relating to our final determination of CSCO?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please provide reasons and any alternative suggestions.

Under CSCO there is a rural element. There is a possibility that rural delivery will no longer be incentivised.

## Help to heat group

**Q2.** Do you agree with our proposed approach to evidencing help to heat eligibility?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please provide reasons and any alternative suggestions.

## Social housing with an EPC energy efficiency rating of E, F or G

**Q3.** Do you agree with our proposal to use a declaration signed by a social landlord to evidence that the EPC energy efficiency rating reflects the current characteristics of the property?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

there should be a percentage check of these declarations

**Q4.** Do you agree with our proposal to evidence that premises are being let below market rate using a declaration signed by a social landlord?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

**Q5.** Do you agree that where multiple measures are installed in a single property, a further declaration should be signed by the social landlord after each installation to confirm the energy efficiency rating remains below Band D?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☒ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

this depends on the order the installs are being completed. The measure with the smallest increase in EPC rating is likely to be completed first so both measures are installed to meet the criteria. this seems to be an over burden on reporting.

## First time central heating

**Q6.** Do you agree with our interpretation of “at no point prior”?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

needs to be a clear definition of what is meant by never. never since the housing association has owned the property or never since build. Might be difficult to get commitment if don't know the recent

**Q7.** Do you agree with our proposal to evidence that a central heating system or an electric storage heater was not present prior to installation of a central heating system or DHS using a declaration signed by a social landlord?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

Need to include a percentage check of these declarations.

**Q8.** Do you agree with the primary heating sources we have listed as eligible for first time central heating measures?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☒ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please identify which primary heating sources you think should be included/excluded.

The heating systems needs to be affordable to run for fuel poor households who are the target audience for this scheme. Electric boilers tend not to be cost effective and may not be beneficial for a hosueholder struggling to pay the bills. there needs to be consideration given to the affordability of the runnign costs for each installation. may install a system that the hsoueholder isnt going to use because of the cost.

**Q9.** Do you agree with the heating measure types we have listed as eligible for evidencing first time central heating measures?

- ☐ Strongly Agree
- ☐ Agree
- ☒ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please identify which heating measure types you think should be included/excluded.

--



## Flexible eligibility

**Q10.** Do you agree with the proposed approach for administering local authority declarations for HHCRO eligibility?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

Will confirmation of acceptance of the declaration be sent to a Local Authority and if so within how many days of receiving the declaration will confirmation be given.

## Regular score minimum requirement

**Q11.** Do you agree with the list of measures in Table 4 that we propose should not count towards the RSMR?

- ☐ Strongly Agree
- ☐ Agree
- ☒ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please identify which measure you think should be included/excluded.

needs to include replacement of broken gas boilers that have higher efficiency e.g old warm front installs. Consideration should be given to requirements around servicing. this should be a requirement for all new installs where a householder is receiving ECO or any further additional funding so there is a commitment from the householder to maintain the heating system and reduce the risk of the system breaking down earlier than expected.

## Party cavity wall insulation

**Q12.** Do you agree with our proposal to distinguish between the different in-use factors for PCWI based on the date of installation?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☒ Don't Know

If not, please state your reasons and any alternative proposals.

## Evidencing pre-existing loft insulation

**Q13.** Do you agree that a PAS pre-installation survey can be used to record the depth of any pre-existing loft insulation?

- ☐ Strongly Agree
- ☐ Agree
- ☒ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

Assume this is internal monitoring. If internal or external, how will there be a notification of pre installation of a measure when notifications usually happen after the install.

**Q14.** Do you agree that 3% of technical monitoring for loft insulation measures should take place pre-installation?

- ☐ Strongly Agree
- ☐ Agree
- ☒ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

This seems difficult to monitor if the the contractor is reososilbe for making the notificatuio for pre installation inspection. this may not pick up any jpbs that may not be compliant.

**Q15.** Do you agree that the depth of any pre-existing loft insulation can be checked post-installation during a technical monitoring inspection?

- ☐ Strongly Agree
- ☐ Agree
- ☒ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

## Evidencing non-gas fuelled premises

**Q16.** Do you agree that the PAS pre-installation survey can be used to evidence the main heating system fuel type for the premises?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

If a property is in a gas area will they only be offered the option to switch to a gas system even if the owner wants to stay with electric heating.

## New build definition

**Q17.** Do you agree with our proposal to evidence occupancy for all ECO measures as an alternative to demonstrating that premises receiving ECO measures are not new build?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

extension would need to meet building regulations.

**Q18.** Where premises are unoccupied, do you agree with our proposal to evidence previous occupancy?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

**Q19.** Where a measure is delivered exclusively to a new build extension, do you agree with our proposal to evidence that the extension was completed before installation using building control sign off?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

An extension should meet building regs so shouldn't require a measure to be installed. if a measure is required it is likely the extension didn't comply with building regs.

**Q20.** Where there is no evidence of occupancy prior to installation, do you agree with our proposals for evidencing that premises were erected before 1 April 2017?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.

agree but should confirm building regs compliance



## Automatic extensions for 5% of measures

**Q21.** Do you agree that the first 5% of late measures notified to us for a particular calendar month, without an extension request, should be processed automatically?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☒ Don't Know

If not, please state your reasons and any alternative proposals.

**Q22.** Where the automatic 5% allowance is exceeded within a single month's notifications, do you agree that a supplier should be given an opportunity to determine which measures it wants to include in the automatic 5% and which it will submit an extension request for?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☒ Don't Know

If not, please state your reasons and any alternative proposals.

**Q23.** Where a supplier does not indicate to us which measures it wants to include in the automatic 5% within 10 days, do you agree that we should select which measures will be automatically processed?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☒ Don't Know

If not, please state your reasons and any alternative proposals.

## Trading obligations

**Q24.** Do you agree with our proposal that where a supplier trades between its own licences, it must trade to the licence with the biggest original obligation?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☒ Don't Know

If not, please state your reasons and any alternative proposals.

**Q25.** Do you agree with our proposals for trading between different suppliers, that:

- a. trades must be to the receiving supplier's licence with the biggest original obligation
- b. an application must include the annual turnover of the licence that would be taking on additional obligations, and
- c. where a supplier is taking on an amount greater than its original phase 3 ECO2 obligation, do you agree with our proposed evidence requirements to demonstrate that the supplier can deliver the additional obligation?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☒ Don't Know

If not, please state your reasons and any alternative proposals.

**Q26.** Do you agree with our proposed timescales for processing trading applications?

- ☐ Strongly Agree
- ☐ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☒ Don't Know

If not, please state your reasons and any alternative proposals.

## PAS

**Q27.** Do you agree with us collecting an installer's PAS certification number as part of notification?

- ☐ Strongly Agree
- ☒ Agree
- ☐ Neither Agree Nor Disagree
- ☐ Disagree
- ☐ Strongly Disagree
- ☐ Don't Know

If not, please state your reasons and any alternative proposals.