

Energy Company Obligation (ECO3) Data Dictionary V1.3

This document provides a data dictionary and general information for suppliers to complete the Monthly Notification Template for ECO3 measures installed from 1 October 2018.

This data dictionary sets out each of the fields to be completed on the Monthly Notification Template, the questions suppliers should be answering when completing the field, as well as an explanation of the information suppliers should provide. It then sets out the data field type required, the accepted format and validations involved for each field.

The data dictionary also distinguishes between types of data that are provided in the Monthly Notification Template.

Core Data: must be provided in order for a notification to be made. If core data is omitted or provided in a format other than the accepted format, the attempt to notify the measure will fail.

Required Data: must be provided before we can process the notification. If this information is omitted or not provided in the correct format, the notification will be made, but we will be unable to process the notification.

Optional Data: we request suppliers provide this in order to assist our validation and audit processes, and to assist suppliers should they later wish to transfer a measure to another supplier.

Suppliers should be aware that Ofgem's system cannot accept data unless notified in accordance with the accepted format as specified below. The accepted format is case sensitive and includes headings. As noted above, where core data is provided in a format other than the accepted format, the attempt to notify the measure will fail.

Ofgem will perform additional validations to check dependencies of mandatory fields and measure eligibility.

Submitting the Notification Template:

- Format "A" - Alphabetic.
- Format "N" - Numeric.
- File name should be AAA_AAANN_VN.N where the three letter prefix is the supplier's three letter acronym, AAANN is the notification month and year and VN.N refers to the approved template version. The notification month and year should be consistent with the following example: December 2018 submitted as DEC18.
- File should be submitted in .csv format.
- File should include the heading for each field.

Completing the Notification Template

- When a field is not applicable, or not required for your notification (as indicated by the 'required when' statement in the 'Mandatory' column), it should be populated with 'N/A'. This will be an accepted format entry except when completing the address data. The address fields must not be completed with 'N/A' as this will not be accepted by the Ofgem system.

Associated Documents

For further information on any of the fields listed below or information on our administration of ECO, refer to the ECO3 Guidance, available on our website.

For information on formatting addresses, refer to [Address Formatting Guidance note, available on our website.](#)

For information on energy efficiency measures which suppliers can use to meet their ECO obligations, including how to differentiate between 'measure categories' and 'measures', refer to the ECO3 Measures Table, available on our website.

Data	Question	Information	Data Field Type	Accepted Format	Validations	Mandatory	Review Tab
Overall_Obligation_Period	Which overall obligation period has the measure been delivered under?	This is based on the date of completed installation for energy consumers (DOCI).	Alphabetic	ECO3	If DOCI is between 01/10/2018 and 31/03/2022 (inclusive), the entry should be 'ECO3'.	Required	Overview
ECO_Supplier_Reference	What is the ECO supplier reference number of the supplier that owns the measure?	This refers to the unique ECO supplier reference number allocated to every supplier by Ofgem. This takes the form AAANNNNNNNA. The first three characters are an assigned acronym identifier for the company name. The eight alphanumeric characters are the licence-holder's company registration number and the final letter denotes the licence type, E = Electricity, G = Gas. This entry identifies the supplier whose obligations the measure will be credited towards. The ECO supplier reference number that is provided must be for the supplier that owns the measure. In relation to transferred measures, this will be the supplier that is the 'buyer'.	Alphanumeric	AAANNNNNNNA	The reference number must be a valid supplier reference. Only entries in the accepted format are valid.	CORE	Overview
Obligation_Category	Which of the obligations is the measure to be credited towards?	This refers to the ECO obligation the measure is to be credited against (i.e. HHCRO).	Alphabetic	HHCRO	Only entries corresponding to the list are valid.	CORE	Overview
Measure_Type	Which measure was installed at the premises?	This describes the measure type installed at the premises (each measure installed is to be reported in a separate row). When completing this field, refer to the ECO3 Measures Table published on our website. This sets out the 'Measure Name: format for notification to Ofgem'. Measures need to be notified in the exact naming convention specified in the ECO3 Measures Table under 'Measure Name: format for notification to Ofgem'.	Alphanumeric	As per the advised list of measures in the ECO3 Measures Table	Only entries corresponding to those in the ECO3 Measures Table are valid where DOCI is between 01/10/2018 and 31/03/2022	CORE	Measure

Measure_Reference_Number	What is the unique measure reference number that the supplier has generated for this particular measure?	<p>This is the unique reference number generated by the supplier and ascribed to the measure being notified. This allows the measure to be identified by both suppliers and Ofgem.</p> <p>The first three characters are an assigned acronym identifier for the company name. The following seven numbers should be generated by the supplier.</p> <p>This reference number must be unique across ECO1, ECO2, ECO2t and ECO3.</p>	Alphanumeric	AAANNNNNNN	Only entries in the accepted format are valid.	CORE	All
Purpose_of_Notification	What is the purpose of this submission?	<p>This indicates the reason for notifying the measure.</p> <p>'New Notification' should be entered when notifying a measure for the first time, provided it is not subject to an extension request.</p> <p>'Edited Notification' should be entered when an existing notification is being amended and the measure is re-notified.</p> <p>'Extended Notification' should be entered when the measure has an extension request associated with it.</p> <p>'Automatic Late Extension' should be entered when the measure is being notified after its Notification Period and falls within a supplier's 5% automatic late extension quota.</p>	Alphabetic	New Notification, Edited Notification, Extended Notification, Automatic Late Extension	Only entries corresponding to the list are valid.	Required	Overview
Eligibility	What is the ECO eligibility route?	<p>Indicates how the customer or premises has been targeted and deemed eligible for ECO.</p> <p>Social Housing with an EPC of D is only available for Demonstration Actions and Innovation Measures.</p> <p>For further information on the various routes to eligibility, please refer to the ECO3 Guidance.</p>	Alphabetic	Help to Heat Group Social Housing EFG Social Housing D LA declaration AW In-fill	Only entries corresponding to the list are valid.	CORE	Property/Person

HTH _Verification _Method	How has Help to Heat Group membership been determined?	<p>For further information on how to identify whether a person is eligible for the scheme, please refer to the ECO3 Guidance.</p> <p>'WHD Core Group' may be entered where the supplier can produce a WHD Core Group notice at audit for the help to heat group member.</p> <p>A data link is being established with the Department of Work and Pensions (DWP) so that help to heat group eligibility can be verified through a data matching exercise. Once this is in place, suppliers should enter 'DWP Match' for measures where help to heat group eligibility has been verified using this method.</p> <p>'Self Declaration' may be entered where a supplier can produce a Child Benefit Self-Declaration at audit.</p> <p>'MOD Documentation' may be entered where a supplier will produce a copy of the relevant documents specified in the ECO3 Guidance at audit.</p> <p>'Other' should only be entered in exceptional circumstances when agreed with Ofgem.</p>	Alphabetic	WHD Core Group DWP Match HTHG Benefit Letter Self Declaration MOD Documentation Other N/A	Only entries corresponding to the list are valid.	Required when: 'Eligibility' = Help to Heat Group	Property/ Person
DWP_Refere nce_Number	What is the reference number provided by the data matching provider confirming DWP have verified the customer is a HTHG member?	Where a customer was verified as a member of the HTHG using the DWP data matching service, enter the reference number provided by the data matching provider.	Alphanumeric	NNNNNNNNNN N/A	Only entries in the accepted format are valid.	Required when: 'HTH_Eligibility_Verification_Method' = DWP Match	Property/ Person

Associated_Insulation_MRN_for_Heating_Measures	For heating measures, what is the associated insulation measure reference number?	<p>Heating upgrade measures can only be installed into a property alongside certain insulation measures.</p> <p>Where the measure is a heating upgrade, the related primary insulation MRN should be provided here.</p> <p>The only exception is an ESH upgrade installed to a property where the pre main heat source was not a central heating system, district heating system or ESH. These do not require a primary insulation measure.</p> <p>Where heating measures are being notified with a 'broken' type, the MRN of the related primary insulation measure can be notified here to exempt the heating measure from the broken heating cap.</p>	Alphanumeric	AAANNNNNNN N/A	Only entries in the accepted format are valid.	Required	Overview
Associated_AW_In-fill_Measure_1	If the measure is part of a group of measures which involve infilling, what are the associated MRNs?	<p>There is an 'infill' mechanism in ECO3 where SWI or DHS measures can be installed to properties that do not meet the typical eligibility routes, provided that there are eligible properties in the same area. See the ECO3 Guidance for more information on what constitutes as the 'same area'.</p> <p>Provide the first associated supporting MRN for the AW In-fill measure.</p>	Alphanumeric	AAANNNNNNN N/A	Only entries in the accepted format are valid.	Required when: 'Eligibility' = AW Infill	Overview
Associated_AW_In-fill_Measure_2	If the measure is part of a group of measures which involve infilling, what are the associated MRNs?	<p>There is an 'infill' mechanism in ECO3 where SWI or DHS measures can be installed to properties that do not meet the typical eligibility routes, provided that there are eligible properties in the same area. See the ECO3 Guidance for more information on what constitutes as the 'same area'.</p> <p>Provide the second associated supporting MRN for the AW In-fill measure.</p>	Alphanumeric	AAANNNNNNN N/A	Only entries in the accepted format are valid.	Required when: 'Eligibility' = AW Infill	Overview

SWMR_RN	What is the solid wall minimum requirement reference number?	<p>Measures delivered to solid-walled homes can be counted towards an obligated supplier's SWMR. If a collection of measures has been used to meet this, the reference number unique to the solid-walled home in question must be entered. All standard SWI measures should also enter this unique reference number where they are intended to count towards SWMR.</p> <p>The name should reference the supplier code, pre-installation position of the SWI measure which could have been installed at the property (2.00, 1.70, 1.00, 0.60, 0.45), percentage of the exterior facing walls which are of solid construction (whether they're insulated or not), followed by a reference number unique to the property.</p>	Alphanumeric	AAA/N.NN/NNN/NNNNNN N/A	Only entries in the accepted format are valid.	Required when: Measure is intended to count towards SWMR, either as eligible SWI or as an SW alternative measure (see guidance for eligibility criteria).	Overview
Date_of_Completed_Installation	On what date was the installation of the measure completed?	The date of completed installation (DOCI) indicates the date on which the installation of the measure was 'complete'. Please refer to the ECO3 Guidance for information on how this date is determined.	Date Field	dd/mm/yyyy	<p>Only DOCI between 01/10/2018 and 31/03/2022 (inclusive) are valid.</p> <p>Only entries in the accepted format are valid.</p>	CORE	Overview
Building_Number	Where relevant, what is the number of the building in which the measure was installed?	Provide the number of the building (if applicable).	Alphanumeric	Max character length of 50 characters	Only entries in the accepted format are valid.	CORE when: 'Building_Name' is unavailable	Property/Person
Building_Name	Where relevant, what is the name of the building in which the measure was installed?	Provide the name of the building (if applicable).	Alphanumeric	Max character length of 100 characters	Only entries in the accepted format are valid.	CORE when: 'Building_Number' is unavailable	Property/Person

Flat_Name/ Number	Where relevant, what is the name or number of the flat in which the measure was installed?	Provide the name or number of the flat (if applicable). The word 'Flat' should be entered where appropriate (e.g. 'Flat 1').	Alphanumeric	Max character length of 50 characters	If a flat name or number is available it must be provided. Only entries in the accepted format are valid.	Optional	Property/ Person
Street_Name	What is the name of the street on which the premises is located?	Provide the name of the street on which the premises is located.	Alphanumeric	Max character length of 50 characters	Only entries in the accepted format are valid.	Optional	Property/ Person
Town	What is the name of the town or city in which the premises is located?	Provide the town in which the premises is located.	Alphanumeric	Max character length of 50 characters	Only entries in the accepted format are valid.	CORE	Property/ Person
Post_Code	What is the postcode for the premises?	Provide the full Royal Mail postcode corresponding to the address provided.	Alphanumeric with/without 'Space'	AN NAA ANN NAA AAN NAA AANN NAA ANA NAA AANA NAA	Postcodes with and without spaces will be accepted Only entries in the accepted format are valid.	CORE	Property/ Person
Unique_Property_Reference_Number_(UPRN)	What is the UPRN for the premises?	Provide the unique property reference number that is the unique twelve digit number assigned to every unit of land and property by the National Land and Property Gazetteer and recorded by local Government. Suppliers are encouraged to submit this data where it is available as standard. 'N/A' may be entered where the UPRN is unknown.	Alphanumeric	NNNNNNNNNN NN N/A	Numeric entries must be 12 digits. Only entries in the accepted format are valid.	Optional	Property/ Person

Rural_Sub_Obligation	Is the measure intended to be credited towards the rural sub-obligation?	Suppliers must achieve at least 15% of its obligation by promoting eligible measures to premises in rural areas. If a measure is installed in a rural area, then 'Yes' should be entered in this field.	Alphabetic	Yes No	Only entries corresponding to the list are valid.	Required	Overview
Output_Area	What is the OA code in which the premises is located?	Provide the code for the Output Area (OA) in which the premises is located. For more information on OAs please see the ECO3 Guidance.	Alphanumeric	ANNNNNNNN N/A	Only entries in the accepted format are valid.	Required when: 'Rural_Sub_Obligation' = Yes	Property/ Person
Private_Domestic_Premises	Was the measure installed at a private domestic premises?	Indicates whether the premises is generally not owned and/or let by a social landlord. For further information on the definition of private domestic premises, please refer to the ECO3 Guidance.	Alphabetic	Yes No N/A	Only entries corresponding to the list are valid.	Required when: 'Eligibility' = Help to Heat Group or LA declaration	Property/ Person
Tenure	What is the tenure of the premises?	Provide a description of the tenure of the premises, for example 'Owner Occupied', 'Owner Occupied FG', 'Private Rented Sector ABCDE', 'Private Rented Sector FG', 'Social Housing (RSL)', 'Other'. 'PRS FG' may be entered where there is no EPC in this tenure type.	Alphabetic	Owner Occupied PRS ABCDE PRS FG Social Housing (RSL) EFG Social Housing (RSL) D Other	Only entries corresponding to the list are valid.	Required	Property/ Person
EST_Land_Registry_Number	What is the EST online owner verification unique reference number (URN)?	Energy Saving Trust are able to validate which properties are private via their online portal. Suppliers are then given the URN which needs to be sent along with measure details. This URN must be a 10 digit number.	Numeric	NNNNNNNNNN	Only entries in the accepted format are valid.	Optional	Measure

Property_Type	What type of property is the premises?	Provide the type of premises the measure was installed to. When completing this field, refer to the Appendix 1 of this document. This sets out the 'Property Type Name: format for notification to Ofgem'. Property Type needs to be notified in the exact naming convention specified.	Alphabetic	As per the advised list of Property Types in Appendix 1 of this document	Only entries corresponding to the list are valid.	Required	Property/ Person
Scoring_Method	What scoring method has been used?	Indicates the methodology used to calculate the savings for the measure. All measures except for DHS will be scored using deemed scores (DS) methodology. For DHS measures, SAP, RdSAP or a new, appropriate or alternative methodology (NM) must be used.	Alphabetic	SAP RdSAP DS NM	Only entries corresponding to the list are valid.	Required	Measure
Name_&Version_Of_Scoring_Tool_Used	What is the name and version of the scoring tool used?	Provide the exact name and version number of the approved scoring tool, as listed by the UKAS-accredited body that approved the tool, used to calculate the savings for the measure. If a new, appropriate or alternative methodology has been used, the name of the scoring tool should be entered in this field. Where the scoring method is DS, N/A should be entered.	Alphanumeric	Max character length of 150 characters	Only entries in the accepted format are valid.	Required when: 'Scoring_Method' = NM, SAP or RdSAP	Measure
New_Methodology_ID	Where a new, appropriate or alternative methodology (NM) has been used, what is the reference number for that NM?	If an NM has been used to calculate the savings of the measure, the reference number Ofgem allocated to this new, appropriate or alternative methodology must be provided. (Ofgem will provide a unique NM ID when a request is submitted to use a new, appropriate or alternative methodology). Measures scored using a NM that has not yet been approved will be placed on hold and review of the measures will be subject to the approval of that methodology.	Alphanumeric	AANNNN N/A	Only entries in the accepted format are valid.	Required when: 'Scoring_Method' = NM	Measure

Annual_Cost_Saving_(£)	What is the annual cost saving?	<p>Indicates the annual cost saving (in GBP£) achieved by the measure. This saving should be calculated in accordance with SAP or RdSAP or using an approved new methodology.</p> <p>Suppliers should not include the units ('£') when completing this field.</p> <p>Where the scoring method is DS, N/A should be entered.</p>	Alphanumeric	NNNNN.NN N/A	Only entries in the accepted format are valid.	Required when: Scoring_Method = NM, SAP or RdSAP	Measure
Lifetime_(yrs)	What is the lifetime of the measure?	<p>Indicates the expected lifetime of the measure.</p> <p>The ECO3 Measures Table provides a list of lifetimes and is available on our website.</p> <p>Where the scoring method is DS, N/A should be entered.</p>	Alphanumeric	NN N/A	Only entries in the accepted format and as per the ECO3 Measures Table are valid.	Required when: Scoring_Method = NM, SAP or RdSAP	Measure
Cost_Score_(£)	What is the cost score for the measure?	<p>Where the scoring method is DS, refer to the deemed score matrix to identify the appropriate cost score for a measure.</p> <p>For measures scored using SAP, RdSAP or a NM, the cost score should be calculated as follows:</p> <p><i>Annual cost saving x Lifetime x Uplift (where applicable)</i></p> <p>See the ECO3 Guidance for further information.</p> <p>Suppliers should not include the units ('£') when completing this field.</p>	Numeric	NNNNNN	Only entries in the accepted format are valid.	CORE	Measure
Boiler_or_ESH_Warranty	Where the measure is the repair or replacement of a boiler or an electric storage heater (ESH), was the measure accompanied by a warranty?	<p>Indicates the length (in years) of the warranty.</p> <p>All boiler or ESH installations must be accompanied by a warranty of at least one year.</p> <p>All boiler and ESH repairs must also be accompanied by a warranty of at least one year. If a repair measure with a 2 year lifetime is being claimed, the warranty must be of at least 2 years.</p>	Alphanumeric	N NN N/A	Only entries in the accepted format are valid.	Required when: Measure Category = Boiler, ESH	Measure

Adequate_Roof_or_Wall_Insulation	Where the measure is a connection to a district heating system (DHS), does the premises have adequate roof or wall insulation?	DHS is only eligible if the premises being connected has adequate roof or wall insulation. ‘Yes’ should be entered where the premises being connected to the DHS meets one of the two insulation pre-conditions (as relevant). For further information please refer to the ECO3 Guidance.	Alphabetic	Yes No N/A	Only entries corresponding to the list are valid.	Required when: Measure Category is DHS	Measure
DHS_Consumer_Protection	Has the DHS measure been registered with an appropriate consumer protection organisation?	Where a DHS measure is installed, it must have appropriate consumer protection in place. This can mean registration with the heat networks consumer protection body Heat Trust or an equivalent organisation or standard. Suppliers should notify either Heat Trust or Equivalent.	Alphabetic	Heat Trust Equivalent N/A	Only entries corresponding to the list are valid.	Required when: Measure Type = DHS_new_connection OR DHS_CHP_upgrade	Measure

Pre_Main_Heating_Source_for_the_Property	What was the fuel type of the main space heating system(s) for the premises before the measure was installed?	<p>Indicates the main space heating source of the premises prior to installation of the measure or, for heating measures, the heating source being replaced or repaired.</p> <p>Where the scoring method is DS, refer to Appendix 2 of this document for details on completing this field</p> <p>Some properties may be heated by a heating source not listed in Appendix 2. In such cases an appropriate heating source proxy should be used. This heating source must be accompanied by an asterisk (*) to denote that a proxy has been used. Refer to Appendix 3 of this document for a list of these heating sources and the associated proxy.</p> <p>'DHS' can only be used where the measure is not scored using deemed scores. 'Other' can only be used where the measure is not scored using deemed scores and the heating source is not listed here.</p> <p>For further guidance on determining the pre-main heating source please refer to the ECO3 Guidance.</p>	Alphabetic	<p>For measures where the scoring method is DS, as per the list of pre main heating sources in Appendix 2 and Appendix 3 of this document.</p> <p>For measures not scored with deemed scores 'DHS' and 'Other' are also acceptable.</p>	Only entries corresponding to the list are valid.	Required	Property/Person
Post_Main_Heating_Source_for_the_Property	What is the fuel type of the main space heating system(s) for the premises after the measure was installed?	<p>For broken boiler repair and replacement and FTCH measures using scoring method DS, this field denotes the heating source which has been installed at the property.</p> <p>When DHS measures are notified with a Tenure of 'PRS FG', we will use this field to verify the eligibility of the measure.</p> <p>For all other measures N/A must be entered.</p>	Alphabetic	<p>Gas boiler Oil boiler LPG boiler ASHP GSHP Biomass boiler Electric boiler DHS DHS - Renewable N/A</p>	Only entries corresponding to the list are valid.	Required when: Measure category = Boiler or FTCH OR Measure category = DHS and Tenure = PRS FG	Property/Person

Pre_Installation_EPC_RRN	Was a pre-installation EPC completed and lodged with the appropriate body?	<p>Provide the report reference number for the latest EPC (if generated and lodged in the appropriate EPC Register) generated prior to the installation of the specified measure.</p> <p>We will use this to check whether a social housing premises is eligible for 'Social Housing EFG' and 'Social Housing D', the LA F&G Deemed Scores uplifts as well as the LA F&G uplifts for non Deemed Score DHS measures. Measures notified with these tenure types or uplifts must have either a pre or a post EPC RRN.</p> <p>We will also use this to verify measures with a Tenure of 'PRS ABCDE'</p> <p>'N/A' must be entered where a pre-installation EPC is not required. It should also be entered when the EPC has not been lodged, has been withdrawn or no EPC exists. 'N/A' must be entered when a pre/post installation EPC is not required, e.g. where the measure does not include the tenure types and uplifts listed above or, where permissible, a post/pre installation EPC is provided instead.</p>	Alphanumeric	<p>NNNN-NNNN-NNNN-NNNN N/A</p> <p>Max character entry of 24 characters</p>	Only entries in the accepted format are valid.	<p>Required when: ('Eligibility' = Social Housing EFG or Social Housing D) or 'Name_of_Uplift_For_DS' = LA_F&G_nonPRS_insulation, LA_F&G_nonPRS or 'Uplift_for_Non_DS' = '1.25') AND 'Post_Installation_EPC_RRN' = N/A</p> <p>OR</p> <p>('Tenure' = PRS ABCDE;)</p>	Measure
Post_Installation_EPC_RRN	Was a post-installation EPC completed and lodged with the appropriate body?	<p>Provide the report reference number for an EPC (if generated and lodged in the appropriate EPC Register) generated after the installation of the specified measure.</p> <p>We may use this to check that a social housing premises is eligible for 'Social Housing EFG', 'Social Housing D', the LA F&G Deemed Score uplifts as well as the LA F&G uplift for non Deemed Score DHS measures. Measures notified with these tenure types or uplifts must have either a pre or a post EPC RRN.</p> <p>'N/A' must be entered where a pre-installation EPC is not required. It should also be entered when the EPC has not been lodged or has been withdrawn. 'N/A' must be entered when a pre/post installation EPC is not required, e.g. where the measure does not include the tenure types and uplifts listed above or, where permissible, a post/pre installation EPC is provided instead.</p>	Alphanumeric	<p>NNNN-NNNN-NNNN-NNNN N/A</p> <p>Max character entry of 24 characters</p>	Only entries in the accepted format are valid.	<p>Required when: ('Eligibility' = Social Housing EFG or Social Housing D) or 'Name_of_Uplift_For_DS' = LA_F&G_nonPRS_insulation, LA_F&G_nonPRS or 'Uplift_for_Non_DS' = '1.25') AND 'Pre_Installation_EPC_RRN' = N/A</p>	Measure

Brokerage_Lot_Number	If the measure was purchased through brokerage, what is the lot number of the measure?	Provide the reference (lot number) associated with the purchase through brokerage.	Alphanumeric	Max character length of 50 characters N/A	Only entries corresponding to the list are valid.	Required	Overview
Installed_In_Accordance_with_PAS?	If the measure is referred to in the Publicly Available Specification 2030:2017 (PAS), which version of PAS was the measure installed under?	All measures that are referred to in PAS must be installed in accordance with the Specification. Where the Post_Main_Heating_Source_for_the_Property is 'Biomass boiler', 'ASHP', 'GSHP', 'DHS' or 'DHS - Renewable', 'N/A' should be entered. Note that for all Boiler Repair measures, 'N/A' should be entered. For further information on this requirement please refer to the ECO3 Guidance and the ECO3 measures table.	Alphanumeric	PAS2030:2017 N/A	Only entries corresponding to the list are valid.	Required when: 'Measure_Type' is referred to in PAS	Measure
Percentage_of_Measure_Installed	Has 100% of the measure been installed at the premises?	Indicates whether 100% of all areas of the premises that are suitable for treatment with that measure have been treated. Ofgem require that suppliers must install 100% of a measure at a premises, unless there are reasonable grounds for not doing so. This field should be considered in conjunction with 'Percentage_of_Property_Treated'. There will be cases where they will not be the same, for example where a wall insulation measure is installed in a property made up of multiple wall types. Examples can be found in our ECO3 guidance. If the Measure Type is Solar PV, this field should be 'N/A'.	Alphabetic	Yes No N/A	Only entries in the accepted format are valid.	Required	Measure

Percentage_of_Property_Treated	What percentage of the property was treated with the measure?	<p>Indicates what percentage of the property has been treated by the measure. Where the scoring method is DS, this value determines the percentage of the overall deemed score which is claimed.</p> <p>This field should be considered alongside 'Percentage_of_Measure_Installed'.</p> <p>If 67% or more of the measure has been treated, '67+' can be notified here. Otherwise, the exact percentage of property treated must be notified.</p> <p>The only exception is Solar PV. Where this is the measure type, suppliers can notify up to 400%.</p> <p>Rounding should be carried out to the nearest whole number</p> <p>Suppliers should not include the '%' symbol when completing this field.</p>	Alphanumeric	NNN NNA N/A	Only entries in the accepted format are valid.	Required when: 'Scoring_Method' = DS	Measure
Name_of_Uplift_For_DS	What deemed score uplift has been applied for this measure?	<p>In some circumstances, the scores for certain measures are subject to an uplift. Where this is the case, the name of the uplift should be entered in this field, and the version of the score which incorporates the uplift should be selected from the deemed scores matrix.</p> <p>All measures which are the replacement of a broken heating system should be notified with either the Broken_central_heating or Broken_ESH uplifts.</p> <p>All insulation measures which are installed in a property with a non mains gas pre main heat source should be notified with the Nonmainsgas_insulation uplift, if a larger uplift is not available;</p> <p>Measures can also be eligible for an uplift when installed in certain properties under the LA flexible eligibility mechanism. See the ECO3 guidance for further information.</p>	Alphanumeric	LA_F&G_nonPRS_insulation, LA_F&G_nonPRS, Nonmainsgas_insulation, Broken_central_heating, Broken_ESH, N/A	Only entries in the accepted format are valid.	Required when: 'Scoring_Method' = DS	Measure

Uplift_For_Non_DS	What uplift has been applied for this measure?	<p>An uplift will be included when calculating the cost score of some measures. If the measure has been scored using deemed scores, or no uplift is applied, then 'N/A' should be entered.</p> <p>If a DHS measure has been installed to an EPC band F or G property in a local authority declaration (which is not PRS), an uplift of 1.25 should be entered.</p> <p>You cannot combine uplifts.</p> <p>See the ECO3 Guidance for further information.</p>	Alphanumeric	1.25 N/A	Only entries in the accepted format are valid.	Required when: 'Scoring_Method' = NM, SAP or RdSAP	Measure
Installer_Name	What is the name of the installer?	Provide the name of the company that carried out the installation of the measure at the premises. This should not be the name of the managing agent unless they carried out the installation. In cases where a measure is referred to in PAS 2030, we require the name of the certified installation company to be notified rather than a company that the PAS-certified installation company has sub-contracted the installation to.	Alphanumeric	Max character length of 150 characters	Only entries in the accepted format are valid.	Required	Measure
Wall_Guarantee	If the measure is wall insulation, what is the Ofgem code for its appropriate guarantee?	<p>Provide the 8-digit character code for the appropriate guarantee. These codes can be found on the ECO Appropriate Guarantees List on the Ofgem website.</p> <p>If the guarantee applied for does not appear on our list, please contact us for a code.</p>	Alphanumeric	AAAAAANN N/A	Only entries in the accepted format are valid.	Required when: Measure Category = CWI, SWI, PHI_wall, PHI_floor or PHI_roof	Measure
LA_Criteria	What is the reason given in the LA declaration for listing the household under a local authority declaration?	<p>For a household to be eligible under this route it must be identified by the local authority as either in fuel poverty (fuel poor), low income & vulnerable to the effects of a cold home (low income and vulnerable) or In-fill.</p> <p>For more information on eligibility under this route please see the Ofgem ECO3 guidance, the Electricity and Gas (Energy Company Obligation) Order 2018 or the BEIS guidance.</p> <p>Where a measure is installed to a premises listed on a local authority declaration but is notified as a help to heat measure, this information should also be notified.</p>	Alphanumeric	Fuel poor Low income & vulnerable In-fill N/A	Only entries corresponding to the list are valid.	<p>Required when: 'Eligibility' = LA declaration</p> <p>Optional when: 'Eligibility' = Help to Heat Group</p>	Property/ Person

LA_Declaration_Reference_Number	What is the local authority declaration reference number?	Provide the local authority declaration unique reference number. Where a measure is installed to a premises listed on a local authority declaration but is notified as a Help to Heat measure, the LA declaration reference number should still be provided.	Alphanumeric	ANNNNNNNN-NNNNN	Only entries in the accepted format are valid.	Required when: 'Eligibility' = LA declaration Optional when: 'Eligibility' = Help to Heat Group	Property/Person
PAS_Certification_Number	If the measure is referred to in the Publicly Available Specification 2030:2017 (PAS), what is the installer's PAS certification number?	Provide installer's PAS certification number. This must be the PAS certification number relevant to the annex of the measure being installed. PAS certification number is required as evidence that a measure has been installed by a PAS-certified installer. For further information on this requirement please refer to the ECO3 Guidance.	Alphanumeric	Max character length of 15 characters	Only entries in the accepted format are valid.	Required when: 'Measure_Type' is referred to in PAS	Measure
Innovation_Measure	If the measure is an innovation measure, which area of innovation is it notified under?	Measure can be notified as innovative measures if they fall within one of the following categories; Demonstration Actions, Innovation Measures and Monitored Measures. Where a measure is being delivered under more than one of the innovation routes, the relevant route combination should be provided.	Alphabetic	Demonstration Action, Innovation Measure, Monitored Measure, Demonstration Action/Innovation Measure/Monitored Measure, Demonstration Action/Innovation Measure, Demonstration Action/Monitored Measure, Innovation Measure/Monitored Measure N/A	Only entries corresponding to the list are valid.	Required	Measure

Innovation_Measure_Number	If the measure is an innovation measure, what is the Innovation Measure Number?	Provide the number for notification for the innovation measure. These numbers can be found in the ECO3 Approved Innovation Measures document on the Ofgem website.	Alphanumeric	NNN N/A	Only entries corresponding to the list are valid.	Required when: 'Innovation_Measure' = Innovation Measure, Demonstration Action/Innovation Measure/Monitored Measure, Demonstration Action/Innovation Measure or Innovation Measure/Monitored Measure	Measure
Innovation_Measure_Uplift	If the measure is an innovation measure, does the measure receive the 25% uplift and count towards the innovation cap?	<p>A 25% uplift can be applied to innovation measures. 'N/A' should be entered where the uplift has not been applied and the Innovation measure should not be counted towards the supplier's innovation cap.</p> <p>The uplift can be only be applied to Innovation Measures which are not delivered in combination with any of the other innovation routes.</p> <p>See the ECO3 Guidance:Innovation for further information.</p>	Alphanumeric	1.25 N/A	Only entries corresponding to the list are valid.	Required when: 'Innovation_Measure' = Innovation Measure	Measure

Appendix 1 Property Type

Property Category Name	Property Type	Bedrooms	Property Type Name: format for notification to Ofgem
Flat	3 ext. Wall Flat	1	3W_Flat_1
	3 ext. Wall Flat	2	3W_Flat_2
	3 ext. Wall Flat	3+	3W_Flat_3+
	2 ext. Wall Flat	1	2W_Flat_1
	2 ext. Wall Flat	2	2W_Flat_2
	2 ext. Wall Flat	3+	2W_Flat_3+
House	End-terrace	1	End-terrace_1
	End-terrace	2	End-terrace_2
	End-terrace	3	End-terrace_3
	End-terrace	4	End-terrace_4
	End-terrace	5+	End-terrace_5+
	Mid-terrace	1	Mid-terrace_1
	Mid-terrace	2	Mid-terrace_2
	Mid-terrace	3	Mid-terrace_3
	Mid-terrace	4	Mid-terrace_4
	Mid-terrace	5+	Mid-terrace_5+
	Semi-detached	2-	Semi_2-
	Semi-detached	3	Semi_3
	Semi-detached	4	Semi_4
	Semi-detached	5+	Semi_5+
	Detached	2-	Det_2-
	Detached	3	Det_3
	Detached	4	Det_4
	Detached	5	Det_5
Detached	6+	Det_6+	
Bungalow	Bungalow - semi detached & end terrace	1	Bung_Semi/End_1
	Bungalow - semi detached & end terrace	2	Bung_Semi/End_2

	Bungalow - semi detached & end terrace	3+	Bung_Semi/End_3+
	Bungalow - mid terrace	1	Bung_Mid_1
	Bungalow - mid terrace	2	Bung_Mid_2
	Bungalow - mid terrace	3+	Bung_Mid_3+
	Bungalow - detached	2-	Bung_Det_2-
	Bungalow - detached	3+	Bung_Det_3+
Maisonette	Maisonette 3 ext. Wall	2-	3W_Maisonette_2-
	Maisonette 3 ext. Wall	3+	3W_Maisonette_3+
	Maisonette 2 ext. Wall	2-	2W_Maisonette_2-
	Maisonette 2 ext. Wall	3+	2W_Maisonette_3+
Mobile Home	Single park home		Single_park_home
	Double park home		Double_park_home

Appendix 2 Pre Main Heating Source for the Property for Deemed Score

Measure type	Pre main heating source												
	Gas boiler	Electric Storage Heaters	Oil boiler	LPG boiler	Solid fossil fuel boiler	Electric boiler	Electric room heaters	Gas room heaters	Solid fossil fuel room heaters	Bottled LPG boiler	Bottled LPG room heaters	Gas fire with back boiler	Gas back boiler to radiators
Insulation measures (exc. park home insulation)	√	√	√	√	√	√	√	√	√				
Park home insulation	√	√	√	√	√	√	√	√	√	√	√		
Broken boiler replacements	√		√	√	√	√						√	√
Boiler upgrade	√		√	√	√	√							√
First time central heating		√					√	√	√			√	
Boiler repair	√		√	√		√							
Broken electric storage heater replacement		√											
Broken electric storage heater repair		√											
Electric storage upgrade		√	√	√	√	√	√	√	√			√	√
Heating controls	√		√	√	√	√							
Solar PV		√				√	√						

Appendix 3 Pre Main Heating Source proxies for rarer heating sources

Pre-main heating source	Proxy heating source
ASHP central heating ^{1,5}	Gas room heaters*
Air-oil hybrid heat pump	Gas room heaters*
Biomass district heating system	Gas boiler*
Biomass/wood central heating	Solid fossil fuel boiler*
Biomass/wood room heaters	Solid fossil fuel boiler*
Bottled LPG back boiler to radiators	Electric boiler*
Bottled LPG central heating ²	Electric boiler*
Bottled LPG fire with back boiler	Electric room heaters*
Bottled LPG range cooker boiler	Electric room heaters*
Bottled LPG room heaters ²	Electric room heaters*
Electric ceiling heaters	Electric room heaters*
Electric underfloor heating	Electric storage heaters*
Electric warm air system	Electric boiler*
Gas back boiler to radiators ³	Gas room heaters*
Gas district heating system	Gas boiler*
Gas fire with back boiler ³	LPG boiler*
Gas range cooker boiler	Gas room heaters*
Gas warm air system	Gas boiler*
GSHP central heating ⁵	Gas room heaters*
GSHP district heating system	Gas boiler*
LPG back boiler to radiators	LPG boiler*
LPG boiler - Special Condition 18 ⁴	Gas boiler*
LPG district heating system	Gas boiler*
LPG fire with back boiler	Electric room heaters*
LPG range cooker boiler	LPG boiler*
LPG room heaters	LPG boiler*
LPG warm air system	LPG boiler*
No heating present	Electric room heaters*
Oil district heating system	Gas boiler*
Oil range cooker boiler	Gas boiler*
Oil room heaters	Gas room heaters*
Oil warm air system	Oil boiler*
Solid fossil fuel back boiler to radiators	Solid fossil fuel boiler*

Solid fossil fuel fire with back boiler	Solid fossil fuel room heaters*
---	---------------------------------

¹air-to-water ASHP or air-to-air ASHP

²In the case of park home insulation measures, a proxy must not be used for these heat sources. The deemed scores matrix contains variants of park home insulation scores with the pre main heat sources 'bottled LPG boiler' and 'bottled LPG room heater'.

³In the case of heating measures, a proxy must not be used for these heat sources. The deemed scores matrix contains variants of heating measures scores with the these pre-main heating sources 'Gas back boiler to radiators' and 'Gas fire to back boiler' where applicable.

⁴Special Condition 18 applies only if the property receives LPG at mains gas prices¹

⁵Heating controls, smart thermostats and TRV measures installed alongside ASHPs and GSHPs should use the LPG boiler* proxy

¹ See: <https://www.ofgem.gov.uk/ofgem-publications/50140/7940-independentnetworksopenletterpdf>