

Energy Company Obligation (ECO3) Data Dictionary V1.7

This document provides a data dictionary and general information for suppliers to complete the Monthly Notification Template for ECO3 measures installed from 1 October 2020.

This data dictionary sets out each of the fields to be completed on the Monthly Notification Template, the questions suppliers should be answering when completing the field, as well as an explanation of the information suppliers should provide. It then sets out the data field type required, the accepted format and validations involved for each field.

The data dictionary also distinguishes between types of data that are provided in the Monthly Notification Template.

Core Data: must be provided in order for a notification to be made. If core data is omitted or provided in a format other than the accepted format, the attempt to notify the measure will fail.

Required Data: must be provided before we can process the notification. If this information is omitted or not provided in the correct format, the notification will be made, but we will be unable to process the notification.

Optional Data: we request suppliers provide this in order to assist our validation and audit processes, and to assist suppliers should they later wish to transfer a measure to another supplier.

Suppliers should be aware that Ofgem's system cannot accept data unless notified in accordance with the accepted format as specified below. The accepted format is case sensitive and includes headings. As noted above, where core data is provided in a format other than the accepted format, the attempt to notify the measure will fail.

Ofgem will perform additional validations to check dependencies of mandatory fields and measure eligibility.

Submitting the Notification Template:

- Format "A" - Alphabetic.
- Format "N" - Numeric.

- File name should be AAA_AAANN_VN.N where the three letter prefix is the supplier's three letter acronym, AAANN is the notification month and year and VN.N refers to the approved template version. The notification month and year should be consistent with the following example: December 2018 submitted as DEC18.
- File should be submitted in .csv format.
- File should include the heading for each field.

Completing the Notification Template

- When a field is not applicable, or not required for your notification (as indicated by the 'required when' statement in the 'Mandatory' column), it should be populated with 'N/A'. This will be an accepted format entry except when completing the address data. The address fields must not be completed with 'N/A' as this will not be accepted by the Ofgem system.

Associated Documents

For further information on any of the fields listed below or information on our administration of ECO, refer to the ECO3 Guidance, available on our website.

For information on formatting addresses, refer to [Address Formatting Guidance note, available on our website.](#)

For information on energy efficiency measures which suppliers can use to meet their ECO obligations, including how to differentiate between 'measure categories' and 'measures', refer to the ECO3 Measures Table, available on our website.

Table 1: Data Dictionary

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---------------------------|--|---|-----------------|-----------------|--|-----------|------------|
| Overall_Obligation_Period | Which overall obligation period has the measure been delivered under? | This is based on the date of completed installation (DOCI). | Alphabetic | ECO3 | If DOCI is between 01/10/2018 and 31/03/2022 (inclusive), the entry should be 'ECO3'. | Required | Overview |
| ECO_Supplier_Reference | What is the ECO supplier reference number of the supplier that owns the measure? | This refers to the unique ECO supplier reference number allocated to every supplier by Ofgem. This takes the form AAANNNNNNNA. The first three characters are an assigned acronym identifier for the company name. The eight alphanumeric characters are the licence-holder's company registration number and the final letter denotes the licence type, E = Electricity, G = Gas. This entry identifies the supplier whose obligations the measure will be credited | Alphanumeric | AAANNNNNNNA | The reference number must be a valid supplier reference. Only entries in the accepted format are valid. | CORE | Overview |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---------------------|---|--|-----------------|---|---|-----------|------------|
| | | towards. The ECO supplier reference number that is provided must be for the supplier that owns the measure. In relation to transferred measures, this will be the supplier that is the 'buyer'. | | | | | |
| Obligation_Category | Which of the obligations is the measure to be credited towards? | This refers to the ECO obligation the measure is to be credited against (i.e. HHCRO). | Alphabetic | HHCRO | Only entries corresponding to the list are valid. | CORE | Overview |
| Measure_Type | Which measure was installed at the premises? | This describes the measure type installed at the premises (each measure installed is to be reported in a separate row). When completing this field, refer to the ECO3 Measures Table published on our website. This sets out the 'Measure Name: format for notification to Ofgem'. Measures need to be notified in | Alphanumeric | As per the advised list of measures in the ECO3 Measures Table, or; 'DA_[name of demonstration action]', or 'DA_[name of demonstration action]_Control' | Only entries corresponding to those in the ECO3 Measures Table are valid where DOCI is between 01/10/2018 and 31/03/2022, except Demonstration Actions. | CORE | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|------|----------|--|-----------------|-----------------|-------------|-----------|------------|
| | | <p>the exact naming convention specified in the ECO3 Measures Table under 'Measure Name: format for notification to Ofgem'.</p> <p>Approved Demonstration Action measures with the measure installed should be notified with 'DA_[name of demonstration action]' as the Measure Type. This will be agreed upon approval of a Demonstration Action. If the Demonstration Action includes control properties which have not had a product installed, these properties should be notified as 'DA_[name of demonstration action]_Control'.</p> | | | | | |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--------------------------|--|---|-----------------|--|---|-----------|------------|
| Measure_Reference_Number | What is the unique measure reference number that the supplier has generated for this particular measure? | <p>This is the unique reference number generated by the supplier and ascribed to the measure being notified. This allows the measure to be identified by both suppliers and Ofgem.</p> <p>The first three characters are an assigned acronym identifier for the company name. The following seven numbers should be generated by the supplier.</p> <p>This reference number must be unique across ECO1, ECO2, ECO2t and ECO3.</p> | Alphanumeric | AAANNNNNNN | Only entries in the accepted format are valid. | CORE | All |
| Purpose_of_Notification | What is the purpose of this submission? | <p>This indicates the reason for notifying the measure.</p> <p>'New Notification' should be entered when notifying a measure for the first time, provided it is not subject to an extension request.</p> | Alphabetic | New Notification, Edited Notification, Extended Notification, Automatic Late Extension | Only entries corresponding to the list are valid. | Required | Overview |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|-------------|------------------------------------|--|-----------------|--|---|-----------|---------------------|
| | | <p>'Edited Notification' should be entered when an existing notification is being amended and the measure is re-notified.</p> <p>'Extended Notification' should be entered when the measure has an extension request associated with it.</p> <p>'Automatic Late Extension' should be entered when the measure is being notified after its Notification Period and falls within a supplier's 5% automatic late extension quota.</p> | | | | | |
| Eligibility | What is the ECO eligibility route? | <p>Indicates how the customer or premises has been targeted and deemed eligible for ECO.</p> <p>Social Housing with an EPC of D is only available for Demonstration Actions and Innovation Measures.</p> | Alphabetic | Help to Heat Group Social Housing EFG Social Housing D LA declaration AW In-fill | Only entries corresponding to the list are valid. | CORE | Property/ Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|-------------------------|--|---|-----------------|---|---|---|------------------|
| | | For further information on the various routes to eligibility, please refer to the ECO3 Guidance. | | | | | |
| HTH_Verification_Method | How has Help to Heat Group membership been determined? | <p>For further information on how to identify whether a person is eligible for the scheme, please refer to the ECO3 Guidance.</p> <p>'WHD Core Group' may be entered where the supplier can produce a WHD Core Group notice at audit for the help to heat group member.</p> <p>A data link is being established with the Department of Work and Pensions (DWP) so that help to heat group eligibility can be verified through a data matching exercise. Once this is in place, suppliers should enter 'DWP Match' for measures where help to heat group</p> | Alphabetic | WHD Core Group DWP Match HTHG Benefit Letter Self Declaration MOD Documentation Other N/A | Only entries corresponding to the list are valid. | Required when: 'Eligibility' = Help to Heat Group | Property/ Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|----------------------|---|---|-----------------|-------------------|--|--|------------------|
| | | <p>eligibility has been verified using this method.</p> <p>'Self Declaration' may be entered where a supplier can produce a Child Benefit Self-Declaration at audit.</p> <p>'MOD Documentation' may be entered where a supplier will produce a copy of the relevant documents specified in the ECO3 Guidance at audit.</p> <p>'Other' should only be entered in exceptional circumstances when agreed with Ofgem.</p> | | | | | |
| DWP_Reference_Number | What is the reference number provided by the data matching provider confirming DWP have verified the customer is a HTHG member? | Where a customer was verified as a member of the HTHG using the DWP data matching service, enter the reference number provided by the data matching provider. | Alphanumeric | NNNNNNNNNN N/A | Only entries in the accepted format are valid. | Required when: 'HTH_Eligibility_Verification_Method' = DWP Match | Property/ Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--|---|--|-----------------|-------------------|--|-----------|------------|
| Associated_Insulation_MRN_for_Heating_Measures | For heating measures, what is the associated insulation measure reference number? | <p>Heating upgrade measures can only be installed into a property alongside certain insulation measures.</p> <p>Where the measure is a heating upgrade, the related primary insulation MRN should be provided here.</p> <p>The only exception is an ESH upgrade installed to a property where the pre main heat source was not a central heating system, district heating system or ESH. These do not require a primary insulation measure.</p> <p>Where heating measures are being notified with a 'broken' type, the MRN of the related primary insulation measure can be notified here to exempt the heating measure from the broken heating cap.</p> | Alphanumeric | AAANNNNNNN N/A | Only entries in the accepted format are valid. | Required | Overview |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--------------------------------|--|---|-----------------|-------------------|--|---|------------|
| Associated_AW_Infill_Measure_1 | If the measure is part of a group of measures which involve infilling, what are the associated MRNs? | There is an 'infill' mechanism in ECO3 where SWI or DHS measures can be installed to properties that do not meet the typical eligibility routes, provided that there are eligible properties in the same area. See the ECO3 Guidance for more information on what constitutes as the 'same area'. ¹ Provide the first associated supporting MRN for the AW Infill measure. | Alphanumeric | AAANNNNNNN N/A | Only entries in the accepted format are valid. | Required when: 'Eligibility' = AW Infill | Overview |
| Associated_AW_Infill_Measure_2 | If the measure is part of a group of measures which involve infilling, what are the associated MRNs? | There is an 'infill' mechanism in ECO3 where SWI or DHS measures can be installed to properties that do not meet the typical eligibility routes, provided that there are eligible properties in the same area. See the ECO3 Guidance for more information on what constitutes as the 'same area'. | Alphanumeric | AAANNNNNNN N/A | Only entries in the accepted format are valid. | Required when: 'Eligibility' = AW Infill | Overview |

¹ Definition of solid wall insulation can be found in article 2 of the ECO3 Order - <http://www.legislation.gov.uk/ukxi/2018/1183/article/2/made>

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---------|--|---|-----------------|----------------------------|--|--|------------|
| | | Provide the second associated supporting MRN for the AW In-fill measure. | | | | | |
| SWMR_RN | What is the solid wall minimum requirement reference number? | <p>Measures delivered to solid-walled homes can be counted towards an obligated supplier's SWMR. If a collection of measures has been used to meet this, the reference number unique to the solid-walled home in question must be entered. All standard SWI measures should also enter this unique reference number where they are intended to count towards SWMR.</p> <p>The name should reference the supplier code, pre-installation position of the SWI measure which could have been installed at the property (2.00, 1.70, 1.00), percentage of the</p> | Alphanumeric | AAA/N.NN/NNN/NNNNNN N/A | Only entries in the accepted format are valid. | Required when: Measure is intended to count towards SWMR, either as eligible SWI or as an SW alternative measure (see guidance for eligibility criteria). | Overview |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--------------------------------|---|--|-----------------|-----------------|---|-----------|------------|
| | | <p>exterior facing walls which are of solid construction (whether they're insulated or not), followed by a reference number unique to the property.</p> | | | | | |
| Date_of_Completed_Installation | On what date was the installation of the measure completed? | <p>The date of completed installation (DOCI) indicates the date on which the installation of the measure was 'complete'. Please refer to the ECO3 Guidance for information on how this date is determined.</p> <p>For demonstration actions, the completion date is the date on which the planned monitoring of the entire demonstration action is completed. Please see the ECO3 Guidance: innovation for more information.</p> | Date Field | dd/mm/yyyy | <p>Only DOCI between 01/10/2018 and 31/03/2022 (inclusive) are valid.</p> <p>Only entries in the accepted format are valid.</p> | CORE | Overview |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|------------------|--|--|-----------------|--|--|---|-----------------|
| Building_Number | Where relevant, what is the number of the building in which the measure was installed? | Provide the number of the building (if applicable). | Alphanumeric | Max character length of 50 characters | Only entries in the accepted format are valid. | CORE when: 'Building_Name' is unavailable | Property/Person |
| Building_Name | Where relevant, what is the name of the building in which the measure was installed? | Provide the name of the building (if applicable). | Alphanumeric | Max character length of 100 characters | Only entries in the accepted format are valid. | CORE when: 'Building_Number' is unavailable | Property/Person |
| Flat_Name/Number | Where relevant, what is the name or number of the flat in which the measure was installed? | Provide the name or number of the flat (if applicable). The word 'Flat' should be entered where appropriate (e.g. 'Flat 1'). | Alphanumeric | Max character length of 50 characters | If a flat name or number is available it must be provided. Only entries in the accepted format are valid. | Optional | Property/Person |
| Street_Name | What is the name of the street on which the premises is located? | Provide the name of the street on which the premises is located. | Alphanumeric | Max character length of 50 characters | Only entries in the accepted format are valid. | Optional | Property/Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--|--|--|-----------------------------------|---|--|-----------|------------------|
| Town | What is the name of the town or city in which the premises is located? | Provide the town in which the premises is located. | Alphanumeric | Max character length of 50 characters | Only entries in the accepted format are valid. | CORE | Property/ Person |
| Post_Code | What is the postcode for the premises? | Provide the full Royal Mail postcode corresponding to the address provided. | Alphanumeric with/without 'Space' | AN NAA ANN NAA AAN NAA AANN NAA ANA NAA AANA NAA | Postcodes with and without spaces will be accepted Only entries in the accepted format are valid. | CORE | Property/ Person |
| Unique_Property_Reference_Number_(UPRN) | What is the UPRN for the premises? | Provide the unique property reference number that is the unique twelve digit number assigned to every unit of land and property by the National Land and Property Gazetteer and recorded by local Government. Suppliers are encouraged to submit this data where it is available as standard. | Alphanumeric | NNNNNNNNNNNN N/A | Numeric entries must be 12 digits. Only entries in the accepted format are valid. | Optional | Property/ Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---------------------------|--|--|-----------------|------------------|---|--|---------------------|
| | | 'N/A' may be entered where the UPRN is unknown. | | | | | |
| Rural_Sub_Obligation | Is the measure intended to be credited towards the rural sub-obligation? | Suppliers must achieve at least 15% of its obligation by promoting eligible measures to premises in rural areas. If a measure is installed in a rural area, then 'Yes' should be entered in this field. | Alphabetic | Yes No | Only entries corresponding to the list are valid. | Required | Overview |
| Output_Area | What is the OA code in which the premises is located? | Provide the code for the Output Area (OA) in which the premises is located. For more information on OAs please see the ECO3 Guidance. | Alphanumeric | ANNNNNNNN N/A | Only entries in the accepted format are valid. | Required when: 'Rural_Sub_Obligation' = Yes | Property/ Person |
| Private_Domestic_Premises | Was the measure installed at a private domestic premises? | Indicates whether the premises is generally not owned and/or let by a social landlord. For further information on the definition of private domestic premises, please refer to the ECO3 Guidance. | Alphabetic | Yes No N/A | Only entries corresponding to the list are valid. | Required when: 'Eligibility' = Help to Heat Group or LA declaration | Property/ Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--------------------------|--|---|-----------------|--|---|-----------|---------------------|
| Tenure | What is the tenure of the premises? | Provide a description of the tenure of the premises, for example 'Owner Occupied', 'Owner Occupied FG', 'Private Rented Sector ABCDE', 'Private Rented Sector FG', 'Social Housing (RSL)', 'Other'. 'PRS FG' may be entered where there is no EPC in this tenure type. | Alphabetic | Owner Occupied PRS ABCDE PRS FG Social Housing (RSL) EFG Social Housing (RSL) D Other | Only entries corresponding to the list are valid. | Required | Property/ Person |
| EST_Land_Registry_Number | What is the EST online owner verification unique reference number (URN)? | Energy Saving Trust are able to validate which properties are private via their online portal. Suppliers are then given the URN which needs to be sent along with measure details. This URN must be a 10 digit number. | Numeric | NNNNNNNNNN | Only entries in the accepted format are valid. | Optional | Measure |
| Property_Type | What type of property is the premises? | Provide the type of premises the measure was installed to. When completing this field, refer to the Appendix 1 of this document. This sets out the 'Property Type Name: format | Alphabetic | As per the advised list of Property Types in Appendix 1 of this document | Only entries corresponding to the list are valid. | Required | Property/ Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|-------------------------------------|--|---|-----------------|--|---|---|------------|
| | | for notification to Ofgem'. Property Type needs to be notified in the exact naming convention specified. | | | | | |
| Scoring_Method | What scoring method has been used? | Indicates the methodology used to calculate the savings for the measure. All measures except for DHS and Demonstration Actions will be scored using deemed scores (DS) methodology. For DHS measures, SAP, RdSAP or a new, appropriate or alternative methodology (NM) must be used. For measures which are part of a Demonstration Action, 'DA' should be selected. | Alphabetic | SAP RdSAP DS NM DA | Only entries corresponding to the list are valid. | Required | Measure |
| Name_&_Version_Of_Scoring_Tool_Used | What is the name and version of the scoring tool used? | Provide the exact name and version number of the approved scoring tool, as listed by the UKAS-accredited body that approved the tool, used to calculate the savings for the measure. | Alphanumeric | Max character length of 150 characters | Only entries in the accepted format are valid. | Required when: 'Scoring_Method' = NM, SAP or RdSAP | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--------------------|---|---|-----------------|-----------------|--|--------------------------------------|------------|
| | | <p>If a new, appropriate or alternative methodology has been used, the name of the scoring tool should be entered in this field.</p> <p>Where the scoring method is DS or DA, N/A should be entered.</p> | | | | | |
| New_Methodology_ID | Where a new, appropriate or alternative methodology (NM) has been used, what is the reference number for that NM? | <p>If an NM has been used to calculate the savings of the measure, the reference number Ofgem allocated to this new, appropriate or alternative methodology must be provided. (Ofgem will provide a unique NM ID when a request is submitted to use a new, appropriate or alternative methodology).</p> <p>Measures scored using a NM that has not yet been approved will be placed on hold and review of the measures will be subject to the approval of that methodology.</p> | Alphanumeric | AANNNN N/A | Only entries in the accepted format are valid. | Required when: 'Scoring_Method' = NM | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|-------------------------|--------------------------------------|---|-----------------|----------------------------|---|---|------------|
| Annual_Cost_Saving_ (£) | What is the annual cost saving? | <p>Indicates the annual cost saving (in GBP£) achieved by the measure. This saving should be calculated in accordance with SAP or RdSAP or using an approved new methodology.</p> <p>Suppliers should not include the units (£) when completing this field.</p> <p>Where the scoring method is DS or DA, N/A should be entered.</p> | Alphanumeric | <p>NNNNN.NN</p> <p>N/A</p> | Only entries in the accepted format are valid. | Required when: Scoring_Method = NM, SAP or RdSAP | Measure |
| Lifetime_(yrs) | What is the lifetime of the measure? | <p>Indicates the expected lifetime of the measure.</p> <p>The ECO3 Measures Table provides a list of lifetimes and is available on our website.</p> <p>Where the scoring method is DS or DA, N/A should be entered.</p> | Alphanumeric | <p>NN</p> <p>N/A</p> | Only entries in the accepted format and as per the ECO3 Measures Table are valid. | Required when: Scoring_Method = NM, SAP or RdSAP | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|----------------|---|---|-----------------|-----------------|--|-----------|------------|
| Cost_Score_(£) | What is the cost score for the measure? | <p>Where the scoring method is DS, refer to the deemed score matrix to identify the appropriate cost score for a measure.</p> <p>For measures scored using SAP, RdSAP or a NM, the cost score should be calculated as follows:</p> <p><i>Annual cost saving x Lifetime x Uplift (where applicable)</i></p> <p>See the ECO3 Guidance for further information.</p> <p>For measures which are part of a Demonstration Action, the Cost Score should be notified as outlined in Section 4 of the ECO3 Guidance: Innovation.</p> <p>Suppliers should not include the units ('£') when completing this field.</p> | Numeric | NNNNNN | Only entries in the accepted format are valid. | CORE | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|------------------------|--|---|-----------------|-----------------|--|--|------------|
| Boiler_or_ESH_Warranty | Where the measure is the repair or replacement of a boiler or an electric storage heater (ESH), was the measure accompanied by a warranty? | <p>Indicates the length (in years) of the warranty.</p> <p>All boiler or ESH installations must be accompanied by a warranty of at least two years.</p> <p>All boiler and ESH repairs must also be accompanied by a warranty of at least two years. If a repair measure with a two year lifetime is being claimed, the warranty must be of at least two years.</p> <p>(TrustMark has a requirement that all ECO measures, except demonstration actions and certain DHS measures, delivered by a TrustMark registered business must be accompanied by a guarantee of at least two years.).</p> | Alphanumeric | N NN N/A | Only entries in the accepted format are valid. | Required when: the measure type is associated with the Measure Category Boiler or ESH ² | Measure |

² There are a large number of measure types to list, please see the [ECO3 deemed score](#) matrix for further information

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|----------------------------------|---|---|-----------------|---------------------------------|---|--|------------|
| Adequate_Roof_or_Wall_Insulation | Where the measure is a First Time Central Heating (FTCH) installation does the premises have adequate roof and wall insulation? | <p>FTCH is only eligible if the premises being connected has adequate roof and wall insulation.</p> <p>'Yes' should be entered where FTCH is installed in a premises, including as a part of a DHS, and both roof and cavity wall pre-conditions are met.</p> <p>'N/A' should be entered for DHS measures that aren't FTCH.</p> <p>For further information please refer to the ECO3 Guidance.</p> | Alphabetic | Yes No N/A | Only entries corresponding to the list are valid. | Required when: Measure_Type is B_First_time_CH_[walltype] or DHS_new_connection. | Measure |
| DHS_Consumer_Protection | Has the DHS measure been registered with an appropriate consumer protection organisation? | Where a DHS measure is installed, it must have appropriate consumer protection in place. This can mean registration with the heat networks consumer protection body Heat Trust or an equivalent organisation or standard. | Alphabetic | Heat Trust Equivalent N/A | Only entries corresponding to the list are valid. | Required when: Measure Type = DHS_new_connection OR DHS_CHP_upgrade | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|------|----------|--|-----------------|-----------------|-------------|-----------|------------|
| | | <p>In such cases, suppliers should notify either Heat Trust or Equivalent.</p> <p>Registration with Heat Trust or an equivalent is not required when the DHS is a shared ground loop, with individual heat pumps in each property.</p> <p>In such cases suppliers should notify N/A.</p> | | | | | |

| | | | | | | | |
|--|---|---|------------|---|---|----------|---------------------|
| Pre_Main_Heating_So urce_for_the_Property | What was the fuel type of the main space heating system(s) for the premises before the measure was installed? | <p>Indicates the main space heating source of the premises prior to installation of the measure or, for heating measures, the heating source being replaced or repaired.</p> <p>Where the scoring method is DS, refer to Appendix 2 of this document for details on completing this field</p> <p>Some properties may be heated by a heating source not listed in Appendix 2. In such cases an appropriate heating source proxy should be used. This heating source must be accompanied by an asterix (*) to denote that a proxy has been used. Refer to Appendix 3 of this document for a list of these heating sources and the associated proxy.</p> <p>'DHS' can only be used where the measure is not scored using deemed scores. 'Other' can only be used where the measure is not scored using</p> | Alphabetic | <p>For measures where the scoring method is DS, as per the list of pre main heating sources in Appendix 2 and Appendix 3 of this document.</p> <p>For measures not scored with deemed scores 'DHS' and 'Other' are also acceptable.</p> | Only entries corresponding to the list are valid. | Required | Property/ Person |
|--|---|---|------------|---|---|----------|---------------------|

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---|---|---|-----------------|--|---|--|-----------------|
| | | <p>deemed scores and the heating source is not listed here.</p> <p>For further guidance on determining the pre-main heating source please refer to the ECO3 Guidance.</p> | | | | | |
| Post_Main_Heating_Source_for_the_Property | What is the fuel type of the main space heating system(s) for the premises after the measure was installed? | <p>For broken boiler repair and replacement and FTCH measures using scoring method DS, this field denotes the heating source which has been installed at the property.</p> <p>When DHS measures are notified with a Tenure of 'PRS FG', we will use this field to verify the eligibility of the measure.</p> <p>For all other measures N/A must be entered.</p> | Alphabetic | Gas boiler Oil boiler LPG boiler ASHP GSHP Biomass boiler Electric boiler DHS DHS - Renewable N/A | Only entries corresponding to the list are valid. | Required when: the measure type is associated with the Measure category Boiler or FTCH OR the measure type is associated with the Measure category DHS and | Property/Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--------------------------|--|--|-----------------|---|--|--|------------|
| | | | | | | Tenure = PRS FG ³ | |
| Pre_Installation_EPC_RRN | Was a pre-installation EPC completed and lodged with the appropriate body? | <p>Provide the report reference number for the latest EPC (if generated and lodged in the appropriate EPC Register) generated prior to the installation of the specified measure.</p> <p>We will use this to check whether a social housing premises is eligible for 'Social Housing EFG' and 'Social Housing D', the LA F&G Deemed Scores uplifts as well as the LA F&G uplifts for non Deemed Score DHS measures. Measures notified with these tenure types or uplifts must have either a pre or a post EPC RRN.</p> | Alphanumeric | <p>NNNN-NNNN-NNNN-NNNN-NNNN N/A</p> <p>Max character entry of 24 characters</p> | Only entries in the accepted format are valid. | <p>Required when:</p> <p>(('Eligibility' = Social Housing EFG or Social Housing D) or ('Name_of_Uplift_For_DS' = LA_F&G_non PRS_insulation or LA_F&G_non PRS) or 'Uplift_for_Non_DS' = 1.25) AND 'Post_Installation_EPC_RRN' = N/A</p> | Measure |

³ There are a large number of measure types to list, please see the [ECO3 deemed score](#) matrix for further information

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|------|----------|---|-----------------|-----------------|-------------|----------------------------|------------|
| | | <p>We will also use this to verify measures with a Tenure of 'PRS ABCDE'</p> <p>Where a FTCH measure is installed, including as part of a DHS connection measure, an EPC can be provided to demonstrate that the pre-conditions have been met.</p> <p>Please provide the RRN if you are using EPC to demonstrate FTCH pre-conditions.</p> <p>N/A should be entered when the EPC has not been lodged, has been withdrawn, no EPC exists, or where a pre-installation EPC is not required - e.g. where the measure does not include the tenure types and uplifts listed above or, where permissible, a post / pre installation EPC is provided instead.</p> | | | | OR (Tenure'= PRS ABCDE) | |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---------------------------|---|---|-----------------|--|--|---|------------|
| Post_Installation_EPC_RRN | Was a post-installation EPC completed and lodged with the appropriate body? | <p>Provide the report reference number for an EPC (if generated and lodged in the appropriate EPC Register) generated after the installation of the specified measure.</p> <p>We may use this to check that a social housing premises is eligible for 'Social Housing EFG', 'Social Housing D', the LA F&G Deemed Score uplifts as well as the LA F&G uplift for non Deemed Score DHS measures. Measures notified with these tenure types or uplifts must have either a pre or a post EPC RRN.</p> <p>N/A should be entered when the EPC has not been lodged, has been withdrawn, or where a post-installation EPC is not required.</p> | Alphanumeric | <p>NNNN-NNNN-NNNN-NNNN-NNNN</p> <p>N/A</p> <p>Max character entry of 24 characters</p> | Only entries in the accepted format are valid. | <p>Required when:</p> <p>(('Eligibility' = Social Housing EFG or Social Housing D) or ('Name_of_Uplift_For_DS' = LA_F&G_nonPRS_insulation or LA_F&G_nonPRS) or 'Uplift_for_Non_DS' = 1.25) AND 'Pre_Installation_EPC_RRN' = N/A</p> | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|-----------------------------------|---|--|-----------------|---|---|--|------------|
| Brokerage_Lot_Number | If the measure was purchased through brokerage, what is the lot number of the measure? | Provide the reference (lot number) associated with the purchase through brokerage. | Alphanumeric | Max character length of 50 characters N/A | Only entries corresponding to the list are valid. | Required | Overview |
| Installed_In_Accordance_with_PAS? | If the measure is referred to in the Publicly Available Specification 2030:2017 (PAS) or PAS 2030: 2019 and PAS 2035: 2019, which version of PAS was the measure installed under? | <p>All measures that are referred to in PAS 2030 must be installed in accordance with the Specification.</p> <p>Where the Post_Main_Heating_Source_for_the_Property is 'Biomass boiler', 'DHS' or 'DHS – Renewable', 'N/A' should be entered.</p> <p>Note that for all Boiler Repair measures, 'N/A' should be entered.</p> <p>The PAS transition covers measures which are completed between 1 January 2020 and 30 June 2021. On and after 1 July 2021 all installers will need</p> | Alphanumeric | PAS2030:2017, PAS2030:2019 and PAS2035:2019, or N/A | Only entries corresponding to the list are valid. | Required when: 'Measure_Type' is referred to in PAS 2030 | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---------------------------------|---|--|-----------------|------------------|--|-----------|------------|
| | | <p>to deliver ECO3 measures in accordance with the new standards.</p> <p>We will be validating this field against TrustMark's Data Warehouse</p> <p>For further information on this requirement please refer to the ECO3 Guidance and the ECO3 measures table.</p> | | | | | |
| Percentage_of_Measure_Installed | Has 100% of the measure been installed at the premises? | <p>Indicates whether 100% of all areas of the premises that are suitable for treatment with that measure have been treated.</p> <p>Ofgem require that suppliers must install 100% of a measure at a premises, unless there are reasonable grounds for not doing so.</p> <p>This field should be considered in conjunction with 'Percentage_of_Property_Treated'. There will be cases where</p> | Alphabetic | Yes No N/A | Only entries in the accepted format are valid. | Required | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|------|----------|--|-----------------|-----------------|-------------|-----------|------------|
| | | <p>they will not be the same, for example where a wall insulation measure is installed in a property made up of multiple wall types. Examples can be found in our ECO3 guidance.</p> <p>If the Measure Type is Solar PV, this field should be 'N/A'.</p> | | | | | |

| | | | | | | | |
|--------------------------------|---|--|--------------|----------------------------|--|--------------------------------------|---------|
| Percentage_Of_Property_Treated | What percentage of the property was treated with the measure? | <p>Indicates what percentage of the property has been treated by the measure. Where the scoring method is DS, this value determines the percentage of the overall deemed score which is claimed.</p> <p>This field should be considered alongside 'Percentage_of_Measure_Installed'.</p> <p>If 67% or more of the measure has been treated, '67+' can be notified here. Otherwise, the exact percentage of property treated must be notified.</p> <p>The only exception is Solar PV. Where this is the measure type, suppliers can notify up to 400%.</p> <p>Rounding should be carried out to the nearest whole number</p> <p>Suppliers should not include the '%' symbol when completing this field.</p> | Alphanumeric | <p>NNN NNA N/A</p> | Only entries in the accepted format are valid. | Required when: 'Scoring_Method' = DS | Measure |
|--------------------------------|---|--|--------------|----------------------------|--|--------------------------------------|---------|

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|-----------------------|--|---|-----------------|--|---|--------------------------------------|------------|
| Name_of_Uplift_For_DS | What Tier 1 deemed score uplift has been applied for this measure? | <p>In some circumstances, the scores for certain measures are subject to an uplift. Where the uplift is Tier 1 (cannot be used with an uplift in the same Tier – see ECO3 Guidance: Delivery v1.4), the name of the uplift should be entered in this field, and the version of the score which incorporates the uplift should be selected from the deemed scores matrix.</p> <p>All measures which are the replacement of a broken heating system should be notified with either the Broken_central_heating or Broken_ESH uplifts.</p> <p>All insulation measures which are installed in a property with a non mains gas pre main heat source should be notified with the Nonmainsgas_insulation uplift, if a larger uplift is not available;</p> | Alphanumeric | LA_F&G_nonPRS_insulation, LA_F&G_nonPRS, Nonmainsgas_insulation, Broken_CH_cap_renew, Broken_CH_secondary, Broken_ESH, N/A | Only Tier 1 entries in the accepted format are valid. | Required when: 'Scoring_Method' = DS | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|-------------------|--|--|-----------------|-----------------|--|---|------------|
| | | <p>Measures can also be eligible for an uplift when installed in certain properties under the LA flexible eligibility mechanism. See the ECO3 guidance for further information.</p> | | | | | |
| Uplift_For_Non_DS | What uplift has been applied for this measure? | <p>An uplift will be included when calculating the cost score of some measures. If the measure has been scored using deemed scores, or no uplift is applied, then 'N/A' should be entered.</p> <p>If a DHS measure has been installed to an EPC band F or G property in a local authority declaration (which is not PRS), an uplift of 1.25 should be entered.</p> | Alphanumeric | 1.25 N/A | Only entries in the accepted format are valid. | Required when: 'Scoring_Method' = NM, SAP or RdSAP | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|----------------|------------------------------------|---|-----------------|--|--|-----------|------------|
| | | <p>You cannot combine uplifts.</p> <p>See the ECO3 Guidance for further information.</p> | | | | | |
| Installer_Name | What is the name of the installer? | Provide the name of the company that carried out the installation of the measure at the premises. This should not be the name of the managing agent unless they carried out the installation. In cases where a measure is referred to in PAS 2030, we require the name of the certified installation company to be notified rather than a company that the PAS-certified installation company has sub-contracted the installation to. | Alphanumeric | Max character length of 150 characters | Only entries in the accepted format are valid. | Required | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|----------------|---|---|-----------------|--|---|--|---------------------|
| Wall_Guarantee | If the measure is CWI, EWI/IWI, UFI, SFI RIRI and PHI, what is the Ofgem code for its appropriate guarantee? | Provide the 8-digit character code for the appropriate guarantee. These codes can be found on the ECO Appropriate Guarantees List on the Ofgem website. If the guarantee applied for does not appear on the TrustMark list, please contact TrustMark for more information. | Alphanumeric | AAAAAANN N/A | Only entries in the accepted format are valid. | Required when: the measure type is associated with the following Measure Category: CWI, E / IWI, Other Insulation (UFI, RIRI SFI or PHI) ⁴ | Measure |
| LA_Criteria | What is the reason given in the LA declaration for listing the household under a local authority declaration? | For a household to be eligible under this route it must be identified by the local authority as either in fuel poverty (fuel poor), low income & vulnerable to the effects of a cold home (low income and vulnerable) or In-fill. | Alphanumeric | Fuel poor Low income & vulnerable In-fill N/A | Only entries corresponding to the list are valid. | Required when: 'Eligibility' = LA declaration Optional when: 'Eligibility' = | Property/ Person |

⁴ There are a large number of measure types to list, please see the [ECO3 deemed score](#) matrix for further information

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---------------------------------|---|---|-----------------|-----------------|--|---|------------------|
| | | <p>For more information on eligibility under this route please see the Ofgem ECO3 guidance, the Electricity and Gas (Energy Company Obligation) Order 2018 or the BEIS guidance.</p> <p>Where a measure is installed to a premises listed on a local authority declaration but is notified as a help to heat measure, this information should also be notified.</p> | | | | Help to Heat Group | |
| LA_Declaration_Reference_Number | What is the local authority declaration reference number? | <p>Provide the local authority declaration unique reference number.</p> <p>Where a measure is installed to a premises listed on a local authority declaration but is notified as a Help to Heat measure, the LA declaration reference number should still be provided.</p> | Alphanumeric | ANNNNNNNN-NNNNN | Only entries in the accepted format are valid. | <p>Required when: 'Eligibility' = LA declaration</p> <p>Optional when: 'Eligibility' = Help to Heat Group</p> | Property/ Person |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--------------------------|---|---|-----------------|--|---|--|------------|
| PAS_Certification_Number | If the measure is referred to in the Publicly Available Specification 2030:2017 or 2030:2019 (PAS), what is the installer's PAS certification number? | <p>Provide installer's PAS certification number. This must be the PAS certification number relevant to the annex of the measure being installed.</p> <p>PAS certification number is required as evidence that a measure has been installed by a PAS-certified installer. For further information on this requirement please refer to the ECO3 Guidance.</p> | Alphanumeric | Max character length of 15 characters | Only entries in the accepted format are valid. | Required when: 'Measure_Type' is referred to in PAS 2030 | Measure |
| Innovation_Measure | If the measure is an innovation measure, which area of innovation is it notified under? | <p>Measure can be notified as innovative measures if they fall within one of the following categories; Demonstration Actions, Innovation Measures and Monitored Measures.</p> <p>Where a measure is being delivered under more than one of the innovation routes, the relevant route combination should be provided.</p> | Alphabetic | Demonstration Action, Innovation Measure, Monitored Measure, Demonstration Action/Innovation Measure/Monitored Measure, Demonstration Action/Innovation Measure, Demonstration Action/Monitored Measure, | Only entries corresponding to the list are valid. | Required | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|---------------------------|---|--|-----------------|---|---|--|------------|
| | | | | Innovation Measure/Monitored Measure N/A | | | |
| Innovation_Measure_Number | If the measure is an innovation measure, what is the Innovation Measure Number? | Provide the number for notification for the innovation measure. These numbers can be found in the ECO3 Approved Innovation Measures document on the Ofgem website. | Alphanumeric | NNN N/A | Only entries corresponding to the list are valid. | Required when: 'Innovation_Measure' = Innovation Measure, Demonstration Action/Innovation Measure/Monitored Measure, Demonstration Action / Innovation Measure or Innovation Measure / Monitored Measure | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|-----------------------------------|--|---|-----------------|--------------------------------------|---|---|------------|
| Innovation_Measure_Uplift | If the measure is an innovation measure, does the measure receive the 25% uplift and count towards the innovation cap? | <p>A 25% uplift can be applied to innovation measures. 'N/A' should be entered where the uplift has not been applied and the Innovation measure should not be counted towards the supplier's innovation cap.</p> <p>The uplift can only be applied to Innovation Measures which are not delivered in combination with any of the other innovation routes.</p> <p>See the ECO3 Guidance: Innovation for further information.</p> | Alphanumeric | 1.25 N/A | Only entries corresponding to the list are valid. | Required when: 'Innovation_Measure' = Innovation Measure | Measure |
| Trustmark_Business_Licence_Number | If the measure is registered with TrustMark, what is the TrustMark business licence number? | All ECO measures, except for Demonstration Action and Certain DHS measures, must be delivered by a TrustMark registered business and supplier must notify the number on the ECO register. | Numeric | NNNNNNNNNNN (Up to 11 digits) N/A | Only entries that match with TrustMark's Data warehouse are valid | Required for all measure except for demonstration action, DHS measure registered with Heat Trust or | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|------------------------------------|--|---|-----------------|--|---|--|------------|
| | | This field will be validated against TrustMark's Data Warehouse. | | | | subject to equivalent. | |
| Trustmark_Unique_Measure_Reference | If the measure is registered with TrustMark, what is the TrustMark unique measure reference? | <p>When a measure is lodged with TrustMark a unique TrustMark measure reference will be generated. Supplier must have this number before notifying the measure to Ofgem</p> <p>This will not be a requirement for measure that is a demonstration action, or the measure is a district heating system either registered with Heat Trust, subject to arrangements for consumer protection equivalent to the requirements under the Heat Trust scheme, or the measure is subject to arrangements for consumer protection equivalent to the requirements under</p> | Alphanumeric | Alpha numeric (max 20 characters) N/A | Only entries that match with TrustMark's Data warehouse are valid | Required when: 'Trustmark_Business_Licence_Number' is NNNNNNNN NNN (Up to 11 digits) | Measure |

| Data | Question | Information | Data Field Type | Accepted Format | Validations | Mandatory | Review Tab |
|--------------------------------|---|--|-----------------|--|---|---|------------|
| | | TrustMark. 'N/A' should be entered in these cases. This field will be validated against TrustMark's Data Warehouse. | | | | | |
| Trustmark_Lodged_CertificateID | If the measure is registered with TrustMark, what is the TrustMark's lodged certificate ID? | Provide a TrustMark lodged certificate ID which will be issued by TrustMark for the measure. The measure will not be approved as a qualifying action until the certificate ID has been notified. This field will be validated against TrustMark's Data Warehouse. | Numeric | NNNNNNNN (min of 4 and max of 8 digits) N/A | Only entries that match with TrustMark's Data warehouse are valid | Required when: 'Trustmark_Business_Licence_Number' is NNNNNNNN NNN (Up to 11 digits) | Measure |

Appendix 1 Property Type

| Property Category Name | Property Type | Bedrooms | Property Type Name: format for notification to Ofgem |
|------------------------|--|----------|--|
| Flat | 3 ext. Wall Flat | 1 | 3W_Flat_1 |
| | 3 ext. Wall Flat | 2 | 3W_Flat_2 |
| | 3 ext. Wall Flat | 3+ | 3W_Flat_3+ |
| | 2 ext. Wall Flat | 1 | 2W_Flat_1 |
| | 2 ext. Wall Flat | 2 | 2W_Flat_2 |
| | 2 ext. Wall Flat | 3+ | 2W_Flat_3+ |
| House | End-terrace | 1 | End-terrace_1 |
| | End-terrace | 2 | End-terrace_2 |
| | End-terrace | 3 | End-terrace_3 |
| | End-terrace | 4 | End-terrace_4 |
| | End-terrace | 5+ | End-terrace_5+ |
| | Mid-terrace | 1 | Mid-terrace_1 |
| | Mid-terrace | 2 | Mid-terrace_2 |
| | Mid-terrace | 3 | Mid-terrace_3 |
| | Mid-terrace | 4 | Mid-terrace_4 |
| | Mid-terrace | 5+ | Mid-terrace_5+ |
| | Semi-detached | 2- | Semi_2- |
| | Semi-detached | 3 | Semi_3 |
| | Semi-detached | 4 | Semi_4 |
| | Semi-detached | 5+ | Semi_5+ |
| | Detached | 2- | Det_2- |
| | Detached | 3 | Det_3 |
| | Detached | 4 | Det_4 |
| | Detached | 5 | Det_5 |
| Detached | 6+ | Det_6+ | |
| Bungalow | Bungalow - semi detached & end terrace | 1 | Bung_Semi/End_1 |
| | Bungalow - semi detached & end terrace | 2 | Bung_Semi/End_2 |
| | Bungalow - semi detached & end terrace | 3+ | Bung_Semi/End_3+ |
| | Bungalow - mid terrace | 1 | Bung_Mid_1 |
| | Bungalow - mid terrace | 2 | Bung_Mid_2 |
| | Bungalow - mid terrace | 3+ | Bung_Mid_3+ |
| | Bungalow - detached | 2- | Bung_Det_2- |
| | Bungalow - detached | 3+ | Bung_Det_3+ |

| Property Category Name | Property Type | Bedrooms | Property Type Name: format for notification to Ofgem |
|------------------------|------------------------|----------|--|
| Maisonette | Maisonette 3 ext. Wall | 2- | 3W_Maisonette_2- |
| | Maisonette 3 ext. Wall | 3+ | 3W_Maisonette_3+ |
| | Maisonette 2 ext. Wall | 2- | 2W_Maisonette_2- |
| | Maisonette 2 ext. Wall | 3+ | 2W_Maisonette_3+ |
| Mobile Home | Single park home | | Single_park_home |
| | Double park home | | Double_park_home |

Appendix 2 Pre Main Heating Source for the Property for Deemed Score

| Measure type | Pre main heating source | | | | | | | | | | | | |
|---|-------------------------|--------------------------|------------|------------|--------------------------|-----------------|-----------------------|------------------|--------------------------------|--------------------|--------------------------|---------------------------|------------------------------|
| | Gas boiler | Electric Storage Heaters | Oil boiler | LPG boiler | Solid fossil fuel boiler | Electric boiler | Electric room heaters | Gas room heaters | Solid fossil fuel room heaters | Bottled LPG boiler | Bottled LPG room heaters | Gas fire with back boiler | Gas back boiler to radiators |
| Insulation measures (exc. park home insulation) | √ | √ | √ | √ | √ | √ | √ | √ | √ | | | | |
| Park home insulation | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | √ | | |
| Broken boiler replacements | √ | | √ | √ | √ | √ | | | | | | √ | √ |
| Boiler upgrade | √ | | √ | √ | √ | √ | | | | | | | √ |
| First time central heating | | √ | | | | | √ | √ | √ | | | √ | |
| Boiler repair | √ | | √ | √ | | √ | | | | | | | |
| Broken electric storage heater replacement | | √ | | | | | | | | | | | |
| Broken electric storage heater repair | | √ | | | | | | | | | | | |
| Electric storage upgrade | | √ | √ | √ | √ | √ | √ | √ | √ | | | √ | √ |
| Heating controls | √ | | √ | √ | √ | √ | | | | | | | |
| Solar PV | | √ | | | | √ | √ | | | | | | |

Appendix 3 Pre Main Heating Source proxies for rarer heating sources

| Pre-main heating source | Proxy heating source |
|--|---------------------------------|
| ASHP central heating ^{1,5} | Gas room heaters* |
| Air-oil hybrid heat pump | Gas room heaters* |
| Biomass district heating system | Gas boiler* |
| Biomass/wood central heating | Solid fossil fuel boiler* |
| Biomass/wood room heaters | Solid fossil fuel boiler* |
| Bottled LPG back boiler to radiators | Electric boiler* |
| Bottled LPG central heating ² | Electric boiler* |
| Bottled LPG fire with back boiler | Electric room heaters* |
| Bottled LPG range cooker boiler | Electric room heaters* |
| Bottled LPG room heaters ² | Electric room heaters* |
| Electric ceiling heaters | Electric room heaters* |
| Electric underfloor heating | Electric storage heaters* |
| Electric warm air system | Electric boiler* |
| Gas back boiler to radiators ³ | Gas room heaters* |
| Gas district heating system | Gas boiler* |
| Gas fire with back boiler ³ | LPG boiler* |
| Gas range cooker boiler | Gas room heaters* |
| Gas warm air system | Gas boiler* |
| GSHP central heating ⁵ | Gas room heaters* |
| GSHP district heating system | Gas boiler* |
| LPG back boiler to radiators | LPG boiler* |
| LPG boiler - Special Condition 18 ⁴ | Gas boiler* |
| LPG district heating system | Gas boiler* |
| LPG fire with back boiler | Electric room heaters* |
| LPG range cooker boiler | LPG boiler* |
| LPG room heaters | LPG boiler* |
| LPG warm air system | LPG boiler* |
| No heating present | Electric room heaters* |
| Oil district heating system | Gas boiler* |
| Oil range cooker boiler | Gas boiler* |
| Oil room heaters | Gas room heaters* |
| Oil warm air system | Oil boiler* |
| Solid fossil fuel back boiler to radiators | Solid fossil fuel boiler* |
| Solid fossil fuel fire with back boiler | Solid fossil fuel room heaters* |

¹air-to-water ASHP or air-to-air ASHP

²In the case of park home insulation measures, a proxy must not be used for these heat sources. The deemed scores matrix contains variants of park home insulation scores with the pre main heat sources 'bottled LPG boiler' and 'bottled LPG room heater'.

³In the case of heating measures, a proxy must not be used for these heat sources. The deemed scores matrix contains variants of heating measures scores with these pre-main heating sources 'Gas back boiler to radiators' and 'Gas fire to back boiler' where applicable.

⁴Special Condition 18 applies only if the property receives LPG at mains gas prices⁵

⁵Heating controls, smart thermostats and TRV measures installed alongside ASHPs and GSHPs should use the LPG boiler* proxy

⁵ See: <https://www.ofgem.gov.uk/ofgem-publications/50140/7940-independentnetworksopenletterpdf>